

2024 IEEE International Conference on Software Analysis, Evolution and Reengineering (SANER 2024)

**Rovaniemi, Finland
12 – 15 March 2024**

Pages 1-523



**IEEE Catalog Number: CFP24102-POD
ISBN: 979-8-3503-3067-0**

**Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP24102-POD
ISBN (Print-On-Demand):	979-8-3503-3067-0
ISBN (Online):	979-8-3503-3066-3
ISSN:	1534-5351

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2024 IEEE International Conference on Software Analysis, Evolution and Reengineering (SANER) **SANER 2024**

Table of Contents

Message from the General Co-Chairs and Program Co-Chairs	xix
Program Committee	xxi

Software Architectures

Fast Choreography of Cross-DevOps Reconfiguration with Ballet: A Multi-Site OpenStack Case Study	1
<i>Jolan Philippe (IMT Atlantique, Nantes Université, France), Antoine Omond (IMT Atlantique, Nantes Université, France; UiT The Arctic University of Norway, Norway), Helene Coullon (IMT Atlantique, Nantes Université, France), Charles Prud'Homme (IMT Atlantique, Nantes Université, France), and Issam Rais (UiT The Arctic University of Norway, Norway)</i>	
Software Architecture Reconstruction for Microservice Systems Using Static Analysis via GraalVM Native Image	12
<i>Richard Hutcheson (Baylor University, USA), Austin Blanchard (Baylor University, USA), Noah Lambaria (Baylor University, USA), Jack Hale (Baylor University, USA), David Kozak (Brno University of Technology, Czech Republic), Amr S. Abdelfattah (Baylor University, USA), and Tomas Cerny (University of Arizona, USA)</i>	
On the Prevalence, Co-Occurrence, and Impact of Infrastructure-as-Code Smells	23
<i>Narjes Bessghaier (University of Quebec, Canada), Mahi Begoug (University of Quebec, Canada), Chemseddine Mebarki (University of Quebec, Canada), Ali Ouni (University of Quebec, Canada), Mohammed Sayagh (University of Quebec, Canada), and Mohamed Wiem Mkaouer (Rochester Institute of Technology, USA)</i>	
Towards Minimum Latency in Cloud-Native Applications via Service-Characteristic-Aware Microservice Deployment	35
<i>Ru Xie (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Liming Wang (Institute of Information Engineering, Chinese Academy of Sciences, China), and Chen Song (Institute of Information Engineering, Chinese Academy of Sciences, China)</i>	

Immersive Software Archaeology: Exploring Software Architecture and Design in Virtual Reality	47
<i>Adrian Hoff (IT University of Copenhagen, Denmark), Christoph Seidl (IT University of Copenhagen, Denmark), and Michele Lanza (Università della Svizzera italiana, Switzerland)</i>	
MicroOps: Rapid Microservice Data Simulation and AIOps Model Development Platform	52
<i>Yuewei Li (Beijing University of Posts and Telecommunications, China), Zhigang Wang (Beijing University of Posts and Telecommunications, China), Qi Qi (Beijing University of Posts and Telecommunications, China), Yuhan Jing (Beijing University of Posts and Telecommunications, China), Jinming Wu (Beijing University of Posts and Telecommunications, China), Zhikang Wu (Beijing University of Posts and Telecommunications, China), Yan Lu (Beijing University of Posts and Telecommunications, China), Chengsen Wang (Beijing University of Posts and Telecommunications, China), Xingyu Wang (Beijing University of Posts and Telecommunications, China), and Jingyu Wang (Beijing University of Posts and Telecommunications, China)</i>	
gFaaS: Enabling Generic Functions in Serverless Computing	57
<i>Mohak Chadha (Technical Universität München, Germany), Paul Wieland (Technical Universität München, Germany), and Michael Gerndt (Technical Universität München, Germany)</i>	
Semantic Modeling of Architecture Decision Records to Enable AI-Based Analysis	62
<i>Aleksei Karetnikov (Software Competence Center Hagenberg GmbH, Austria), Lisa Ehrlinger (Software Competence Center Hagenberg GmbH, Austria), Georg Buchgeher (Independent Researcher), and Verena Geist (Software Competence Center Hagenberg GmbH, Austria)</i>	

Natural Language Processing for Software Maintenance and Evolution

Challenges of Using Pre-Trained Models: the Practitioners' Perspective	67
<i>Xin Tan (Beihang University, China), Taichuan Li (Beihang University, China), Ruohe Chen (Beihang University, China), Fang Liu (Beihang University, China), and Li Zhang (Beihang University, China)</i>	
A Large Language Model Approach to Code and Privacy Policy Alignment	79
<i>Gabriel Morales (University of Texas at San Antonio, USA), Pragyan K C (University of Texas at San Antonio, USA), Sadia Jahan (University of Texas at San Antonio, USA), Mitra Bokaei Hosseini (University of Texas at San Antonio, USA), and Rocky Slavin (University of Texas at San Antonio, USA)</i>	

GLOSS: Guiding Large Language Models to Answer Questions from System Logs	91
<i>Shaohan Huang (Sino-German Joint Software Institute, Beihang University, China), Yi Liu (Sino-German Joint Software Institute, Beihang University, China), Jiaxing Qi (Sino-German Joint Software Institute, Beihang University, China), Jing Shang (China Mobile Information Technology Center, China), Zhiwen Xiao (China Mobile Information Technology Center, China), Carol Fung (Concordia Institute for Information Systems Engineering, Concordia University, Canada), Zhihui Wu (China Mobile Information Technology Center, China), Hailong Yang (Sino-German Joint Software Institute, Beihang University, China), Zhongzhi Luan (Sino-German Joint Software Institute, Beihang University, China), and Depei Qian (Sino-German Joint Software Institute, Beihang University, China)</i>	
Guiding ChatGPT for Better Code Generation: An Empirical Study	102
<i>Chao Liu (Chongqing University, China), Xuanlin Bao (Chongqing University, China), Hongyu Zhang (Chongqing University, China), Neng Zhang (Sun Yat-sen University, China), Haibo Hu (Chongqing University, China), Xiaohong Zhang (Chongqing University, China), and Meng Yan (Chongqing University, China)</i>	
Refining GPT-3 Embeddings with a Siamese Structure for Technical Post Duplicate Detection	114
<i>Xingfang Wu (Polytechnique Montréal, Canada), Heng Li (Polytechnique Montréal, Canada), Nobukazu Yoshioka (Waseda University, Japan), Hironori Washizaki (Waseda University, Japan), and Foutse Khomh (Polytechnique Montréal, Canada)</i>	
Using Large Language Models for Commit Message Generation: A Preliminary Study	126
<i>Linghao Zhang (Wuhan University, China), Jingshu Zhao (Wuhan University, China), Chong Wang (Wuhan University, China), and Peng Liang (Wuhan University, China)</i>	
OppropBERL: A GNN and BERT-Style Reinforcement Learning-Based Type Inference	131
<i>Piyush Jha (Georgia Institute of Technology, USA) and Werner Dietl (University of Waterloo, Canada)</i>	

API and Dependency Analysis

The Limits of the Identifiable: Challenges in Python Version Identification with Deep Learning	137
<i>Marcus Gerhold (Universiteit Twente, Netherlands), Lola Solovyeva (Universiteit Twente, Netherlands), and Vadim Zaytsev (Universiteit Twente, Netherlands)</i>	
Exploring Dependencies Among Inconsistencies to Enhance the Consistency Maintenance of Models	147
<i>Luciano Marchezan (Johannes Kepler University Linz, Austria), Wesley Klewerton Guez Assunção (North Carolina State University, USA), Edvin Herac (Johannes Kepler University Linz, Austria), Saad Shafiq (Johannes Kepler University Linz, Austria), and Alexander Egyed (Johannes Kepler University Linz, Austria)</i>	

BUMP: A Benchmark of Reproducible Breaking Dependency Updates	159
<i>Frank Reyes (KTH Royal Institute of Technology, Sweden), Yoggya Gamage (KTH Royal Institute of Technology, Sweden), Gabriel Skoglund (KTH Royal Institute of Technology, Sweden), Benoit Baudry (KTH Royal Institute of Technology, Sweden), and Martin Monperrus (KTH Royal Institute of Technology, Sweden)</i>	
APIGen: Generative API Method Recommendation	171
<i>Yujia Chen (Harbin Institute of Technology, China), Cuiyun Gao (Harbin Institute of Technology, China), Muyijie Zhu (Harbin Institute of Technology, China), Qing Liao (Harbin Institute of Technology, China), Yong Wang (Anhui Polytechnic University, China), and Guoai Xu (Harbin Institute of Technology, China)</i>	
A Multi-Metric Ranking with Label Correlations Approach for Library Migration Recommendations	183
<i>JianCheng Zhang (SouthWest Petroleum University, China), Qin Luo (SouthWest Petroleum University, China), and Peng Wu (Sichuan Tourism University, China)</i>	
Adapting: Adapter Generation to Provide an Alternative API for a Library	192
<i>Lars Reimann (University of Bonn, Germany) and Günter Kniesel-Wünsche (University of Bonn, Germany)</i>	

Mobile Apps

Accurate and Efficient Code Matching Across Android Application Versions Against Obfuscation	204
<i>Runhan Feng (Shanghai Jiao Tong University, China), Zhuohao Zhang (University of Electronic Science and Technology of China, China), Yetong Zhou (Shanghai Jiao Tong University, China), Ziyang Yan (Shanghai Jiao Tong University, China), and Yuanyuan Zhang (Shanghai Jiao Tong University, China)</i>	
Understanding Android OS Forward Compatibility Support for Legacy Apps: A Data-Driven Analysis	216
<i>Shuang Li (Shandong University, China), Rui Li (Shandong University, China), Yifan Yu (Shandong University, China), Kailun Yan (Shandong University, China), Shishuai Yang (Shandong University, China), and Wenrui Diao (Shandong University, China)</i>	
T-FREX: A Transformer-Based Feature Extraction Method from Mobile App Reviews	227
<i>Quim Motger (Universitat Politècnica de Catalunya), Alessio Miaschi (Institute for Computational Linguistics "A. Zampolli" (CNR-ILC), ItaliaNLP Lab), Felice Dell'Orletta (Institute for Computational Linguistics "A. Zampolli" (CNR-ILC), ItaliaNLP Lab), Xavier Franch (Universitat Politècnica de Catalunya), and Jordi Marco (Universitat Politècnica de Catalunya)</i>	
PredRacer: Predictively Detecting Data Races in Android Applications	239
<i>Xin Guo (Southeast University, China), Xiaofang Qi (Southeast University, China), Yanhui Li (State Key Laboratory for Novel Software Technology, Nanjing University, China), and Chao Wu (Southeast University, China)</i>	

PMDET: Automated Detection Tool of Android Parcel Mismatch	250
<i>Yunfan Zhan (Shanghai Jiao Tong University, China), Qidan He (Jingdong Group, China), Yijun Wang (Shanghai Jiao Tong University, China), and Xiuzhen Chen (Shanghai Jiao Tong University, China)</i>	
JNFuzz-Droid: A Lightweight Fuzzing and Taint Analysis Framework for Android Native Code ..	255
<i>Jianchao Cao (Jiangxi Normal University, China), Fan Guo (Jiangxi Normal University, China), and Yanwen Qu (Jiangxi Normal University, China)</i>	
Extending Refactoring Detection to Kotlin: A Dataset and Comparative Study	267
<i>Iman Hemati Moghadam (University of Twente, The Netherlands), Mohammad Mehdi (Vali-e-Asr University of Rafsanjan, Iran), Parsa Kamalipour (Vali-e-Asr University of Rafsanjan, Iran), and Vadim Zaytsev (University of Twente, The Netherlands)</i>	

Defect Prediction and Analysis I

Investigating and Detecting Silent Bugs in PyTorch Programs	272
<i>Hailong Sun (Beihang University), Shuo Hong (Beihang University), Xiang Gao (Beihang University), and Shin Hwei Tan (Concordia University)</i>	
BAFLineDP: Code Bilinear Attention Fusion Framework for Line-Level Defect Prediction	284
<i>Shaojian Qiu (South China Agricultural University, China), Huihao Huang (South China Agricultural University, China), Jianxiang Luo (South China Agricultural University, China), Yingjie Kuang (South China Agricultural University, China), and Haoyu Luo (South China Agricultural University, China)</i>	
WASMDYPA: Effectively Detecting WebAssembly Bugs via Dynamic Program Analysis	296
<i>Wenlong Zheng (University of Science and Technology of China, China) and Baojian Hua (University of Science and Technology of China, China)</i>	
Predicting Line-Level Defects by Capturing Code Contexts with Hierarchical Transformers	308
<i>Parvez Mahbub (Dalhousie University, Canada) and Mohammad Masudur Rahman (Dalhousie University, Canada)</i>	
Towards Effective and Efficient Error Handling Code Fuzzing Based on Software Fault Injection	320
<i>Kang Chen (Huazhong University of Science and Technology, China), Ming Wen (Huazhong University of Science and Technology, China; JinYinHu Laboratory, China), Haoxiang Jia (Huazhong University of Science and Technology, China), Rongxin Wu (Xiamen University, China), and Hai Jin (Huazhong University of Science and Technology, China)</i>	

Software Testing and Debugging I

Scopeo: an Object-Centric Debugging Approach for Exploring Object-Oriented Programs	332
<i>Valentin Bourcier (Univ. Lille, Inria, CNRS, Centrale Lille, France) and Steven Costiou (Univ. Lille, Inria, CNRS, Centrale Lille, France)</i>	

Navigating Confidentiality in Test Automation: A Case Study in LLM Driven Test Data Generation	337
<i>Hrishikesh Karmarkar (TCS Research, India), Supriya Agrawal (TCS Research, India), Avriti Chauhan (TCS Research, India), and Pranav Shete (TCS Research, India)</i>	
PatchBert: Continuous Stable Patch Identification for Linux Kernel via Pre-Trained Model Fine-Tuning	349
<i>Rongkai Liu (Central South University, China), Heyuan Shi (Central South University, China), Yongchao Zhang (Alibaba Group, China), Runzhe Wang (Alibaba Group, China), Yuheng Shen (Tsinghua University, China), Yuao Chen (Alibaba Group, China), Jing Luo (Central South University, China), Xiaohai Shi (Alibaba Group, China), Chao Hu (Central South University, China), and Yu Jiang (Tsinghua University, China)</i>	
RADig-X: a Tool for Regressions Analysis of User Digital Experience	359
<i>Federico Di Menna (University of L'Aquila, Italy), Vittorio Cortellessa (University of L'Aquila, Italy), Maurizio Lucianelli (Micron Semiconductor, Italy), Luca Sardo (Micron Semiconductor, Italy), and Luca Traini (University of L'Aquila, Italy)</i>	
CEDAR: Continuous Testing of Deep Learning Libraries	371
<i>Danning Xie (Purdue University, USA), Jiannan Wang (Purdue University, USA), Hung Viet Pham (York University, Canada), Lin Tan (Purdue University, USA), Yu Guo (Meta Inc., USA), Adnan Aziz (Meta Inc., USA), and Erik Meijer (Meta Inc., USA)</i>	

Software Analysis and Recommendation Systems

Alternating Between Surrogate Model Construction and Search for Configurations of an Autonomous Delivery System	383
<i>Chin-Hsuan Sun (National Taiwan University), Thomas Laurent (National Institute of Informatics, JSPS International Research Fellow, Japan), Paolo Arcaini (National Institute of Informatics), and Fuyuki Ishikawa (National Institute of Informatics)</i>	
LogLead - Fast and Integrated Log Loader, Enhancer, and Anomaly Detector	395
<i>Mika Mäntylä (University of Helsinki, Finland), Yuqing Wang (University of Helsinki, Finland), and Jesse Nyysölä (University of Helsinki, Finland)</i>	
Debloating Feature-Rich Closed-Source Windows Software	400
<i>Zhen Huang (DePaul University, USA)</i>	
SHREC: a SRE Behaviour Knowledge Graph Model for Shell Command Recommendations	406
<i>Andrea Tonon (Huawei Ireland Research Center, Ireland), Bora Caglayan (Huawei Ireland Research Center, Ireland), MingXue Wang (Huawei Ireland Research Center, Ireland), Peng Hu (Huawei Nanjing R&D Center, China), Fei Shen (Huawei Nanjing R&D Center, China), and Puchao Zhang (Huawei Ireland Research Center, Ireland)</i>	

Code Reviewer Recommendation Based on a Hypergraph with Multiplex Relationships	417
<i>Yu Qiao (Wuhan University, China), Jian Wang (Wuhan University, China), Can Cheng (Hubei University, China), Wei Tang (Wuhan University, China), Peng Liang (Wuhan University, China), Yuqi Zhao (Wuhan University, China), and Bing Li (Wuhan University, China)</i>	
Web API Change-Prone Prediction	429
<i>Rediana Koci (Polytechnic University of Catalonia, Spain), Xavier Franch (Polytechnic University of Catalonia, Spain), Petar Jovanovic (Polytechnic University of Catalonia, Spain), and Alberto Abello (Polytechnic University of Catalonia, Spain)</i>	
Assessing the Security of GitHub Copilot's Generated Code - A Targeted Replication Study	435
<i>Vahid Majdinasab (Polytechnique Montreal, Canada), Michael Joshua Bishop (Massey University, New Zealand), Shawn Rasheed (UCOL, New Zealand), Arghavan Moradidakhel (Polytechnique Montreal, Canada), Amjed Tahir (Massey University, New Zealand), and Foutse Khomh (Polytechnique Montreal, Canada)</i>	
Osmy: A Tool for Periodic Software Vulnerability Assessment and File Integrity Verification Using SPDX Documents	445
<i>Rio Kishimoto (Osaka University, Japan), Tetsuya Kanda (Osaka University, Japan), Yuki Manabe (The University of Fukuchiyama, Japan), Katsuro Inoue (Nanzan University, Japan), and Yoshiki Higo (Osaka University, Japan)</i>	
Navigating Expertise in Configurable Software Systems Through the Maze of Variability	450
<i>Karolina Milano (Federal Institute of Mato Grosso do Sul, Brazil) and Bruno Cafeo (University of Campinas, Brazil)</i>	

Empirical Studies

Investigating Markers and Drivers of Gender Bias in Machine Translations	455
<i>Peter Barclay (Edinburgh Napier University, United Kingdom) and Ashkan Sami (Edinburgh Napier University, United Kingdom)</i>	
Delving Into Parameter-Efficient Fine-Tuning in Code Change Learning: An Empirical Study	465
<i>Shuo Liu (City University of Hong Kong, China), Jacky Keung (City University of Hong Kong, China), Zhen Yang (Shandong University, China), Fang Liu (Beihang University, China), Qilin Zhou (City University of Hong Kong, China), and Yihan Liao (City University of Hong Kong, China)</i>	
Catch the Butterfly: Peeking Into the Terms and Conflicts Among SPDX Licenses	477
<i>Tao Liu (Xidian University, China), Chengwei Liu (Nanyang Technological University, Singapore), Tianwei Liu (Xidian University, China), He Wang (Xidian University, China), Gaofei Wu (Xidian University, China), Yang Liu (Nanyang Technological University, Singapore), and Yuqing Zhang (Xidian University; University of Chinese Academy of Sciences, China)</i>	
Comparative Study of Reinforcement Learning in GitHub Pull Request Outcome Predictions	489
<i>Rinkesh Joshi (Carleton University, Canada) and Nafiseh Kahani (Carleton University, Canada)</i>	

On the Usefulness of Python Structural Pattern Matching: An Empirical Study	501
<i>Norbert Vándor (University of Szeged, Hungary), Gábor Antal (University of Szeged, Hungary), Péter Hegedus (University of Szeged, Hungary), and Rudolf Ferenc (University of Szeged, Hungary)</i>	
Deep Learning Model Reuse in the HuggingFace Community: Challenges, Benefit and Trends	512
<i>Mina Taraghi (Polytechnique Montréal, Canada), Gianolli Dorcelus (Polytechnique Montréal, Canada), Armstrong Foundjem (Polytechnique Montréal, Canada), Florian Tambon (Polytechnique Montréal, Canada), and Foutse Khomh (Polytechnique Montréal, Canada)</i>	

Defect Prediction and Analysis II

OCRCL: Online Contrastive Learning for Root Cause Localization of Business Incidents	524
<i>Xiaosong Huang (Peking University), Hongyi Liu (Peking University), Yifan Wu (Peking University), Yujin Zhao (Peking University), Changlong Wu (Alibaba), Songlin Zhang (Alibaba), Ling Jiang (Alibaba), Tong Jia (Peking University), Ying Li (Peking University), and Zhonghai Wu (Peking University)</i>	
On The Effectiveness of One-Class Support Vector Machine in Different Defect Prediction Scenarios	535
<i>Rebecca Moussa (University College London, United Kingdom), Danielle Azar (Lebanese American University, Lebanon), and Federica Sarro (University College London, United Kingdom)</i>	
On the Stability and Applicability of Deep Learning in Fault Localization	546
<i>Viktor Csuwik (University of Szeged, Hungary), Roland Aszmann (University of Szeged, Hungary), Árpád Beszédes (University of Szeged, Hungary), Ferenc Horváth (University of Szeged, Hungary), and Tibor Gyimóthy (University of Szeged, Hungary)</i>	
Learning Defect Prediction from Unrealistic Data	556
<i>Kamel Alrashedy (Georgia Institute of Technology, USA), Vincent Hellendoorn (Carnegie Mellon University, USA), and Alex Orso (Georgia Institute of Technology, USA)</i>	
Demystifying Faulty Code: Step-by-Step Reasoning for Explainable Fault Localization	568
<i>Ratnadira Widyasari (Singapore Management University), Jia Wei Ang (Singapore Management University), Truong Giang Nguyen (Singapore Management University), Neil Sharma (Singapore Management University), and David Lo (Singapore Management University)</i>	
TraceJIT: Evaluating the Impact of Behavioral Code Change on Just-In-Time Defect Prediction	580
<i>Issei Morita (Kyushu University, Japan), Yutaro Kashiwa (Nara Institute of Science and Technology, Japan), Masanari Kondo (Kyushu University, Japan), Jeongju Sohn (University of Luxembourg, Luxembourg), Shane McIntosh (University of Waterloo, Canada), Yasutaka Kamei (Kyushu University, Japan), and Naoyasu Ubayashi (Kyushu University, Japan)</i>	

Program Comprehension

List Comprehension Versus for Loops Performance in Real Python Projects: Should we Care?	592
<i>Cyrine Zid (Polytechnique Montréal, Canada), François Belias (Polytechnique Montréal, Canada), Massimiliano Di Penta (University of Sannio, Italy), Foutse Khomh (Polytechnique Montréal, Canada), and Giuliano Antoniol (Polytechnique Montréal, Canada)</i>	
ALANCA: Active Learning Guided Adversarial Attacks for Code Comprehension on Diverse Pre-Trained and Large Language Models	602
<i>Dexin Liu (Peking University, China) and Shikun Zhang (Peking University, China)</i>	
SparseCoder: Identifier-Aware Sparse Transformer for File-Level Code Summarization	614
<i>Yanlin Wang (Sun Yat-sen University, China), Yanxian Huang (Sun Yat-sen University, China), Daya Guo (Sun Yat-sen University, China), Hongyu Zhang (Chongqing University, China), and Zibin Zheng (Sun Yat-sen University, China)</i>	
Understanding the Performance-Energy Tradeoffs of Object-Relational Mapping Frameworks	626
<i>Alexandre Bonvoisin (Univ. Lille, CNRS, Inria, France), Clément Quinton (Univ. Lille, CNRS, Inria, France), and Romain Rouvoy (Univ. Lille, CNRS, Inria, France)</i>	
ReCo: A Modular Neural Framework for Automatically Recommending Connections in Software Models	637
<i>Haoyu Liu (Northwestern Polytechnical University), Yunwei Dong (Northwestern Polytechnical University), Qiao Ke (Northwestern Polytechnical University), and Zhiyang Zhou (Northwestern Polytechnical University)</i>	

Program Analysis

Comparing Execution Trace Using Merkle-Tree to Detect Backward Incompatibilities	649
<i>Atsuhito Yamaoka (Nara Institute of Science and Technology, Japan), Teyon Son (Nara Institute of Science and Technology, Japan), Kazumasa Shimari (Nara Institute of Science and Technology, Japan), Takashi Ishio (Future University Hakodate, Japan), and Kenichi Matsumoto (Nara Institute of Science and Technology, Japan)</i>	
Towards Inter-Service Data Flow Analysis of Serverless Applications	654
<i>Giuseppe Raffa (Royal Holloway University, UK), Jorge Blasco (Universidad Politecnica, Spain), Dan O’Keeffe (Royal Holloway University, UK), and Santanu Kumar Dash (Royal Holloway University, UK)</i>	
Exploring Strategies for Guiding Symbolic Analysis with Machine Learning Prediction	659
<i>Mingyue Yang (University of Toronto and Vector Institute, Canada), David Lie (University of Toronto and Vector Institute, Canada), and Nicolas Papernot (University of Toronto and Vector Institute, Canada)</i>	

ReIFunc: Identifying Recurring Inline Functions in Binary Code	670
<i>Wei Lin (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Qingli Guo (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), DongSong Yu (Zhongguancun Laboratory), Jiawei Yin (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Qi Gong (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), and Xiaorui Gong (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China)</i>	
Reducing False Positives of Static Bug Detectors Through Code Representation Learning	681
<i>Yixin Yang (Beihang University; Huazhong University of Science and Technology), Ming Wen (Huazhong University of Science and Technology), Xiang Gao (Beihang University), Yuting Zhang (Huazhong University of Science and Technology), and Hailong Sun (Beihang University)</i>	
Supporting Error Chains in Static Analysis for Precise Evaluation Results and Enhanced Usability	693
<i>Anna-Katharina Wickert (Technische Universität Darmstadt, Germany), Michael Schlichtig (Paderborn University, Germany), Marvin Vogel (Universität Hamburg, Germany), Lukas Winter (unaffiliated, Germany), Mira Mezini (Technische Universität Darmstadt, Germany), and Eric Bodden (Paderborn University, Germany)</i>	
LogPM: Character-Based Log Parser Benchmark	705
<i>Shayan Hashemi (M3S / ITTEE University of Oulu, Finland), Jesse Nyysölä (University of Helsinki, Finland), and Mika Mäntylä (University of Helsinki, Finland)</i>	
On the Hunt for Invalid Objects: Exploring the Object State Space with Program Mutants	711
<i>Jan H. Boockmann (University of Bamberg, Germany) and Gerald Lüttgen (University of Bamberg, Germany)</i>	

Mining Software Repositories

Understanding and Improving Change Risk Detection in Practice	717
<i>Chin-Hsuan Sun (National Taiwan University, Taiwan), Thomas Laurent (National Institute of Informatics, JSPS International Research Fellow, Japan), Paolo Arcaini (National Institute of Informatics, Japan), and Fuyuki Ishikawa (National Institute of Informatics, Japan)</i>	
CommitBench: A Benchmark for Commit Message Generation	728
<i>Maximilian Schall (Hasso Plattner Institute, University of Potsdam, Germany), Tamara Czinczoll (Hasso Plattner Institute, University of Potsdam, Germany), and Gerard de Melo (Hasso Plattner Institute, University of Potsdam, Germany)</i>	
Sources of Underproduction in Open Source Software	740
<i>Kaylea Champion (University of Washington) and Benjamin Mako Hill (University of Washington)</i>	

COLARE: Commit Classification via Fine-Grained Context-Aware Representation of Code Changes	752
<i>Qunhong Zeng (Beijing Institute of Technology, China), Yuxia Zhang (Beijing Institute of Technology, China), Zeyu Sun (Chinese Academy of Sciences, China), Yujie Guo (Beijing Institute of Technology, China), and Hui Liu (Beijing Institute of Technology, China)</i>	
Can We Identify Stack Overflow Questions Requiring Code Snippets? Investigating the Cause & Effect of Missing Code Snippets	764
<i>Saikat Mondal (University of Saskatchewan), Mohammad Masudur Rahman (Dalhousie University), and Chanchal K. Roy (University of Saskatchewan)</i>	
Benefits and Pitfalls of Token-Level SZZ: An Empirical Study on OSS Projects	776
<i>Hiroya Watanabe (Kyoto Institute of Technology, Japan), Masanari Kondo (Kyushu University, Japan), Eunjong Choi (Kyoto Institute of Technology, Japan), and Osamu Mizuno (Kyoto Institute of Technology, Japan)</i>	

Code Quality and Refactoring

Autorepairability: A New Software Quality Characteristic	787
<i>Pongpop Lapvikai (Mahidol University, Thailand), Chaiyong Ragkhitwetsagul (Mahidol University, Thailand), Morakot Choetkiertikul (Mahidol University, Thailand), and Yoshiki Higo (Osaka University, Japan)</i>	
A Multivocal Mapping Study of MongoDB Smells	792
<i>Cherry Boris (University of Namur, Belgium), Bernard Jehan (University of Namur, Belgium), Kintziger Thomas (University of Namur, Belgium), Csaba Nagy (Università della Svizzera italiana, Switzerland), Cleve Anthony (University of Namur, Belgium), and Lanza Michele (Software Institute, Università della Svizzera italiana, Switzerland)</i>	
Self-Admitted Technical Debts Identification: How Far Are We?	804
<i>Hao Gu (Central South University, China), Shichao Zhang (Central South University, China), Qiao Huang (Zhejiang Gongshang University, China), Zhifang Liao (Central South University, China), Jiakun Liu (Singapore Management University, Singapore), and David Lo (Singapore Management University, Singapore)</i>	
SMEAGOL: A Static Code Smell Detector for MongoDB	816
<i>Cherry Boris (University of Namur, Belgium), Nagy Csaba (Università della Svizzera italiana, Switzerland), Lanza Michele (Software Institute, Università della Svizzera italiana, Switzerland), and Cleve Anthony (University of Namur, Belgium)</i>	
Sentiment of Technical Debt Security Questions on Stack Overflow: A Replication Study	821
<i>Jarl Jansen (Eindhoven University of Technology, The Netherlands), Nathan Cassee (Eindhoven University of Technology, The Netherlands), and Alexander Serebrenik (Eindhoven University of Technology, The Netherlands)</i>	

Towards Generating Maintainable and Comprehensible API Code Examples	830
<i>Seham Alharbi (University of York, United Kingdom), Dimitris Kolovos (University of York, United Kingdom), and Nicholas Matragkas (Universite Paris-Saclay, France)</i>	
Visual Assurance in Refactoring Through Trace Equivalence of Control Flow Graphs	835
<i>Céline Deknop (CTEAM, UCLouvain, Belgium; Raincode Labs, Belgium), Johan Fabry (Raincode Labs, Belgium), Kim Mens (CTEAM, UCLouvain, Belgium), and Vadim Zaytsev (UTwente, The Netherlands)</i>	
From Refactoring to Migration: a Quality-Driven Strategy for Microservices Adoption	840
<i>Roberta Capuano (Università degli Studi dell'Aquila, Italy), Henry Muccini (Università degli Studi dell'Aquila, Italy), and Fabio Vaccaro (BIM Italia, Italy)</i>	

Software Testing and Debugging II

Enhancing Field Tracking and Interprocedural Analysis to Find More Null Pointer Exceptions.....	849
<i>Dongfang Xie (Fudan University, China), Bihuan Chen (Fudan University, China), Kaifeng Huang (Fudan University, China), Yu Wang (Fudan University, China), Linhao Pan (Fudan University, China), Zhicheng Chen (Fudan University, China), and Xin Peng (Fudan University, China)</i>	
LabelRepair: Sequence Labelling for Compilation Errors Repair	860
<i>Zhenyu Wu (Chongqing University, China), Deheng Yang (Academy of Military Sciences, China), Yan Lei (Chongqing University, China; Peng Cheng Laboratory, China), Huan Xie (Chongqing University, China), Minghua Tang (Kunming University of Science and Technology, China), and Maojin Li (Chongqing University, China)</i>	
FLAKYRANK: Predicting Flaky Tests Using Augmented Learning to Rank	872
<i>Jiaguo Wang (Chongqing University, China), Yan Lei (Chongqing University, China; Peng Cheng Laboratory, China), Maojin Li (Chongqing University, China), Guanyu Ren (University College London, United Kingdom), Huan Xie (Chongqing University, China), Shifeng Jin (Chongqing University, China), Junchao Li (Chongqing University, China), and Jian Hu (Chongqing University, China)</i>	
Testing Constraint Checking Implementations via Principled Metamorphic Transformations	884
<i>Mingchen Gao (Nanjing University, China), Huiyan Wang (Nanjing University, China), and Chang Xu (Nanjing University, China)</i>	
Towards Efficient Program Repair with APR Tools Based on Genetic Algorithms	896
<i>Kanon Harada (Ritsumeikan University, Japan) and Katsuhisa Maruyama (Ritsumeikan University, Japan)</i>	
Generative Artificial Intelligence for Test-Driven Development: GAI4-TDD	902
<i>Pietro Cassieri (University of Salerno, Italy), Simone Romano (University of Salerno, Italy), and Giuseppe Scanniello (University of Salerno, Italy)</i>	

Software Security

Multiple Targets Directed Greybox Fuzzing: From Reachable to Exploited	907
<i>Xinglin Yu (Beijing University of Posts and Telecommunications, China), Hongliang Liang (Beijing University of Posts and Telecommunications, China), Chunlin Wang (Beijing University of Posts and Telecommunications, China), and Qiuping Yi (Beijing University of Posts and Telecommunications, China)</i>	
TLS-DeepDiffer: Message Tuples-Based Deep Differential Fuzzing for TLS Protocol Implementations	918
<i>Zhen Zhao (Shandong University, China), Xiangpu Song (Shandong University, China), Qiuyu Zhong (Shandong University, China), Yingpei Zeng (Hangzhou Dianzi University, China), Chengyu Hu (Shandong University, China; Quancheng Laboratory, China), and Shanqing Guo (Shandong University, China; Quancheng Laboratory, China)</i>	
SWAT4J: Generating System Call Allowlist for Java Container Attack Surface Reduction	929
<i>Yijiang Xu (Peking University, China), Muxian Zhou (Peking University, China), Qing Gao (Peking University, China), Shikun Zhang (Peking University, China), and Zhonghai Wu (Peking University, China)</i>	
Dual Prompt-Based Few-Shot Learning for Automated Vulnerability Patch Localization	940
<i>Junwei Zhang (The State Key Laboratory of Blockchain and Data Security, Zhejiang University, China), Xing Hu (The State Key Laboratory of Blockchain and Data Security, Zhejiang University, China), Lingfeng Bao (The State Key Laboratory of Blockchain and Data Security, Zhejiang University, China), Xin Xia (Software Engineering Application Technology Lab, China), and Shanping Li (The State Key Laboratory of Blockchain and Data Security, Zhejiang University, China)</i>	
How Dataflow Diagrams Impact Software Security Analysis: an Empirical Experiment	952
<i>Simon Schneider (Hamburg University of Technology), Nicolás E. Díaz Ferreyra (Hamburg University of Technology), Pierre-Jean Quéval (University of Vienna), Georg Simhandl (University of Vienna), Uwe Zdun (University of Vienna), and Riccardo Scandariato (Hamburg University of Technology)</i>	
Essential or Excessive? MINDAEXT: Measuring Data Minimization Practices Among Browser Extensions	964
<i>Yuxi Ling (National University of Singapore), Yun Hao (National University of Singapore), Yuyan Wang (Fujian Normal University), Kailong Wang (Huazhong University of Science and Technology), Guangdong Bai (University of Queensland), and Jin Song Dong (National University of Singapore)</i>	
CRYPTCODER: An Automatic Code Generator for Cryptographic Tasks in Ethereum Smart Contracts	976
<i>Libin Xia (Peking University, China), Jiashuo Zhang (Peking University, China), Che Wang (Peking University, China), Zezhong Tan (Peking University, China), Jianbo Gao (Peking University, China), Zhi Guan (Peking University, China), and Zhong Chen (Peking University, China)</i>	

Software Ecosystems

Sustainability Forecasting for Deep Learning Packages	981
<i>Junxiao Han (Hangzhou City University, China), Yunkun Wang (Zhejiang University, China), Zhongxin Liu (Zhejiang University, China), Lingfeng Bao (Zhejiang University, China), Jiakun Liu (Singapore Management University, Singapore), David Lo (Singapore Management University, Singapore), and Shuiguang Deng (Zhejiang University, China)</i>	
Use the Forks, Look! Visualizations for Exploring Fork Ecosystems	993
<i>Siyue Chen (Eindhoven University of Technology, The Netherlands), Loek Cleophas (Eindhoven University of Technology, The Netherlands; Stellenbosch University, Republic of South Africa), Sandro Schulze (Anhalt University of Applied Sciences, Germany), and Jacob Krüger (Eindhoven University of Technology, The Netherlands)</i>	
Engineering Formality and Software Risk in Debian Python Packages	1005
<i>Matthew Gaughan (Northwestern University), Kaylea Champion (University of Washington), and Sohyeon Hwang (Northwestern University)</i>	

Managing Workflows and People

PipelineAsCode: A CI/CD Workflow Management System Through Configuration Files at ByteDance	1011
<i>Xianhao Jin (ByteDance Ltd, San Jose, USA), Yifei Feng (ByteDance Ltd, San Jose, USA), Chen Wang (ByteDance Ltd, Singapore), Yang Liu (ByteDance Ltd, Shanghai, China), Yongning Hu (ByteDance Ltd, San Jose, USA), Yufei Gao (ByteDance Ltd, San Jose, USA), Kun Xia (ByteDance Ltd, San Jose, USA), and Luchuan Guo (ByteDance Ltd, San Jose, USA)</i>	
Practical Software Development: Leveraging AI for Precise Cost Estimation in Lump-Sum EPC Projects	1023
<i>Rimma Dzhusupova (McDermott, The Netherlands), Mina Ya-alimadad (McDermott, United Kingdom), Vasil Shteriyarov (McDermott, The Netherlands), Jan Bosch (Chalmers University of Technology, Sweden), and Helena Holmström Olsson (Malmö University, Sweden)</i>	
Agile Effort Estimation: Have We Solved the Problem Yet? Insights From the Replication of the GPT2SP Study	1034
<i>Vali Tawosi (University College London, United Kingdom), Rebecca Moussa (University College London, United Kingdom), and Federica Sarro (University College London, United Kingdom)</i>	

Author Index