

2024 IEEE Symposium on VLSI Technology and Circuits (VLSI Technology and Circuits 2024)

**Honolulu, Hawaii, USA
16-20 June 2024**



**IEEE Catalog Number: CFP24VTS-POD
ISBN: 979-8-3503-6147-6**

**Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP24VTS-POD
ISBN (Print-On-Demand):	979-8-3503-6147-6
ISBN (Online):	979-8-3503-6146-9
ISSN:	0743-1562

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

<p>A μW Output Power, >100V, Single-Capacitor Switched DC-DC Up/Down Converter..... 1 <i>Rohit Rothe, Jungho Lee, Zichen Fan, Li-Yu Chen, Donguk Seo, Yoonmyung Lee, Dennis Sylvester, David Blaauw</i></p> <p>A Δ-Based Spike Sorting SoC with End-To-End Implementation of Event-Driven Binary Autoencoder Neural Network in Analog CIM Achieving 94.54% Accuracy and 3.11μW/ch..... 3 <i>Edward Choi, Vincent Lukito, Injun Choi, Seoyoung Lee, Ik-Joon Chang, Sohmyung Ha, Minkyu Je</i></p> <p>A Novel Phase Change Material RF Switch with 16nm Technology to Achieve Low Voltage and Low $R_{on} \cdot C_{off}$ for mmWave 5 <i>H. J. Li, K. P. Chang, C. E. Chen, W. T Hsieh, H. H. Kuo, C. C. Huang, H. C. Chen, Z. H. Ya, H. Y. Chen, J. D. Jin, S. H. Yang, Y. W. Ting, K. C. Tseng, K. C. Huang, Harry Chuang</i></p> <p>Synthesizable 10-Bit Stochastic TDC Using Common-Mode Time Dithering and Passive Approximate Adder with 0.012mm^2 Active Area in 12nm FinFET 7 <i>Qiaochu Zhang, Shiyu Su, Baishakhi Rani Biswas, Sandeep Gupta, Mike Shuo-Wei Chen</i></p> <p>A Stochastic Analog SAT Solver in 65nm CMOS Achieving 6.6μs Average Solution Time with 100% Solvability for Hard 3-SAT Problems 9 <i>Qiaochu Zhang, Shiyu Su, Zerui Liu, Hsiang-Chun Cheng, Zhengyi Qiu, Mayank Palaria, Jiacheng Ye, Deming Meng, Buyun Chen, Sushmit Hossain, Wei Wu, Mike Shuo-Wei Chen</i></p> <p>A-IGZO FETs with High Current and Remarkable Stability for Vertical Channel Transistor(VCT) / 3D DRAM Applications 11 <i>Jee-Eun Yang, Younjin Jang, Na-Rae Han, Ha-Jun Sung, Jung-Kyun Kim, Youngkwan Cha, Kwang-Hee Lee, Kyoocho Jung, Moonil Jung, Wonsok Lee, Min Hee Cho, Sangwook Kim</i></p> <p>A 16GS/s 10b Time-Domain ADC Using Pipelined-SAR TDC with Delay Variability Compensation and Background Calibration Achieving 153.8dB FoM in 4nm CMOS 13 <i>Juzheng Liu, Ayman Shabra, Stacy Ho, Gabriele Manganaro, Mike Shuo- Wei Chen</i></p> <p>A 20Gb/s/pin Single-Ended PAM-4 Transceiver with Pre/Post-Channel Switching Jitter Compensation and DQS-Driven Biasing for Low-Power Memory Interfaces 15 <i>Kyunghwan Min, Jahoon Jin, Soo-Min Lee, Sodam Ju, Jisu Yook, Jihoon Lee, Yunji Hong, Sung-Sik Park, Sang-Ho Kim, Jongwoo Lee, Hyungjong Ko</i></p> <p>HZO-Based Nonvolatile SRAM Array with 100% Bit Recall Yield and Sufficient Retention Time at 85°C..... 17 <i>Yusuke Shuto, Jun Okuno, Tsubasa Yonai, Ryo Ono, Peter Reinig, Maximilian Lederer, Konrad Seidel, Ruben Alcala, Thomas Mikolajick, Uwe Schroeder, Taku Umebayashi, Kentaro Akiyama</i></p> <p>A New Industry Standard Compact Model Integrating TCAD into SPICE..... 19 <i>Sanghoon Myung, Donggwon Shin, Kyeyeop Kim, Yunji Choi, Gijae Kang, Songyi Han, Jaehoon Jeong, Dae Sin Kim</i></p> <p>SPIRIT: A Seizure Prediction SoC with a $17.2\text{nJ}/\text{cls}$ Unsupervised Online-Learning Classifier and Zoom Analog Frontends 21 <i>Adelson Chua, Aviral Pandey, Ryan Kaveh, Sina Faraji Alamouti, Justin Doong, Rikky Muller</i></p>	<p>1</p> <p>3</p> <p>5</p> <p>7</p> <p>9</p> <p>11</p> <p>13</p> <p>15</p> <p>17</p> <p>19</p> <p>21</p>
---	--

730-790mA/mm ² 48V-To-1V Integrated Hybrid DC-DC Converters Based on a Star-Delta Switching Network with 5x/8x Duty Expansion	23
<i>Chen Kong Teh, Te Bi, Shuichi Ito, Takashi Kurihara</i>	
A Monolithic GaN-Based Gate Driver for LLC-SRC with Three-Phase Startup Clamping Achieving 23.2μA IQ and 98.6% Peak Efficiency	25
<i>Chi-Yu Chen, Tz-Wun Wang, Po-Jui Chiu, Sheng-Hsi Hung, Chang-Lin Go, Xiao-Quan Wu, Yu-Ting Huang, Ke-Horng Chen, Kuo-Lin Zeng, Ying-Hsi Lin, Shian-Ru Lin, Tsung-Yen Tsai</i>	
A 15.4ppm/°C GaN-Based Voltage Reference with Process-Variation-Immunity and High PSR for EV Power Systems	27
<i>Po-Jui Chiu, Tz-Wun Wang, Chi-Yu Chen, Sheng-Hsi Hung, Yu-Ting Huang, Xiao-Quan Wu, Ke-Horng Chen, Kuo-Lin Zheng, Chih-Chen Li</i>	
3D-Stacked 1Megapixel Time-Gated SPAD Image Sensor with 2D Interactive Gating Network for Image Alignment-Free Sensor Fusion	29
<i>K. Morimoto, N. Isoda, H. Sekine, T. Sasago, Y. Maehashi, S. Mikajiri, K. Tojima, M. Shinohara, A. Abdelghafar, H. Tsuchiya, K. Inoue, S. Omodani, K. Chida, A. Ehara, J. Iwata, T. Itano, Y. Matsuno, K. Sakurai, T. Ichikawa</i>	
Highly Enhanced Memory Window of 17.8V in Ferroelectric FET with IGZO Channel Via Introduction of Intermediate Oxygen-Deficient Channel and Gate Interlayer	31
<i>Sijung Yoo, Donghoon Kim, Duk-Hyun Choe, Hyun Jae Lee, Yunseong Lee, Sanghyun Jo, Yoonsang Park, Ki Hong Kim, Kyoocho Jung, Moonil Jung, Kwang-Hee Lee, Jee-Eun Yang, Sangwook Kim, Seung-Geol Nam</i>	
A Metal Dual Work-Function Gate (MDWG) for the Continuous Scaling of DRAM Cell Transistors	33
<i>Junsoo Kim, Hyun Jung Lee, Sung Ho Jang, Jun Bum Lee, Il Gweon Kim, Jeonghoon Oh, Jemin Park, Jaihyuk Song</i>	
A 5.6μW 10-Keyword End-To-End Keyword Spotting System Using Passive-Averaging SAR ADC and Sign-Exponent-Only Layer Fusion with 92.7% Accuracy.....	35
<i>Sungjin Park, Kwanghyun Shin, Dongkwon Lee, Minyoung Kang, Sunwoo Lee, Youngmin Park, Mingoo Seok, Dongsuk Jeon</i>	
A 278-514M Event/s ADC-Less Stochastic Compute-In-Memory Convolution Accelerator for Event Camera	37
<i>Jiyue Yang, Alexander Graening, Wojciech Romaszkan, Vinod K. Jacob, Puneet Gupta, Sudhakar Pamarti</i>	
An On-Chip Current-Sink-Free Adaptive-Timing Power Impedance Measurement (PIM) Unit for 3D-IC in 5nm FinFET Technology.....	39
<i>Tsung-Che Lu, Chin-Ming Fu, Wei-Hsiang Wang, Fred Kuo, Chih-Hsien Chang, Kenny Hsieh, King-Ho Tam, Tze-Chiang Huang, Tom Chen, Mei Wong, Wei-Pin Changchien, Frank Lee</i>	
A 0.9V Rail-To-Rail Ultra-Low-Power Fully Integrated Clock Generator Achieving 23fJ/Cycle in 28nm CMOS.....	41
<i>Sander Derksen, Maël Demarets, Gerard Villar Piqué, Fabio Sebastiano</i>	
A 56-Gb/s 17-MW NRZ Receiver in 0.018 mm ²	43
<i>Kshitiz Tyagi, Behzad Razavi</i>	
A Monolithic Low-ILEAK Cross-Coupled GaN Driver with ΔΦ-Reduced EMI-Rejecter for 21.51dBμV-EMI-Reduction and 1/10x Filter-Capacitor	45
<i>Hsing-Yen Tsai, Shi-Jun Zeng, Yu-Teng Liang, Ke-Horng Chen, Kuo-Lin Zheng, Chih-Chen Li</i>	

A $\pm 100\text{A}$ Auto-Calibration Current Sensor with 80V Pulse-Width Modulation Attenuation and 0.15% Gain Error	47
<i>Yu-Teng Liang, Shi-Jun Zeng, Yu-Tse Shih, Ke-Horng Chen, Kuo-Lin Zheng, Chih-Chen Li</i>	
Onyx: A 12nm 756 GOPS/W Coarse-Grained Reconfigurable Array for Accelerating Dense and Sparse Applications	49
<i>Kalhan Koul, Maxwell Strange, Jackson Melchert, Alex Carsello, Yuchen Mei, Olivia Hsu, Taeyoung Kong, Po-Han Chen, Hui Feng Ke, Keyi Zhang, Qiaoyi Liu, Gedeon Nyengele, Akhilesh Balasingam, Jayashree Adivarahan, Ritvik Sharma, Zhouhua Xie, Christopher Torng, Joel Emer, Fredrik Kjolstad, Mark Horowitz, Priyanka Raina</i>	
A 41.7TOPS/W@INT8 Computing-In-Memory Processor with Zig-Zag Backbone-Systolic CIM and Block/Self-Gating CAM for NN/Recommendation Applications	51
<i>Zhuoyu Dai, Shengzhe Yan, Zhaori Cong, Zeyu Guo, Yifan He, Wenyu Sun, Chunmeng Dou, Feng Zhang, Jinshan Yue, Yongpan Liu, Ming Liu</i>	
EOT Scaling Via 300mm MX2 Dry Transfer - Steps Toward a Manufacturable Process Development and Device Integration	53
<i>S. Ghosh, A. Kruv, Q. Smets, T. Schram, D. J. Leech, T. Ding, V. Turkani, B. Groven, A. Dangel, G. Probst, T. Uhrmann, M. Wimplinger, I. Asselberghs, C. J. Lockhart De La Rosa, S. Brems, G. S. Kar</i>	
Occamy: A 432-Core 28.1 DP-GFLOP/s/W 83% FPU Utilization Dual-Chiplet, Dual-HBM2E RISC-V-Based Accelerator for Stencil and Sparse Linear Algebra Computations with 8-To-64-Bit Floating-Point Support in 12nm FinFET	55
<i>Gianna Paulin, Paul Scheffler, Thomas Benz, Matheus Cavalcante, Tim Fischer, Manuel Eggimann, Yichao Zhang, Nils Wistoff, Luca Bertaccini, Luca Colagrande, Gianmarco Ottavi, Frank K. Gürkaynak, Davide Rossi, Luca Benini</i>	
A 28nm 4.35TOPS/mm ² Transformer Accelerator with Basis-Vector Based Ultra Storage Compression, Decomposed Computation and Unified LUT-Assisted Cores	57
<i>Chen Tang, Xinyuan Lin, Zongle Huang, Wenyu Sun, Hongyang Jia, Yongpan Liu</i>	
A 5GHz Fractional-N PLL with 97fs _{rms} Jitter and -255.3dB FoM.....	59
<i>Zhiqiang Huang, Fengjun Chen, Shuangfeng Kong</i>	
A 246-FJ/b 13.3-Tb/s/mm Single-Ended Current-Mode Transceiver with Crosstalk Cancellation for Shield-Less Short-Reach Interconnect	61
<i>Jaeho Lee, Kyongsu Lee, Jae-Yoon Sim, Seon-Kyoo Lee</i>	
A 94fs _{rms} -Jitter and -249.3dB FoM 4.0GHz Ring-Oscillator-Based MDLL with Background Calibration of Phase Offset and Injection Slope Mismatch.....	63
<i>Dongjun Park, Heesung Roh, Seon-Kyoo Lee, Jae-Yoon Sim</i>	
A 140-Gbps 1-To-21-GHz Ultra-Wideband LNA Achieving 1.95-To-3-DB NF Using Gm-Assisted-Feedback Noise Suppression Technique in 40nm Bulk CMOS.....	65
<i>Sicheng Han, Yun Wang, Yunhao Li, Wen Zuo, Wei Li, Yue Lin, Hongtao Xu</i>	
A 97.3dB SNR Bioimpedance AFE with -84dB THD Segmented- $\Delta\Sigma$ M Sinusoidal Current Generator and Passing-Through Instrumentation Amplifier.....	67
<i>Qinjing Pan, Qi Luo, Tianxiang Qu, Liheng Liu, Xiao Li, Min Chen, Zhiliang Hong, Jiawei Xu</i>	

A 0.88pJ/bit 112Gb/s PAM4 Transmitter with 1V _{ppd} Output Swing and 5-Tap Analog FFE in 7nm FinFET CMOS	69
<i>Zeynep Toprak-Deniz, Timothy O. Dickson, Martin Cochet, Jonathan Proesel, John F. Bulzacchelli, Herschel Ainspan, Matthias Brändli, Thomas Morf, Michael Beakes, Mounir Meghelli</i>	
State-Independent Low Resistance Drift SiSbTe Phase Change Memory for Analog In-Memory Computing Applications	71
<i>H. Y. Cheng, Z. L. Liu, A. Majumdar, A. Grun, A. Ray, J. Su, M. J. Rasch, F. Carta, L. Gignac, C. Lavoie, C. W. Cheng, M. Bright Sky, H. L. Lung</i>	
A 3nm Fin-FET 19.87-Mbit/mm ² 2RW Pseudo Dual-Port 6T SRAM with High-R Wire Tracking and Sequential Access Aware Dynamic Power Reduction	73
<i>Tomotaka Tanaka, Yuichiro Ishii, Makoto Yabuuchi, Yumito Aoyagi, Masaya Hamada, Kazuto Mizutani, Koji Nii, Hidehiro Fujiwara, Isabel Wang, Hong-Chen Cheng, Hung-Jen Liao, Tsung-Yung Jonathan Chang</i>	
An Area-Efficient True Single-Phase Clocked and Conditional Capture Flip-Flop for Ultra-Low-Power Operations in 7nm Fin-FET Process	75
<i>Hyun-Chul Hwang, Min-Su Kim, Dae-Seong Lee, Yong-Geol Kim, Byung-Su Kim, Kun-Hyuk Kang</i>	
Backside Power Delivery with Relaxed Overlay for Backside Patterning Using Extreme Wafer Thinning and Molybdenum-Filled Slit Nano Through Silicon Vias.....	77
<i>P. Zhao, L. Witters, A. Jourdain, M. Stucchi, N. Jourdan, J. W. Maes, H. Bana, C. Zhu, R. Chukka, F. Sebaai, K. Vandersmissen, N. Heylen, D. Montero, S. Wang, K. D'Have, F. Schleicher, J. De Vos, G. Beyer, A. Miller, E. Beyne</i>	
A Scalable mK Cryo-CMOS Demultiplexer Chip for Voltage Biasing and High-Speed Control of Silicon Qubit Gates.....	79
<i>Sushil Subramanian, Todor M Mladenov, Simon Schaal, Bishnu Patra, Lester Lampert, Nancy K Robinson, Jeanette Roberts, Stefano Pellerano</i>	
Bit-Cost-Scalable 3D DRAM Architecture and Unit Cell First Demonstrated with Integrated Gate-Around and Channel-Around IGZO FETs.....	81
<i>Feng-Min Lee, Po-Hao Tseng, Yu-Yu Lin, Yu-Hsuan Lin, Wei-Lun Weng, Nei-Chih Lin, Po-Jung Sung, Chien-Ting Wu, Chih-Chao Yang, Wen-Fa Wu, Chang-Hong Shen, Tuo-Hung Hou, Ming-Hsiu Lee, Kuang-Yeu Hsieh, Keh-Chung Wang, Chih-Yuan Lu</i>	
ETCIM: An Error-Tolerant Digital-CIM Processor with Redundancy-Free Repair and Run-Time MAC and Cell Error Correction	83
<i>Yiqi Wang, Zhen He, Chenggang Zhao, Zihan Wu, Mingyu Gao, Huiming Han, Shaojun Wei, Yang Hu, Fengbin Tu, Shouyi Yin</i>	
A 52.01 TFLOPS/W Diffusion Model Processor with Inter-Time-Step Convolution-Attention-Redundancy Elimination and Bipolar Floating-Point Multiplication	85
<i>Yubin Qin, Yang Wang, Xiaolong Yang, Zhiren Zhao, Shaojun Wei, Yang Hu, Shouyi Yin</i>	
A 22nm Nonvolatile AI-Edge Processor with 21.4TFLOPS/W Using 47.25Mb Lossless-Compressed-Computing STT-MRAM Near-Memory-Compute Macro.....	87
<i>De-Qi You, Win-San Khwa, Jui-Jen Wu, Chuan-Jia Jhang, Guan-Yi Lin, Po-Jung Chen, Ting-Chien Chiu, Fang-Yi Chen, Andrew Lee, Yu-Cheng Hung, Chung-Chuan Lo, Ren-Shuo Liu, Chih-Cheng Hsieh, Kea-Tiong Tang, Yu-Der Chih, Tsung-Yung Jonathan Chang, Meng-Fan Chang</i>	

Achieving 1-nm-Scale Equivalent Oxide Thickness Top Gate Dielectric on Monolayer Transition Metal Dichalcogenide Transistors with CMOS-Friendly Approaches	89
<i>Jung-Soo Ko, Alex Shearer, Sol Lee, Kathryn Neilson, Marc Jaikissoon, Kwanpyo Kim, Stacey Bent, Krishna Saraswat, Eric Pop</i>	
A 12-Bit 16GS/s Single-Channel RF-DAC with Hybrid Segmentation for Digital Back-Off and Code-Dependent Free Switch Driver Achieving -85dBc IMD3 in 5nm FinFET	91
<i>Byeongwoo Koo, Sunghan Do, Sangkyu Lee, Sangpil Nam, Heewook Shin, Saemin Im, Hyochul Shin, Sungno Lee, Junsang Park, Jungho Lee, Youngjae Cho, Michael Choi, Jongshin Shin</i>	
A 12-Bit 10GS/s Time-Interleaved SAR ADC with Even/Odd Channel-Correlated Absolute Error-Based Over-Nyquist Timing-Skew Calibration in 5nm FinFET	93
<i>Junsang Park, Jinwoo Park, Jaemin Hong, Sunjae Park, Dongsuk Lee, Sungno Lee, Hyochul Shin, Kyunghoon Lee, Byeongwoo Koo, Youngjae Cho, Michael Choi, Jongshin Shin</i>	
A Single-Channel, 1-GS/s, 10.91-ENOB, 81-DB SFDR, 9.2-FJ/Conv.-Step, Ringamp-Based Pipelined ADC with Background Calibration in 16nm CMOS	95
<i>J. Lagos, P. Renukaswamy, N. Markulic, E. Martens, J. Craninckx</i>	
Backside Power Distribution for Nanosheet Technologies Beyond 2nm	97
<i>Ruilong Xie, Wonhyuk Hong, Chen Zhang, Jongjin Lee, Kevin Brew, Richard Johnson, Nicholas Lanzillo, Hosadurga Shobha, Taesun Kim, Panjae Park, Shogo Mochizuki, Iqbal Saraf, Chanro Park, Lei Zhuang, Clifford Osborn, Wai Kin Li, Feng Liu, Muthumanickam Sankarapandian, Chung Ju Yang, Juntao Li, Lukas Tierney, Raturaj Pujari, Yasir Sulehria, Yuncheng Song, Huimei Zhou, Miaomiao Wang, Michael Belyansky, Somnath Ghosh, Haojun Zhang, Koichi Motoyama, Debarghya Sarkar, Wukang Kim, Albert Chu, Tao Li, Fabio Carta, Oleg Gluschenkov, Joongsuk Oh, Matthew Malley, Pinlei Chu, Son Nguyen, Katherine Luedders, Joe Lee, Shahrukh Khan, Prabudhya Roy Chowdhury, Huai Huang, Abir Shadman, Stuart Sieg, Daniel Dechene, Daniel Edelstein, John Arnold, Tenko Yamashita, Kisik Choi, Kang-Il Seo, Dechao Guo, Huiming Bu</i>	
A Beyond-The-Rail Audio CT $\Delta\Sigma$ M with a Passive Input Stage and 99.2dB SNDR.....	99
<i>S. Li, S. Javvaji, V. Pecanins-Martinez, E. Aydin, R. Van Veldhoven, K. A. A. Makinwa</i>	
Current Mirrors with Tapered Stacked-Gates for Area Saving Or Noise Improvement in 3nm FinFET Process	101
<i>Chu-En Hsia, Chin-Ho Chang, Yung-Shun Chen, Po-Yu Lai, Ching Lin Jen, Yung-Chow Peng, Shenggao Li</i>	
A Smart Contact Lens System with 433MHz Wireless Power and Data Transfer at a Modulation Index Down to 0.02%.....	103
<i>Heesung Roh, Hyun Jin Yoo, Si-Youl Yoo, Seung Hee Pyen, Cheonhoo Jeon, Jae-Yoon Sim</i>	
Product Performance Aware 3 rd Generation GAA Platform Transistor Design with Extreme Small Local Layout Effect and Transistor Variation.....	105
<i>Dongchan Jeong, Seungkwon Kim, Seulki Park, Sang Hyeon Lee, Sada-Aki Masuoka, Byungha Choi, Shincheol Min, Sanghoon Lee, Minseong Lee, Chang-Woo Sohn, Jaehun Jeong, Yuri Yasuda-Masuoka, Ja-Hum Ku</i>	
An Offset-Compensated Charge-Transfer Pre-Sensing Bit-Line Sense-Amplifier for Low-Voltage DRAM.....	107
<i>Kyeongtae Nam, Jaehyuk Kim, Dongil Lee, Kyuchang Kang, Sangyun Kim, Changyoung Lee, Hyunchul Yoon, Donggeon Kim, Bokyeon Won, Jaejoon Song, Incheol Nam, Young-Hun Seo, Jeong-Don Ihm, Changsik Yoo, Sangjoon Hwang</i>	

A 0.6-1 V _{IN} Soft-Switching Low Dropout Regulator with 31.3 A/mm ² Current Density, 99.99% Current Efficiency, and 2.04 fs FoM	109
<i>Jeongmyeong Kim, Changjoo Park, Wanyeong Jung</i>	
A 96.4%-Efficiency Single-Duty-Cycled Buck-Boost Converter Achieving 1.9mV Ripple and 2.1mV Mode-Change Fluctuation for Mobile OLED Displays.....	111
<i>Jae-Hyun Kim, Yousung Park, Doyoung Kwon, Dong-Kyu Kim, Sung-Chun Park, Yongjae Lee, Jung-Bong Lee, Hyun-Sik Kim</i>	
First Experimental Demonstration of Self-Aligned Flip FET (FFET): A Breakthrough Stacked Transistor Technology with 2.5T Design, Dual-Side Active and Interconnects	113
<i>Haoran Lu, Yandong Ge, Xun Jiang, Jiacheng Sun, Wanyue Peng, Rui Guo, Ming Li, Yibo Lin, Runsheng Wang, Heng Wu, Ru Huang</i>	
A 2000-Volumes/s 3D Ultrasound Imaging Chip with Monolithically-Integrated 11.7×23.4mm ² 2048-Element CMUT Array and Arbitrary-Wave TX Beamformer	115
<i>Nuriel N. M. Rozsa, Zhao Chen, Taehoon Kim, Peng Guo, Yannick Hopf, Jason Voorneveld, Djalma Simoes Dos Santos, Emile Noothout, Zu-Yao Chang, Chao Chen, Vincent A. Henneken, Nico De Jong, Hendrik J. Vos, Johan G. Bosch, Martin D. Verweij, Michiel A. P. Pertijs</i>	
A 12V-To-1V 100A Inverted Pyramid Trans-Inductor Voltage Regulator Converter with 93.6% High Efficiency and Fast Transient Response	117
<i>Yu-Chen Kuo, Hong-Teng Wu, Guan-Ye Chen, Ke-Horng Chen, Kuo-Lin Zheng, Chih-Chen Li</i>	
A 450μW@50fps Wake-Up Module Featuring Auto-Bracketed 3-Scale Log-Corrected Pattern Recognition and Motion Detection in a 1.5Mpix 8T Global Shutter Imager	119
<i>Arnaud Verdant, William Guicquero, David Coriat, Guillaume Moritz, Nicolas Royer, Sébastien Thuries, Anais Mollard, Vincent Teil, Yann Desprez, Gilles Monnot, Pierre Malinge, Bruno Paille, Guillaume Caubit, Arnaud Bourge, Laurent Tardif, Stephanie Bigault, Jérôme Chossat</i>	
Unlimited Bi-Directional Back-Bias in FD-SOI Technology with New Dual Isolation Integration	121
<i>R. Berthelon, O. Weber, F. Ibars, B. Revel, C. Borowiak, J. C. Grenier, B. Dumont, S. Desmoulins, P. O. Sassoulas, P. Ferreira, S. Chouteau, S. Niel, R. Ranica, R. Gonella, F. Arnaud</i>	
A 470μW, 102.6dB-DR, 20kHz BW Calibration-Free $\Delta\Sigma$ Modulator with SFDR in Excess of 110dBc Using an Intrinsically Linear 13-Level DAC	123
<i>Matteo Dalla Longa, Francesco Conzatti, Omar Ismail, John G. Kauffman, Maurits Ortmanns</i>	
Back-Side Design Methodology for Power Delivery Network and Clock Routing	125
<i>Pruek Vanna-Iampikul, Hang Yang, Jungyoun Kwak, Joyce X Hu, Amaan Rahman, Nesara Eranna Bethur, Callie Hao, Shimeng Yu, Sung Kyu Lim</i>	
A Current-Source-Free Constant-Current Wireless Adiabatic Neural Stimulator Achieving a 5.5-27.7x Improved RF-To-Electrode Stimulation Efficiency Factor.....	127
<i>Siddharth Agarwal, Gaël Pillonnet, Hongyu Lu, Nader Sherif Kassem Fathy, Patrick P. Mercier</i>	
A 1.8V-Input 0.2-To-1.5V-Output 2.5A 930mA/mm ³ Always-Balanced Dual-Path Hybrid Buck Converter with Seamlessly All-VCR-Coverable Tri-Mode Operation	129
<i>Dae-Hyeon Kim, Jeong-Hyun Cho, Hyunki Han, Hyun-Sik Kim</i>	

Up to 57% Reduction in Effective Resistivity of Word Lines of 3D-NAND Memory by Grain-Size Control, Material Selection, and Seam Removal.....	131
<i>H. Terada, K. Yamaguchi, T. Yokoi, T. Sameshima, K. Suzuki, G. Nakamura, H. Nagai</i>	
Assessment of the Transient Self-Heating Effect and Its Impact on the Performance of Watt-Level RF Power Amplifier in a FinFET Technology.....	133
<i>T. V. Dinh, S-W. Tam, A. J. Scholten, L. Tondelli, R. M. T. Pijper, S. H. Kondapalli, J. Xie, A. Wong, I. To, R. Asanovski, L. Selmi</i>	
A 7GHz High-Bandwidth 1R-1RW SRAM for Arm HPC Processor in 3nm Technology	135
<i>R. Mathur, R. Sisodia, A. Chen, A. Singh, S. Thyagarajan, A. Cubeta, C. Andrieux, A. Sowden, Y. Chong</i>	
Cell to Core-Periphery Overlap (C2O) Based on BCAT for Next Generation DRAM	137
<i>Kiseok Lee, Hongjun Lee, Hyungeun Choi, Jeongsu Kim, Kyunghwan Kim, Moonyoung Jeong, Soohyun Bae, Hyebin Kim, Jiyun Lee, Minsoo Kim, Keunnam Kim, Huijung Kim, Sungmin Park, Taejin Park, Jin-Woo Han, Jeonghoon Oh, Yong Kwan Kim, Sungsoo Yim, Bongsoo Kim, Jemin Park, Jaihyuk Song</i>	
A 0.296pJ/bit 17.9Tb/s/mm ² Die-To-Die Link in 5nm/6nm FinFET on a 9µm-Pitch 3D Package Achieving 10.24Tb/s Bandwidth at 16Gb/s PAM-4	139
<i>Mu-Shan Lin, Chien-Chun Tsai, Shenggao Li, Tze-Chiang Huang, Wen-Hung Huang, Kate Huang, Yu-Chi Chen, Alex Liu, Yu-Jie Huang, Jimmy Wang, Shu-Chun Yang, Nai-Chen Cheng, Chao-Chieh Li, Hsin-Hung Kuo, Wei-Chih Chen, C. H. Wen, Kevin Lin, Po-Yi Huang, Kenny Cheng-Hsiang Hsieh, Frank Lee</i>	
Concatenated Continuous Driving for Extending Lifetime of Spin Qubits Towards a Scalable Silicon Quantum Computer.....	141
<i>T. Kuno, T. Utsugi, N. Lee, T. Mine, I. Yanagi, S. Muraoka, R. Mizokuchi, J. Yoneda, T. Koderu, T. Nakajima, A. J. Ramsay, N. Mertig, S. Saito, D. Hisamoto, R. Tsuchiya, H. Mizuno</i>	
A 5.8W, 0.00086% THD+N, 118dB PSRR Class-D Audio Amplifier with Passive Output Common-Mode Compensation Technique for Wide Output Power Range.....	143
<i>Inhwan Cho, Moo-Yeol Choi, Jaehyeok Byun, Ji-Hun Lee, Myungjin Lee, Dongsu Kim, Jongwoo Lee</i>	
Mechanical Stress Effects on Dielectric Leakage and Interconnection Integrity in 3D NAND Flash Memory	145
<i>Sehoon Lee, Jieun Lee, Sungpil Jang, Sujeong Kim, Choelgyu Kim, Narae Jeong Sae-Jin Kim, Jisoo Kang, Juhee Hong, Dong-Kyu Kim, Junhee Lim, Sejun Park, Seungwan Hong, Sunghoi Hur</i>	
Revealing Mechanism of Non-Accumulative Disturb and Approach Toward Disturb Suppression in HZO/Si FeFET Memory.....	147
<i>M. Otomo, K. Toprasertpong, Z. Cai, Z. Liu, M. Takenaka, S. Takagi</i>	
Innovative Barrier Metal-Less Metal Gate Scheme Leading to Highly Reliable Cell Characteristics for 8th Generation 512Gb 3D NAND Flash Memory	149
<i>Hang-Ah Park, Sejun Park, Min-Tai Yu, Ye-Chan Kim, Cheon Ho Park, Jung Hoon Lee, Jun Eon Jin, Dawoon Jeung, Hauk Han, Tai-Soo Lim, Min-Kyu Jeong, Mincheol Park, Bong-Tae Park, Sung Hoi Hur</i>	

A 5nm 60GS/s 7b 64-Way Time Interleaved Partial Loop Unrolled SAR ADC Achieving 34dB SNDR Up to 32GHz.....	151
<i>C. Nani, E. Monaco, N. Ghittori, A. Bosi, D. Albano, C. Asero, N. Codega, A. Di Pasquo, I. Fabiano, M. Garampazzi, F. Giunco, D. Burgos, G. Minoia, P. Rossi, M. Sosio, L. Vignoli, E. Temporiti, S. Scouten, S. Jantzi</i>	
A 430- μ A 68.2-DB-SNR 133-DBSPL-AOP CMOS-MEMS Digital Microphone Based on Electrostatic Force Feedback Control.....	153
<i>Qi Zhang, Jiaqi Dong, Xinwen Zhang, Yekan Chen, Zipeng Cheng, Bo Zhao, Yuxuan Luo</i>	
A 14nm 128Mb eMRAM Implemented with 17.88Mb/mm ² at 0.60V for Auto-G1 Applications	155
<i>Gyuseong Kang, Hyunjin Shin, Sanggyeong Won, Dohui Kim, Kyuseong Kim, Soohoh Seol, Sunkyu Lee, Hangil Lee, Yeonho Jung, Jaechul Shim, Kiseok Suh, Sohee Hwang, Daehyun Jang, Sangyeop Baeck, Sei Seung Yoon</i>	
A Subcellular-Resolution Multimodal CMOS Biosensor Array with 16K Ion-Selective Pixels for Real-Time Monitoring Potassium Dynamics.....	157
<i>Hangxing Liu, Fuze Jiang, Ying Kong, Dongwon Lee, Yuguo Sheng, Adam Wang, Zhikai Huang, Marco Saif, Thomas Burger, Jing Wang, Hua Wang</i>	
Highly Sensitive Multimodal CMOS Antifouling Sensor Array with Multi-Use Electrodes for Single-Cell-Level Profiling of Biophysical and Biochemical Parameters.....	159
<i>Hangxing Liu, Fuze Jiang, Adam Wang, Zhikai Huang, Ying Kong, Marco Saif, Dongwon Lee, Thomas Burger, Jing Wang, Hua Wang</i>	
Thermal Considerations for Block-Level PPA Assessment in Angstrom Era: A Comparison Study of Nanosheet FETs (A10) & Complementary FETs (A5).....	161
<i>S. Mishra, B. Vermeersch, V. Sankatali, H. Kukner, G. Mirabelli, F. M. Bufler, M. Brunion, D. Abdi, H. Oprins, D. Biswas, O. Zografos, F. Catthoor, P. Weckx, G. Hellings, J. Myers, J. Ryckaert</i>	
A 1.1pJ/b/Lane, 1.8Tb/s Chiplet Over XSR-MCM Channels Using 113Gb/s PAM-4 Transceiver with Signal Equalization and Envelope Adaptation Using TX-FFE in 5nm CMOS	163
<i>G. Gangasani, A. Mostafa, A. Singh, D. Storaska, D. Prabakaran, K. Mohammad, M. Baecher, M. Shannon, M. Sorna, M. Wielgos, P. Jenkins, P. Ramakrishna, U. Shukla</i>	
High Thermal Conductivity AlN Films for Advanced 3D Chiplets.....	165
<i>T. Takagi, T. Ninomiya, M. Niwa, S. Obara, T. Momose, Y. Shimogaki, M. Nomura, H. Fujioka, M. Mori, T. Kuroda</i>	
Empowering Local Differential Privacy: A 5718 TOPS/W Analog PUF-Based In-Memory Encryption Macro for Dynamic Edge Security	167
<i>Chih-Sheng Lin, Bo-Cheng Chiou, Yin-Jia Yang, Jian-Wei Su, Kuo-Hua Tseng, Yun-Ting Ho, Chih-Ming Lai, Sih-Han Li, Tian-Sheuan Chang, Shan-Ming Chang, Shyh-Shyuan Sheu, Wei-Chung Lo, Shih-Chieh Chang, Tuo-Hung Hou</i>	
A 200-Gb/s PAM-4 Transmitter with 1.6-Vppd Output Swing and Clock Skew Correction in 12-Nm FinFET.....	169
<i>Boyang Zhang, Zhifei Wang, Zeze Feng, Tianchen Ye, Bingyi Ye, Zixu Wang, Weixin Gai</i>	
71 GHz-F _{max} β -Ga ₂ O ₃ -On-SiC RF Power MOSFETs with Record P _{out} =3.1 W/mm and PAE=50.8% at 2 GHz, P _{out} = 2.3 W/mm at 4 GHz, and Low Microwave Noise Figure.....	171
<i>Min Zhou, Hong Zhou, S. Mengwei, Guangjie Gao, Xiaojin Chen, Xiaoxiao Zhu, Kui Dang, M. Peijun, M. Xiaohua, Xuefeng Zheng, Zhihong Liu, Jincheng Zhang, Yuhao Zhang, Yue Hao</i>	

Single-Crystalline Monolayer MoS ₂ Arrays Based High-Performance Transistors Via Selective-Area CVD Growth Directly on Silicon Wafers	173
<i>Guixu Zhu, Xiaodong Zhang, Haotian Fang, Dongdong Sun, Luyang Wang, Zujian Dai, Lizi Wei, Qiuyang Lin, Ao Li, Yufeng Min, Qiuxia Lu, Lixin He, Dongsheng Song, Yuanyuan Shi</i>	
Ge-Doped In ₂ O ₃ : First Demonstration of Utilizing Ge as Oxygen Vacancy Consumer to Break the Mobility/Reliability Tradeoff for High Performance Oxide TFTs.....	175
<i>Jiayi Wang, Ziheng Bai, Kuo Zhang, Zhicheng Wu, Di Geng, Yang Xu, Nannan You, Yuxuan Li, Guanhua Yang, Ling Li, Shengkai Wang, Ming Liu</i>	
A Low-OSR 5 th -Order Noise Shaping SAR ADC Using EF-EF-CIFF Structure with PVT-Robust Differential V-T-V Converter.....	177
<i>Pao-Shu Liu, Yu-Hsiang Huang, Chih-Cheng Hsieh</i>	
A 2 X 56 Single-Ended Orthogonal PAM-7 Transceiver with Encoder-Based Channel-Independent Crosstalk Cancellation in 28-Nm CMOS	179
<i>Xuxu Cheng, Hongzhi Wu, Liping Zhong, Weitao Wu, Quan Pan</i>	
E-Textile Battery-Less Walking Step Counting System with <23 pW Power, Dual-Function Harvesting from Breathing, and No High-Voltage CMOS Process.....	181
<i>Anil Kumar Gundu, Luigi Fassio, Massimo Alioto</i>	
A 336 X 240 Backside-Illuminated 3D-Stacked 7μm SPAD for LiDAR Sensor with PDE 28% at 940nm and Under 0.4% Depth Accuracy Up to 10m	183
<i>Jaehyung Jang, Jongchae Kim, Sunho Oh, Kyungsu Byun, Dahwan Park, Jihee Han, Hanseung Lee, Suhyun Yi, Hoonmoo Choi, Jongeun Kim, Namil Kim, Yongtae Gim, Minkyu Kim, Sangyoung Lee, Hansang Kim, Eunjang Lee, Minsang Yu, Jeongjoon Hwang, Seunghyun Yoon, Kwang Hwangbo, Heesang Kim, Ahyoung Cho, Taejun Baek, Sooyoung Park, Kwangjun Cho, Wonje Park, Kyung-Do Kim, Hoesam Jeong, Hoon-Sang Oh, Chang-Rock Song</i>	
In-Depth Analysis of the Hafnia Ferroelectrics as a Key Enabler for Low Voltage & QLC 3D VNAND Beyond 1K Layers: Experimental Demonstration and Modeling	185
<i>Giuk Kim, Hyojun Choi, Hunbeom Shin, Sangho Lee, Sangmok Lee, Yunseok Nam, Minhyun Jung, Ilho Myeong, Kijoon Kim, Jongho Woo, Suhwan Lim, Kwangsoo Kim, Wanki Kim, Daewon Ha, Jinho Ahn, Sanghun Jeon</i>	
A 400-Ns-Settling- Time Hybrid Dynamic Voltage Frequency Scaling Architecture and Its Application in a 22-Core Network-On-Chip SoC in 12-Nm FinFET Technology	187
<i>Erik Loscalzo, Martin Cochet, Joseph Zuckerman, Samira Zalias, Michael Lekas, Stephen Cahill, Tianyu Jia, Karthik Swaminathan, Maico Cassel Dos Santos, Davide Giri, Hesam Sadeghi, Joseph Meyer, Noah Sturcken, David Brooks, Gu-Yeon Wei, Luca Carloni, Pradip Bose, Kenneth Shepard</i>	
Integration of Si-Interposer and High Density MIM Capacitor on 2.5D Foveros Face-To-Face Architecture	189
<i>Christopher Pelto, R. Aggarwal, R. Ahan, M. Armstrong, M. Bebek, M. Blount, S. Chowdhury, J. Chuah, C. Connor, T. Debonis, B. Dhayal, A. Dougless, S. Gokhale, A. Jain, V. Javvaji, K. Kamisetty, G. Kim, J. Kpetehoto, C. Kuan, C. Lin, G. Liu, Y. Ma, G. McPherson, S. Mokler, C. Perini, R. Ramaswamy, B. Sell, R. Subramaniam, J. Waldemer, D. Wei, Y. Yang, Y. Yang, J. Yaung, B. Sabi, S. Natarajan</i>	

Record Performance in GAA 2D NMOS and PMOS Using Monolayer MoS ₂ and WSe ₂ with Scaled Contact and Gate Length	191
<i>W. Mortelmans, P. Buragohain, C. Rogan, A. Kitamura, C. J. Dorow, K. P. O'Brien, R. Ramamurthy, J. Lux, T. Zhong, S. Harlson, E. Gillispie, T. Wilson, A. Oni, A. Penumatcha, M. Kavrik, K. Maxey, A. Kozhakhmetov, C-C. Lin, S. Lee, A. Vyatskikh, N. Arefin, P. Fischer, J. Kevek, T. Tronic, M. Metz, S. Clendenning, U. Avci</i>	
A 512×512 SPAD Laser Speckle Autocorrelation Imager in Stacked 65/40nm CMOS.....	193
<i>Francescopaolo Mattioli Della Rocca, Edbert J. Sie, Ahmet T. Erdogan, Lars Fisher, Andrew B. Matheson, Neil Finlayson, Alistair Gorman, Istvan Gyongy, Hanning Mai, Thierry Lachaud, Russell Forsyth, Francesco Marsili, Robert K. Henderson</i>	
Overcoming Performance Limitation of IGZO FET by iCVD Fluorine Doping	195
<i>Seung Hyun Oh, Chang Hyeon Lee, Hee Tae Kim, Jeong Ik Park, Min Ju Kim, Se Jun Park, Sung Gap Im, Sung Haeng Cho, Byung Jin Cho</i>	
A Temporal Noise Reduction Via 40% Enhanced Conversion Gain in Dual-Pixel CMOS Image Sensor with Full-Depth Deep-Trench Isolation and Locally Lowered-Stack Technology	197
<i>Seunghwan Lee, Jeongjin Cho, Shinyoung Choi, Sung Yoon Min, Eunjung Lee, Minji Jung, Kyoungmok Son, Hyunhaul Jeong, Heetak Han, Sachoun Park, Sanghyuck Moon, Seungki Jung, Junseok Yang, Taesub Jung, Howoo Park, Bumsuk Kim, Kyungho Lee, Jesuk Lee</i>	
Engineering HZO by Flat Amorphous TiN with 0.3nm Roughness Achieving Uniform c-Axis Alignment, Record High Breakdown Field (~10nm HZO), and Record Final 2P _r of 56 μC/cm ² with Endurance > 4E12	199
<i>Zefu Zhao, Yu-Rui Chen, Yu-Tsung Liao, Yun-Wen Chen, Wan-Hsuan Hsieh, Jer-Fu Wang, Yu-An Chen, Hao-Yi Lu, Wei-Teng Hsu, Dai-Ying Lee, Ming-Hsiu Lee, C. W. Liu</i>	
An 11.4mm ² 40.2Gbps 17.4pJ/b/Iteration Soft-Decision Open Forward Error Correction Decoder for Optical Communications	201
<i>Cheng-Hsun Lu, Wei Tang, Jiyeon Han, Zhengya Zhang</i>	
A -96.5 dBm-Sensitivity, 14 dBm Peak Power, Self-Interference Resistant IR-UWB Radar Transceiver Supporting Child Presence Detection and Precision Positioning.....	203
<i>Hyun-Gi Seok, Wan Kim, Sinyoung Kim, Jae-Keun Lee, Chanho Kim, Chanbin Ko, Junseong Park, Wonkang Kim, Jongpil Cho, Seungyoung Bae, Youngsea Cho, Wonjun Jung, Junhyeong Kim, Sumin Kang, Hyeokju Na, Byoungjoong Kang, Honggul Han, Hoon Kang, Minki Ahn, Chiyoung Ahn, Sukjin Jung, Hyukjun Sung, Seunghyun Oh, Jae-Eun Lee, Jongwoo Lee, Joonsuk Kim</i>	
Low-Damage Processed and High-Pressure Annealed High-K Hafnium Zirconium Oxide Capacitors Near Morphotropic Phase Boundary with Record-Low EOT of 2.4Å & High-K of 70 for DRAM Technology	205
<i>Venkateswarlu Gaddam, Junghyeon Hwang, Hunbeom Shin, Chaeheon Kim, Giuk Kim, Hyung-Jun Kim, Jooho Lee, Hyun-Cheol Kim, Bumsu Park, Suhwan Lim, Sang Yun Kim, Kwangsoo Kim, Sungho Lee, Daewon Ha, Jinho Ahn, Sanghun Jeon</i>	
Expanding Design Technology Co-Optimization Potentials with Back-Side Interconnect Innovation.....	207
<i>Byung-Sung Kim, Subin Choi, Jung Han Lee, Kwangmuk Lee, Jisoo Park, Jiwook Kwon, Saehan Park, Kwanyoung Chun, Harsono Simka, Aravindh Kumar, Muhammed Ahsan Ul Karim, Ken Rim, Jaihyuk Song</i>	
A Jammer-Mitigating 267 Mb/s 3.78mm ² 583 mW 32X8 Multi-User MIMO Receiver in 22FDX.....	209
<i>Florian Bucheli, Oscar Castañeda, Gian Marti, Christoph Studer</i>	

A 132-To-163 GHz 4TX/4RX Distributed MIMO FMCW Radar Transceiver with Real-Time Reference-Clock Synchronization Enabling Cooperative Coherent Multistatic Imaging System.....	211
<i>Ruichen Wan, Wei Deng, W. Qixiu, Haikun Jia, W. Rui, Angxiao Yan, Haowen Cai, H. Sanming, Zhihua Wang, Baoyong Chi</i>	
NeRF-Navi: A 93.6-202.9μJ/task Switchable Approximate-Accurate NeRF Path Planning Processor with Dual Attention Engine and Outlier Bit-Offloading Core	213
<i>Seryeong Kim, Seokchan Song, Wonhoon Park, Junha Ryu, Sangyeob Kim, Gwangtae Park, Soyeon Kim, Hoi-Jun Yoo</i>	
A 0.38mW 200kHz-BW 92.1dB-DR Single-Opamp 4 th -Order Continuous-Time Delta-Sigma Modulator with 3 rd -Order Noise Coupling	215
<i>Kent Edrian Lozada, Ye-Dam Kim, Ho-Jin Kim, Youngjae Cho, Michael Choi, Seung-Tak Ryu</i>	
Ge(110) GAA Nanosheet / Si(100) Tri-Gate Nanosheet Monolithic CFETs Featuring Record-High Hole Mobility	217
<i>Seong Kwang Kim, Hyeong-Rak Lim, Jaeyong Jeong, Youngkeun Park, Jejune Park, Sungil Park, Jaehyun Park, Daewon Ha, Byung Jin Cho, Sanghyeon Kim</i>	
DRAM-Peri FinFET - A Thermally-Stable High-Performance Advanced CMOS RMG Platform with Mo-Based pWFM for Sub-10nm DRAM.....	219
<i>J. Ganguly, H. Arimura, R. Ritzenthaler, H. Bana, J. W. Maes, J. G. Lai, S. Brus, W. Maqsood, R. Sarkar, B. Kannan, E. Capogreco, V. Machkaoutsan, S. Yoon, A. Spessot, M. Givens, N. Horiguchi</i>	
First Demonstration of Fully Integrated 16 nm Half-Pitch Selector Only Memory (SOM) for Emerging CXL Memory	221
<i>Myoungsub Kim, Yooncheol Bae, Jaehyuk Park, Jeongho Yeon, Hyungjoon Shim, Sehyun Jin, Hyunsoo Kim, Sangchul Oh, Gapsok Do, Dongyeol Yun, Hyung Dong Lee, David Ahn, Junghun Lee, Muhui Park, Junghyuk Yoon, Jeongho Yi, Taekseung Kim, Gain Park, Seoungju Chung, Junho Cheon, Sujin Chae, Namkyun Park, Kyunghoon Kim, Dongyeon Oh, Jaeyun Yi, Seonyong Cha</i>	
A Confined Storage Nitride 3D-NAND Cell with WL Airgap for Cell-To-Cell Interference Reduction and Improved Program Performances	223
<i>Davide Resnati, Gianpietro Carnevale, Shyam Surthi, Chris M. Carlson, Matthew Thorum, Terry Kim, Emilio Camerlenghi, Richard Hill</i>	
A 0.8V Capacitively-Biased BJT-Based Temperature Sensor with an Inaccuracy of ±0.4°C (3σ) from -40°C to 125°C in 22nm CMOS	225
<i>Zhong Tang, Haining Wang, Xiaopeng Yu, Kofi A. A. Makinwa, Nick Nianxiong Tan</i>	
Hybrid Integration of 3D-RF Interconnects on AlGaIn/GaN/Si HEMT RF Transistor Featuring 2.2W/mm P _{sat} & 41% PAE @28GHz Using a Robust and Cost-Effective Chiplet Heterogeneous Bonding Technique.....	227
<i>A. Divay, O. Valorge, C. Dubarry, M. Medbouhi, R. Franiatte, D. Mermin, R. Velard, Y. Gobil, F. Morisot, E. Morvan, I. Charlet, L. Lucci, J. Lugo, X. Garros</i>	
Amorphous Oxide Semiconductors for Monolithic 3D Integrated Circuits	229
<i>Suman Datta, E. Sarkar, K. Aabrar, S. Deng, J. Shin, A. Raychowdhury, S. Yu, A. Khan</i>	
A Fully Integrated 48-V GaN Driver Using Parallel-Multistep-Series Reconfigurable Switched-Capacitor Bank Achieving 7.7nC/mm ² On-Chip Bootstrap Driving Density.....	231
<i>Xuchu Mu, Yang Jiang, Rui Martins, Pui-In Mak</i>	

A 800Gb/s Transceiver for PAM-4 Optical Direct-Detection Applications in 5nm FinFet Process	233
<i>F. Giunco, M. Sosio, C. Nani, I. Fabiano, T. Lovitt, V. Karam, D. Albano, C. Asero, N. Codega, M. Garampazzi, N. Ghittori, D. Herbas, S. Ho, E. Monaco, B. Reyes, P. Rossi, E. Temporiti, P. Pascale, F. De Bernardinis, S. Scouten, S. Jantzi</i>	
Material, Process and System Level Analysis for Parasitic Reduction of Next Generation Logic Technology in Conjunction with Backside Power Delivery	235
<i>Ashish Pal, Sefa Dag, Pratik B. Vyas, Gregory Costrini, Vinod Reddy, Veeraraghavan Basker, Allen Yeong, Benjamin Colombeau, Bala Haran, Subi Kengeri, El Mehdi Bazizi</i>	
A 0.9pj/b 9.8-113Gb/s XSR SerDes with 6-Tap TX FFE and AC Coupling RX in 3nm FinFet Technology	237
<i>A. Chowdhury, J. Ma, Y. Li, J. Guo, X. Zhang, P. Ramakrishna, J. Gu, Y. Wang, L. Liang, U. Shukla, K. Mohammad, H. Yan, Y. Sun, M. Lin, Z. Jiang, F. Khan, M. Yeoh, C. Su, J. Ding, M. Baecher, S. Parker, H. Wang, M. Seymour, M. Wielgos, Ken Chang</i>	
A Mixed-Signal 3D Footstep Planning SoC for Motion Control of Humanoid Robots with Embedded Zero-Moment-Point Based Gait Scheduler and Neural Inverse Kinematics	239
<i>Qiankai Cao, Juin Chuen Oh, Jie Gu</i>	
Positive to Negative Schottky Barrier Transition in Metal/Oxide Semiconductor Contacts by Tuning Indium Concentration in IGZO	241
<i>Sumi Lee, Chang Niu, Yizhi Zhang, Haiyan Wang, Peide Ye</i>	
A 4.7-To-5.3Gbps Fault-Injection Attack Resistant AES-256 Engine Using Isomorphic Composite Fields in Intel 4 CMOS.....	243
<i>Raghavan Kumar, Sachin Taneja, Vivek De, Sanu Mathew</i>	
A Vertical Channel-All-Around FeFET with Thermally Stable Oxide Semiconductor Achieving High $\Delta I_{on} > 2\mu A/cell$ for 3D Stackable 4F ² High Speed Memory.....	245
<i>Shoichi Kabuyanagi, Takamasa Hamai, Masayuki Murase, Takeru Maeda, Masumi Saitoh, Shosuke Fujii</i>	
Demonstration of On-Chip Switched-Capacitor DC-DC Converters Using BEOL Compatible Oxide Power Transistors and Superlattice MIM Capacitors.....	247
<i>Sunbin Deng, Jungyoun Kwak, Junmo Lee, Dyutimoy Chakraborty, Jaewon Shin, Omkar Phadke, Sharadindu Gopal Kirtania, Chengyang Zhang, Khandker Akif Aabrar, Y. Shimeng, Suman Datta</i>	
A 99.2TOPS/W Transformer Learning Processor with Approximated Attention Score Gradient Computation and Ternary Vector-Based Speculation	249
<i>Ping-Sheng Wu, Yu-Cheng Lin, Chia-Hsiang Yang</i>	
14nm FinFET Node Embedded MRAM Technology for Automotive Non-Volatile RAM Applications with Endurance Over 1E12-Cycles	251
<i>Joosung Oh, Jaehyeon Park, Kiseok Suh, Kangmoon Lee, Sohee Hwang, Myeongjun Bak, Honghyun Kim, Baeseong Kwon, Dongkyu Lee, Minkwan Kim, Seungmo Noh, Jongmin Lee, Soomin Cho, Gyuseong Kang, Hyun-Jin Shin, Yongsung Ji, Atsushi Okada, Ung-Hwan Pi, Kwangseok Kim, Younghyun Kim, Jeong-Heon Park, Seungpil Ko, Tae-Young Lee, Kyung-Tae Nam, Minkwon Cho, Boyoung Seo, Shinhee Han, Yoonjong Song, Kangho Lee, Ja-Hum Ku</i>	
Demonstration of Logic-Block Performance-Power Gain by 1st Generation Back Side Power Delivery Network for SoC and HPC Applications Beyond 2nm Node	253
<i>H. Fukutome, J Kim, J Shin, J Kim, Y Lee, Y Park, D Oh, S Chae, B Eom, Ys Nam, M Lee, S Ha, Eg Chung, J Kim, M Jo, Sh Lee, S Kim, Kh Cho, Kw Lee, Dw Kim, Hj Cho, K Rim, Sd Kwon, J Song</i>	

A 67F ² Reconfigurable PUF Using 1T2R RRAM Switching Competition in 28nm CMOS with 5e-9 Bit Error Rate	255
<i>Yue Cao, Honghu Yang, Jianguo Yang, Qi Liu, Ming Liu</i>	
P-Type SnO Semiconductor Transistor and Application	257
<i>C. C. Wang, C. C. Kuo, C. H. Wu, A. Lu, H. Y. Lee, C. F. Hsu, P. J. Tzeng, T. Y. Lee, F. R. Hou, M. H. Chang, S. C. Lai, K. Goto, Shimeng Yu, C. I. Wu, C. T. Lin, Y. M. Lin, X. Y. Bao</i>	
BEOL Compatible Ultra-Low Operating Voltage (0.5 V) and Preconfigured Switching Polarization States in Effective 3 nm Ferroelectric HZO Capacitors	259
<i>Minjong Lee, Jin-Hyun Kim, Dan N. Le, Seojun Lee, Si-Un Song, Rino Choi, Youngbae Ahn, Seung Wook Ryu, Pil-Ryung Cha, Chang-Yong Nam, Seongbin Park, Jongmug Kang, Si Joon Kim, Jiyoung Kim</i>	
A 0.29pJ/Step Fully Discrete-Time Charge Domain Bridge-To-Digital Converter for Force Sensing in Spinal Implants Using RC Bridge	261
<i>Tim Keller, Rosario Incandela, Xi Chen, Hesam Ghiasi, Mohsen Khodaei, Sina Arjmandpour, Jiawei Liao, H. Long, Tobias Goetschi, Jonas Widmer, Taekwang Jang</i>	
A 79.3fS _{rms} Jitter Fractional-N Digital PLL Based on a DTC Chopping Technique	263
<i>Riccardo Moleri, Simone Mattia Dartizio, Michele Rossoni, Giacomo Castoro, Francesco Tesolin, Dmytro Cherniak, Carlo Samori, Andrea Leonardo Lacaita, Salvatore Levantino</i>	
A PVT Robust 8-Bit Signed Analog Compute-In-Memory Accelerator with Integrated Activation Functions for AI Applications.....	265
<i>Hechen Wang, Renzhi Liu, Richard Dorrance, Deepak Dasalukunte, Niranjana Gowda, Brent Carlton</i>	
Integration and Characterization of High Thermal Conductivity Materials for Heat Dissipation in Stacked Devices	267
<i>W.-Y. Woon, J.-H. Jhang, K.-K. Hu, C.-C. Shih, J.-F. Hsu, J.-P. Lin, Y. Wu, A. Kasperovich, M. Malakoutian, R. Soman, J. Kim, H.-K. Wei, M. Nomura, S. Chowdhury, S. Sandy Liao</i>	
A 92.8% Power Reduction Event-Driven Dual-Mode Touch Analog Front-End IC Featuring 620μW Self-Capacitance Sensing and 500fps Mutual-Capacitance Sensing	269
<i>Jonghang Choi, Ingu Jeong, Seok-Won Jung, Jun-Eun Park</i>	
A Fully Dynamic 1 st -Order Δ - $\Delta\Sigma$ Modulator with a 468mV _{pp} Input Range for Electrical Impedance Tomography Systems	271
<i>Haidam Choi, Gichan Yun, Ji-Hoon Suh, Sein Oh, Song-I Cheon, Yoontae Jung, Sohmyung Ha, Minkyu Je</i>	
A Novel Chalcogenide Based CuGeSe Selector Only Memory (SOM) for 3D Xpoint and 3D Vertical Memory Applications.....	273
<i>W. C. Chien, J. X. Zheng, C. W. Yeh, L. M. Gignac, H. Y. Cheng, Z. L. Liu, A. Grun, C. L. Sung, E. K. Lai, S. Cheng, C. W. Cheng, L. Buzi, A. Ray, D. Bishop, R. L. Bruce, M. Brightsky, H. L. Lung</i>	
A 22nm 54.94TFLOPS/W Transformer Fine-Tuning Processor with Exponent-Stationary Re-Computing, Aggressive Linear Fitting, and Logarithmic Domain Multiplicating.....	275
<i>Yang Wang, Xiaolong Yang, Yubin Qin, Zhiren Zhao, Ruiqi Guo, Zhiheng Yue, Huiming Han, Shaojun Wei, Yang Hu, Shouyi Yin</i>	

High-Resolution and Compact Integrated FMCW-LiDAR Chip with 128 Channels of Slow Light Grating Antennas	277
<i>Y. Maeda, Y. Ebiko, H. Terada, R. Tetsuya, S. Maeda, Y. Yasu, T. Tamanuki, M. Kamata, K. Hirotoni, S. Suyama, K. Yamamoto, S. Nawa, R. Kubota, T. Baba</i>	
A 6.5-To-6.9-GHz SSPLL with Configurable Differential Dual-Edge SSPD Achieving 44-Fs RMS Jitter, -260.7-DB FOM _{Jitter} , and -76.5-DBc Reference Spur	279
<i>Tianle Chen, Hongyu Ren, Zunsong Yang, Yunbo Huang, Xianghe Meng, Weiwei Yan, Weidong Zhang, Xuqiang Zheng, Xuan Guo, Tetsuya Iizuka, Pui-In Mak, Yong Chen, Bo Li</i>	
A 101mW, 280fps Scene Graph Generation Processor for Visual Context Understanding on Mobile Devices	281
<i>Chun-Wei Chang, I-Ting Lin, Chia-Hsiang Yang</i>	
Novel Material, Process and Device Innovations for Next Generation Silicon Carbide (SiC) Trench MOSFET Technology.....	283
<i>Pratik B. Vyas, Ludovico Megalini, Ashish Pal, Joshua Holt, Archana Kumar, Stephen Weeks, Charisse Zhao, Lucien Date, Hansel Lo, Michel Khoury, Safdar Muhammad, Fabian Pierrat, Ricky Fang, William Charles, Pratim Palit, Jinghe Yang, Qintao Zhang, Jang Seok Oh, Bryan Turner, Samphy Hong, Aswin Prathap Pitchiya, Benjamin Briggs, Jiao Yang, Dae Yang, Fengshou Wang, Joseph Lee, Gopal Prabhu, Dustin Ho, Carlos Caballero, Durga Chaturvedula, Zheng Yuan, Yi Zheng, David A. Britz, Stephen Krause, Raghav Sreenivasan, Michael Chudzik, Subi Kengeri, Siddarth Krishnan, El Mehdi Bazizi</i>	
A 48-Gb/s Half-Rate PAM4 Optical Receiver with 0.27-PJ/bit TIA Efficiency, 1.28-PJ/bit RX Efficiency, and 0.06-mm ² Area in 28-Nm CMOS	285
<i>Chongyun Zhang, Li Wang, Zilu Liu, Fuzhan Chen, Quan Pan, Xianbo Li, C. Patrick Yue</i>	
A 3.3GHz 1024X640 Multi-Bank Single-Port SRAM with Frequency Enhancing Techniques and 0.55V-1.35V Wide Voltage Range Operation in 3nm FinFET for HPC Applications	287
<i>Ming-Chieh Huang, Wei Wing Mar, Shankar Kanade, Boris Bai, Aditya Gayatri, Krishna Khairnar, Amy Lai, Yu-Hao Hsu, Hung-Jen Liao, Yih Wang, Tsung-Yung Jonathan Chang</i>	
Monolithic 3D Integration of Analog RRAM-Based Fully Weight Stationary and Novel CFET 2T0C-Based Partially Weight Stationary for Accelerating Transformer	289
<i>H. Yang, Y. Li, J. Tang, R. An, Y. Zhang, L. Gao, N. Gao, H. Xu, Y. Du, Z. Liu, X. Ma, G. Wang, C. Zhao, J. Xiang, J. Zhao, W. Bu, K. Zheng, J. Kang, B. Gao, H. Qian, H. Wu</i>	
Mitigating Line-Break Defectivity with a Sandwiched TiN Or W Layer for Metal Pitch 18 nm Aspect Ratio 6 Semi-Damascene Interconnects	291
<i>A. Gupta, S. Kundu, S. Decoster, K. Sah, G. Delie, B. Truijen, D. Tierno, G. Marti, O. Varela Pedreira, B. Kenens, Y. Hermans, C. Adelman, B. De Wachter, I. Ciofi, G. Murdoch, A. Cross, S. Park, Z. Tokei</i>	
A 5.7kfps Fast Neural Electrical Impedance Tomography IC Based on Incremental Zoom Structure with Baseline Cancellation for Peripheral Nerve Monitoring Systems	293
<i>Ji-Hoon Suh, Haidam Choi, Yoontae Jung, Sohmyung Ha, Minkyu Je</i>	
A 6.78 MHz Wireless Power and Data Transfer System Achieving Simultaneous 52.6% End-To-End Efficiency and 4.0 Mb/s Forward Data Delivery with Interference-Free Rectifier	295
<i>Quanrong Zhuang, Junyi Sun, Xusheng Zhang, Bo Li, Yi Shi, Hao Qiu</i>	
Field Plate and Package Optimization for GaN Devices and Systems	297
<i>Sheng-Hsi Hung, Tz-Wun Wang, Chien-Wei Cho, Po-Jui Chiu, Chi-Yu Chen, Ke-Horng Chen, Kuo-Lin Zheng, Chih-Chen Li</i>	

A Heterogeneous TinyML SoC with Energy-Event-Performance-Aware Management and Compute-In-Memory Two-Stage Event-Driven Wakeup	299
<i>Yanchi Dong, Xueping Liu, Kangbo Bai, Guoxiang Li, Meng Wu, Yiqi Jing, Yihan Zhang, Pixian Zhan, Yadong Zhang, Yufei Ma, Ru Huang, Le Ye, Tianyu Jia</i>	
Photon-Mediated Charge Transport and Stability of Physically-Defined and Self-Organized Germanium Quantum Dots/SON Barriers in Few-Hole Regime at $\mathit{T} > 10\mathit{K}$	301
<i>Chi-Cheng Lai, Yu-Wen Chiu, I-Hsiang Wang, Ting Tsai, Jhih-Wei Chen, Yen-Hsiang Wang, Mau-Chung Frank Chang, Horng-Chih Lin, Pei-Wen Li</i>	
An Ultra-Low Voltage Auger-Recombination Enhanced Hot Hole Injection Scheme in Implementing a 3 Bits Per Cell e-DRAM CIM Macro for Inference Accelerator	303
<i>T. C. Kao, M. J. Huang, Y. R. Liu, Y. K. Wang, J. C. Guo, Steve S. Chung</i>	
A 97dB-PSRR 178.4dB-FOM _{DR} Calibration-Free VCO- $\Delta\Sigma$ ADC Using a PVT-Insensitive Frequency-Locked Differential Regulation Scheme for Multi-Channel ExG Acquisition	305
<i>Sehwan Lee, Taeryoung Seol, Geunha Kim, Minyoung Song, Gain Kim, Jong-Hyeok Yoon, Arup K. George, Junghyup Lee</i>	
High Performance Transistor of Aligned Carbon Nanotubes in a Nanosheet Structure	307
<i>Nathaniel Safron, Tzu-Ang Chao, Shengman Li, Shreyam Natani, San-Lin Liew, Carlo Gilardi, Hsin-Yuan Chiu, Sheng-Kai Su, Andrew Bechdolt, Gilad Zeevi, Zichen Zhang, Matthias Passlack, Vincent D.-H. Hou, Harshil Kashyap, Chao-Hsin Chien, Prabhakar Bandaru, Andrew Kummel, H.-S. Philip Wong, Subhasish Mitra, Gregory Pitner, Iuliana Radu</i>	
A Wireless Neurostimulator Using Body-Coupled Link for Multisite Stimulation in Freely Behaving Animals	309
<i>Taejune Jeon, Byeongseol Kim, Changuk Lee, Danbi Ahn, Daerl Park, Jaesuk Sung, Hee Young Kim, Heon-Jin Choi, Joonsung Bae, Youngcheol Chae</i>	
Highly Manufacturable Self-Aigned Direct Backside Contact (SA-DBC) and Backside Gate Contact (BGC) for 3-Dimensional Stacked FET at 48nm Gate Pitch	311
<i>Jaehyun Park, Juhun Park, Kyuman Hwang, Jinchun Yun, Dahye Kim, Sungil Park, Jejune Park, Jinwook Yang, Jae Won Jeong, Chuljin Yun, Jinho Bae, Sam Park, Daihong Huh, Sanghyeon Kim, Seungeun Baek, Suk Yang, Inhae Zoh, Junghan Lee, Tae-Sun Kim, Younsu Ha, Sun-Jung Lee, Sang Wuk Park, Bong Jin Kuh, Daewon Ha, Sangjin Hyun, Su Jin Ahn, Jaihyuk Song</i>	
Medusa: A 0.83/4.6 $\mu\text{J}/\text{Frame}$ 86/91.6%-CIFAR-10 TinyML Processor with Pipelined Pixel Streaming of Bottleneck Layers in 28nm CMOS	313
<i>Rohan Doshi, Massimo Giordano, Justin Olah, Zhidong Cao, Moonhyung Jang, Luke R. Upton, Athanasios Ramkaj, Boris Murmann</i>	
3DIC System-Technology Co-Optimization with a Focus on the Interplay of Thermal, Power, Timing, and Stress Effects	315
<i>Victor Moroz, Xiaopeng Xu, Alexei Svizhenko, Xi-Wei Lin, Sergey Popov, Henry Sheng, Kenneth Larsen</i>	
A 28nm Approximate / Binary 6T CAM for Sequence Alignment.....	317
<i>Brian Crafton, Samuel D. Spetalnick, Muya Chang, Arijit Raychowdhury</i>	

MINOTAUR: An Edge Transformer Inference and Training Accelerator with 12 MBytes On-Chip Resistive RAM and Fine-Grained Spatiotemporal Power Gating	319
<i>Kartik Prabhu, Robert M. Radway, Y. Jeffrey, Kai Bartolone, Massimo Giordano, Fabian Peddinghaus, Yonatan Urman, Win-San Khwa, Yu-Der Chih, Meng-Fan Chang, Subhasish Mitra, Priyanka Raina</i>	
Package - System Thermal Modeling and New Material	321
<i>Tsung-Yu Chen, Kris Chuang, Wensen Hung, Tsung-Shu Lin, Yen-Ming Chen</i>	
A 28GHz 5G NR Wirelessly Powered Relay Transceiver Using Rectifier-Type 4 th -Order Sub-Harmonic Mixer	324
<i>Sena Kato, Shu Date, Tao Ruoxin, Yasuto Narukiyo, Hiroki Hayashi, Keito Yuasa, Michihiro Ide, Takashi Tomura, Kenichi Okada, Atsushi Shirane</i>	
Single Metal BCAT Breakthrough to Open a New Era of 12 nm DRAM and Beyond	326
<i>Kyosuk Chae, Taiuk Rim, Youngwoo Son, Heejae Choi, Jinseong Lee, Shinwoo Jeong, Jieun Lee, Dongin Lee, Byunghyun Lee, Dongsoo Woo, Seguen Park, Sangjun Hwang</i>	
First Demonstration of Superconducting Nb Contact on Heavily-Doped Group IV Semiconductor	328
<i>Gerui Zheng, Enze Zhang, Rami Khazaka, Kaizhen Han, Haiwen Xu, Yuxuan Wang, Hyunsoo Yang, Xiao Gong</i>	
A 71.5-DB SNDR 475-MS/s Ringamp-Based Pipelined SAR ADC with On-Chip Bit-Weight Calibration	330
<i>Chao Chen, Zhu Yuan, Peng Cao, Jiawei Xu, Zhiliang Hong</i>	
3DIC with Stacked FinFET, Inter-Level Metal, and Field-Size (25x33mm ²) Single-Crystalline Si on SiO ₂ by Elevated-Epi	332
<i>Bo-Jheng Shih, Yu-Ming Pan, Hao-Tung Chung, Chieh-Ling Lee, I-Chun Hsieh, Nein-Chih Lin, Chih-Chao Yang, Po-Tsang Huang, Hung-Ming Chen, Chiao-Yen Wang, Huan-Yu Chiu, Huang-Chung Cheng, Chang-Hong Shen, Wen-Fa Wu, Tuo-Hung Hou, Kuan-Neng Chen, Chenming Hu</i>	
Diamond: A 1T1C DRAM In-Memory Computing Accelerator with Compact MAC-SIMD and Adaptive Column Addition Dataflow	334
<i>Seongyon Hong, Wooyoung Jo, Sangjin Kim, Sangyeob Kim, Kyomin Sohn, Hoi-Jun Yoo</i>	
Reliable Low-Voltage FeRAM Capacitors for High-Speed Dense Embedded Memory in Advanced CMOS	336
<i>S. -C. Chang, C. Neumann, B. Granados Alpizar, S. Atanasov, J. Peck, N. Kabir, Y. -C. Liao, S. Shivaraman, W. Chakraborty, N. Haratipour, I. -C. Tung, V. Nikitin, G. Allen, T. Hoff, A. Oni, T. Tronic, A. Roy, H. Li, F. Hamzaoglu, M. Metz, I. Young, J. Kavalieros, U. Avci</i>	
An OLED Display Driver IC Embedding -63dB CMR, 80mV/nA Sensitivity, 390pA Detectable, and Column-Parallel Pixel Current Readout for Real-Time Non-Uniformity Compensation	338
<i>Gyu-Wan Lim, Gyeong-Gu Kang, Seunghwa Shin, Kihyun Kim, Yousung Park, Won Kim, Young-Bok Kim, Hyun-Kyu Jeon, Hyun-Sik Kim</i>	
First Observation of Time Exponent Variations Under Positive Bias Stress on a-IGZO Transistors Utilizing Ultrafast On-The-Fly Technique with 1 μs Delay	340
<i>Taewon Seo, Changeon Jin, Yoonyoung Chung</i>	
Comprehensive Analysis of Duty-Cycle Induced Degradations in Hf _x Zr _{1-x} O ₂ -Based Ferroelectric Capacitors: Behavior, Modeling, and Optimization	342
<i>Guan Feng, Yu Li, Hao Jiang, Xiaodong Wang, Yize Sun, Yingfen Wei, Qi Liu, Ming Liu</i>	

First Experimental Demonstration of Hybrid Gain Cell Memory with Si PMOS and ITO FET for High-Speed On-Chip Memory	344
<i>Shuhan Liu, Shengjun Qin, Koustav Jana, Jian Chen, Kasidit Toprasertpong, H.-S. Philip Wong</i>	
An In-Sensor PUF Featuring Optical Reconfigurability and Near-100% Hardware Reuse Ratio for Trustworthy Sensing.....	346
<i>Haibiao Zuo, Xiaoliang Huang, Shiqiao Zhang, Chip-Hong Chang, Xiaojin Zhao</i>	
Fluorine-Free Word Line Molybdenum Process for Enhancing Scalability and Reliability in 3D Flash Memory.....	348
<i>T. Fukushima, T. Kashima, S. Seto, H. Ohtori, M. Kato, K. Katou, H. Takehira, Y. Sugawara, Z. Zhu, K. Hara, R. Osanai, T. Beppu, H. Tahara, T. Ishiku, K. Takahashi, T. Ariga, Y. Ueda, Y. Matamura, Y. Mukae, N. Takeguchi, Y. Maruyama, R. Nishikawa, H. Kitagawa, J. Asakawa, Y. Uchiyama, K. Ohuchi, K. Sekine</i>	
A 5.4V-Vin, 9.3A/mm ² 10MHz Buck IVR Chiplet in 55nm BCD Featuring Self-Timed Bootstrap and Same-Cycle ZVS Control	350
<i>Sally Amin, Harish Krishnamurthy, Huong Do, Claudio Alvarez, Mike Hill, Kaladhar Radhakrishnan, Vivek De, Sheldon Weng, Krishnan Ravichandran, Jim Tschanz, Wilfred Gomes, Jonathan Douglas</i>	
An Intra-Body-Power-Transfer System Energized by an Electromagnetic Energy Harvester for Powering Wearable Sensor Nodes.....	352
<i>Hyungjoo Cho, Dongyoon Lee, Hoyong Sung, Heewon Choe, Ji-Hoon Suh, Injun Choi, Donghee Cho, Sohmyung Ha, Minkyu Je</i>	
A 1.5 V 132 dB SPL AOP Digital Readout Circuit for MEMS Microphone Using Self-Adaption Loop	354
<i>Ling Wang, Longjie Zhong, Zhangming Zhu</i>	
Single-Power-Supply Compatible Cryogenic In _{0.8} Ga _{0.2} As Quantum-Well HEMTs with Record Combination of High-Frequency and Low-Noise Performance for Quantum-Computing Applications.....	356
<i>J.-H. Yoo, Y.-S. Jeon, S.-W. Son, I.-G. Lee, H.-B. Jo, S.-M. Choi, M.-S. Yu, W.-S. Park, H.-J. Kim, H.-J. Lee, S.-P. Son, Sk. Kim, J. Yun, J.-P. Shim, H. Jang, K. Lee, Y. Jeong, T. Kim, C.-S. Shin, T.-W. Kim, J.-H. Lee, K.-S. Seo, K. Yang, D.-H. Kim</i>	
A 640-Gb/s 4 X 4-MIMO D-Band CMOS Transceiver Chipset.....	358
<i>Chenxin Liu, Zheng Li, Yudai Yamazaki, Hans Herdian, Chun Wang, Anyi Tian, Jun Sakamaki, Han Nie, Xi Fu, Sena Kato, Wenqian Wang, Hongye Huang, Shinsuke Hara, Akifumi Kasamatsu, Hiroyuki Sakai, Kazuaki Kunihiro, Atsushi Shirane, Kenichi Okada</i>	
A 76×55 X-Ray Energy Binning Dosimeter for Closed-Loop Cancer Radiotherapy.....	360
<i>Rahul Lall, Kyoungtae Lee, Adam Cunha, Rebecca Abergel, Youngho Seo, Ali Niknejad, Mekhail Anwar</i>	
A Monolithic 5.7A/mm ² 91% Peak Efficiency Scalable Multi-Stage Modular Switched Capacitor Voltage Regulator with Self-Timed Deadtime and Safe Startup for 3D-ICs	362
<i>Y. Jingshu, Xiaosen Liu, Minxiang Gong, Nicolas Butzen, Sheldon Weng, Harish K Krishnamurthy, Krishnan Ravichandran, Ramez H Ahanharnejhad, Waldemer Jim, Pelto Christopher, James W Tschanz, Vivek De</i>	

A Novel Method for Extracting Asymmetric Source and Drain Resistance in IGZO Vertical Channel Transistors	364
<i>S. W. Yoo, Y. Lee, W. J. Jung, H. Kim, S. Byeon, M. Kim, J. Lee, T. Lee, M. J. Hong, Y. G. Song, S. Lee, M. Terai, K. J. Yoo, C. Sung, W. Lee, M. H. Cho, D. Kim, D. Ha, S. Ahn, J. H. Song</i>	
A Pulsed Electrochemistry Readout IC with Slew-Rate Booting Technique and Phase-Domain $\Delta\Sigma$ ADC for Si-Nanowire Electrical Double-Layer Capacitance Measurement	366
<i>Po-Hsun Chu, Cheng-Tse Tsai, Yu-Siang Chou, Nitish Kumar, Shu-Ping Lin, Yu-Te Liao</i>	
First Heterogeneous and Monolithic 3D (HM3D) Integration of InGaAs HEMTs and InP/InGaAs DHBTs on Si CMOS for Next-Generation Wireless Communication.....	368
<i>Nahyun Rheem, Jaeyong Jeong, Yoon-Je Suh, Chan Jik Lee, Bong Ho Kim, Joon Pyo Kim, Seong Kwang Kim, Hyeongrak Lim, Jongmin Kim, Dae-Hwan Ahn, Jae-Hoon Han, Jongwon Lee, Sanghyeon Kim</i>	
A Highly-Integrated 1536-Channel Quad-Shank Monolithic Neural Probe in 55nm CMOS for Full-Band Raw-Signal Recording	370
<i>Xiaolin Yang, Joan Aymerich, Philippe Coppejans, Wen-Yang Hsu, Chutham Sawigun, Jose Cisneros Fernandez, Andrea Lodi, Maribel Caceres Rivera, Bernardo Tacca, Matt McDonald, Hasan Mahmud-Ui, Barun Dutta, Jan Putzeys, Carolina Mora Lopez</i>	
A 7.2inch 5.5Mpixel 600mW SPAD X-Ray Detector with 116.7 dB Dynamic Range	372
<i>Byungchoul Park, Hyun-Seung Choi, Jinwoong Jeong, Jimin Cheon, Myung-Jae Lee, Youngcheol Chae</i>	
A 2x112 Gb/s 0.34 pJ/b/Lane Single-Ended PAM4 Receiver with Multi-Order Crosstalk Cancellation and Signal Reutilization Technique in 28-Nm CMOS	374
<i>Liping Zhong, Yangyi Zhang, Xiongshi Luo, Hongzhi Wu, Xuxu Cheng, Weitao Wu, Zhenghao Li, Quan Pan</i>	
First Radio-Frequency Circuits Fabricated in Top-Tier of a Full 3D Sequential Integration Process at mmW for 5G Applications.....	376
<i>J. Lugo-Alvarez, J. B. David, A. Siligaris, V. Puyal, G. Moritz, T. Mota-Frutoso, V. Lapras, C. Fenouillet-Beranger, L. Brunet, P. Vincent, D. Lattard, X. Garros, F. Andrieu, P. Batude</i>	
A 28nm 4170-TFLOPS/W/b and 195-TFLOPS/mm ² /b Multiply-Free Fully-Digital Floating-Point Compute-In-Memory Macro with Mitchell's Approximation.....	378
<i>Ruiqi Guo, Xiaofeng Chen, Lei Wang, Fengbin Tu, Shaojun Wei, Yang Hu, Shouyi Yin</i>	
Fluorine Plasma Treatment-Enabled ITO Transistors: Excellent Reliability and Comprehensive Understanding of Temperature Dependence from 77 \mathbf{K} to 375 \mathbf{K}	380
<i>Xuanqi Chen, Gan Liu, Wei Shi, Yuye Kang, Qiwen Kong, Yuxuan Wang, Rui Shao, Bich-Yen Nguyen, Gengchiao Liang, Kaizhen Han, Xiao Gong</i>	
Scalable Embedded Multi-Die Active Bridge (S-EMAB) Chips with Integrated LDOs for Low-Cost Programmable 2.5D/3.5D Packaging Technology	382
<i>Wei Lu, Jie Zhang, Yi-Hui Wei, Hsu-Ming Hsiao, Sih-Han Li, Chao-Kai Hsu, Chih-Cheng Hsiao, Feng-Hsiang Lo, Shyh-Shyuan Sheu, Chin-Hung Wang, Wei-Chung Lo, Shih-Chieh Chang, Hung-Ming Chen, Kuan-Neng Chen, Po-Tsang Huang</i>	
A 16-Ch CMI-Tolerant Neural AFE with Inherent cm Detection and Shared cm Suppression Achieving 0.006mm ² /Ch and 3.1 μ W/Ch.....	384
<i>Joan Aymerich, Chutham Sawigun, Jose Cisneros-Fernandez, Xiaolin Yang, Carolina Mora Lopez</i>	

Hot-Carrier-Degradation Characterization for Accurate End-Of-Life Prediction with 3nm GAA Logic Technology Featuring Multi-Bridge-Channel FET	386
<i>Seongkyung Kim, Junkyo Jeong, Eunyu Choi, Jinyoung Kim, Hyewon Shim, Shinyoung Chung, Paul Jung</i>	
Highly Scalable Vertical Bypass RRAM (VB-RRAM) for 3D V-NAND Memory	388
<i>Geonhui Han, Youngdong Kim, Jaeseon Kim, Dongmin Kim, Yoori Seo, Chuljun Lee, Jinmyung Choi, Jinwoo Lee, Dongho Ahn, Sechung Oh, Donghwa Lee, Hyunsang Hwang</i>	
A 10GS/s Hierarchical Time-Interleaved ADC for RF-Sampling Applications	390
<i>Nereo Markulic, Johan Nguyen, Jorge Lagos Benites, Ewout Martens, Jan Craninckx</i>	
Extremely Scaled Perpendicular SOT-MRAM Array Integration on 300mm Wafer.....	392
<i>F. Yasin, A. Palomino, A. Kumar, V. Pica, S. Van Beek, G. Talmelli, V. D. Nguyen, S. Cosemans, D. Crotti, K. Wostyn, G. S. Kar, S. Couet</i>	
Backside Power Delivery in High Density and High Performance Context: IR-Drop and Block-Level Power-Performance-Area Benefits	394
<i>Yun Zhou, S. C. Song, Halil Kükner, Giuliano Sisto, Sheng Yang, Anita Farokhnejad, Mohamed Na'im, Moritz Brunion, Ji-Yung Lin, Odysseas Zografos, Pieter Weckx, Shashank Ekbote, Nick Stevens-Yu, David Greenlaw, Steve Molloy, Geert Hellings, Julien Ryckaert</i>	
V_t Fine-Tuning in Multi- V_t Gate-All-Around Nanosheet nFETs Using Rare-Earth Oxide-Based Dipole-First Gate Stack Compatible with CFET Integration.....	396
<i>H. Arimura, H. Mertens, J. Franco, L. Lukose, W. Maqsood, S. Brus, T. Chiarella, A. Impagnatiello, S. Homkar, V. K. Mootheri, C. Yin, G. A. Verni, M. Givens, L. P. B. Lima, S. Biesemans, N. Horiguchi</i>	
Breakthrough Processes for Si CMOS Devices with BEOL Compatibility for 3D Sequential Integrated More than Moore Analog Applications	398
<i>D. Bosch, A. Viev, T. Mota Frutuoso, P. Lheritier, C. Licitra, N. Zerhouni, A. Albouy, L. Brunet, A. Magalhaes-Lucas, L. M. B. Da Silva, H. Boutry, M. Husien Fahmy Taha Abdelrahman, F. Cristiano, R. Gassilloud, M. Ribotta, G. Romano, W. Vandendaele, V. Benevent, M. Opprecht, S. Kerdilès, F. Milesi, F. Mazen, B. Sklenard, C. Euvrard-Colnat, J. Sturm, A. Lambert, C. Candebage, L. Laraignou, F. Boulard, A. Sarrazin, M. De Souza, C. Theodorou, X. Garros, P. Batude</i>	
A 0.72nW, 0.006mm ² 32kHz Crystal Oscillator with Adaptive Sub-Harmonic Pulse Injection from -40°C to 125°C in 22nm FDSOI.....	400
<i>Yingjie Zhu, Yiqing Lan, Humiao Li, Haoran Lyu, Zhen Kong, Jian Zhao, Yida Li, Guoxing Wang, Jiamin Li, Longyang Lin</i>	
On the Extreme Scaling of Transistors with Monolayer MOS ₂ Channel.....	402
<i>Wen-Chia Wu, Terry Y. T. Hung, D. Mahaveer Sathaiya, Edward Chen, Chen-Feng Hsu, Walker Yun, Hsiang-Chi Hu, Bo-Heng Liu, T. Y. Lee, Chi-Chung Kei, Wen-Hao Chang, Jin Cai, W. Jeff, Chung-Cheng Wu, H.-S. Philip Wong, Chao-Hsin Chien, Chao-Ching Cheng, Iuliana P. Radu</i>	
A 79.2dB-SNDR Slope-Adaptive Dynamic Zoom-And-Track Incremental $\Delta\Sigma$ Neural Recording Frontend with Resolution-Preservative 192mV/ms Transient Tracking.....	404
<i>Sungjin Oh, Hyunsoo Song, Jose R. L. Ruiz, Wangbo Chen, Sung-Yun Park, Michael P. Flynn, Euisik Yoon</i>	

A 65nm Delta-Sigma ADC Based VDD-Variation-Tolerant Power-Side-Channel-Attack Monitor with Detection Capability Down to 0.25Ω	406
<i>Shota Konno, Zachary J. Ellis, Anupam Golder, Sigang Ryu, Daniel Dinu, Avinash Varna, Sanu Mathew, Arijit Raychowdhury</i>	
A 3072-Channel Neural Readout IC with Multiplexed Two-Step Incremental-SAR Conversion and Bulk-DAC-Based EDO Compensation in 22nm FDSOI.....	408
<i>Xiaohua Huang, Xiaolin Yang, Andrea Lodi, Chris Van Hoof, Georges Gielen, Carolina Mora Lopez</i>	
A 65nm Neuromorphic Bio-Signal Encoder with Compute-In-Entropy Architecture 7.13nJ Privacy-Preserving Encoding and 2.38Mb/mm ² Item Memory Density.....	410
<i>N/A</i>	
Unveiling Cryogenic Performance (4 to 300 K) Towards Ultra-Thin Ferroelectric HZO: Novel Kinetic Barrier Engineering and Underlying Mechanism	412
<i>Dong Zhang, Yang Feng, Zijie Zheng, Chen Sun, Qiwen Kong, Gan Liu, Zuopu Zhou, Gengchiao Liang, Kai Ni, Jixuan Wu, Jiezhi Chen, Xiao Gong</i>	
Toward 0 V ESD Protection in 2.5D/3D Advanced Bonding Technology	414
<i>S.-H. Lin, M. Simicic, N. Pantano, S.-H. Chen, G. Van Der Plas, E. Beyne, P. Wambacq</i>	
First Demonstration of High Retention Energy Barriers and 2 ns Switching, Using Magnetic Ordered-Alloy-Based STT MRAM Devices	416
<i>M. G. Gottwald, G. Hu, P. L. Trouilloud, L. Rehm, C. Safranski, G. Kim, S. L. Brown, J. Bruley, C. P. D'Emic, O. Gunawan, H. Jung, C. Lavoie, J. Lee, J. Liang, M. Robbins, J. Z. Sun, P. Hashemi, D. C. Worledge</i>	
A 9-GHz Subsampling-Chopper PLL with Charge-Share Cancelling and Achieving 57.8-Fs-Rms Jitter with 15dB In-Band Noise Improvement.....	418
<i>Xiangjian Kong, Kai Xu, Robert Bogdan Staszewski, Mingchao Jian, Chunbing Guo</i>	
A Digital Dynamic Vision Sensor with SPAD Pixels and Multi-Event Generation for Motion/Vibration-Adaptive Detection.....	420
<i>Jinpyo Han, Houk Lee, Junhee Cho, Heesung Lee, Seong-Jin Kim, Jung-Hoon Chun, Jaehyuk Choi</i>	
Positive Bias Stress Measurement Guideline and Band Analysis for Evaluating Instability of Oxide Semiconductor Transistors	422
<i>Qi Jiang, Koustav Jana, Kasidit Toprasertpong, Shuhan Liu, H.-S. Philip Wong</i>	
Monolithic Complementary Field Effect Transistors (CFET) Demonstrated Using Middle Dielectric Isolation and Stacked Contacts.....	424
<i>S. Demuynck, V. Vega Gonzalez, C. Toledo De Carvalho Cavalcante, L. P. B. Lima, K. Stiers, C. Sheng, A. Vandooren, M. Hosseini, X. Zhou, H. Mertens, T. Chiarella, J. Bömmels, R. Loo, E. Rosseel, C. Porret, Y. Shimura, A. Akula, G. Mannaert, S. Choudhury, V. Brissonneau, E. Dupuy, T. Sarkar, N. Franchina Vergel, A. Peter, N. Jourdan, J. P. Soulie, K. Vandersmissen, F. Sebaai, P. Puttaram Gowda, K. Lai, A. Mingardi, S. Sumar Sarkar, K. Dhave, B. T. Chan, A. Sepulveda Marquez, R. Langer, I. Gyo Koo, E. Altamirano Sanchez, K. Devriendt, P. Rincon Delgadillo, F. Lazzarino, J. Mitard, J. Geypen, E. Grieten, D. Batuk, Y-F. Chen, F. Verbeek, F. Holsteyns, S. Subramanian, N. Horiguchi, S. Biesemans</i>	
Enhancement of In ₂ O ₃ Field-Effect Mobility Up to 152 cm ² ·V ⁻¹ ·s ⁻¹ Using HZO-Based Higher-K Linear Dielectric	426
<i>Zehao Lin, Chang Niu, Hyeongjun Jang, Taehyun Kim, Yizhi Zhang, Haiyan Wang, Changwook Jeong, Peide D. Ye</i>	

23,000-Exposures/s 360fps-Readout Software-Defined Image Sensor with Motion-Adaptive Spatially Varying Imaging Speed	428
<i>Roberto Rangel, Xiaonong Sun, Ayandev Barman, Rahul Gulve, Savo Bajic, Jingmin Wang, Harry Wang, David B. Lindel, Kiriakos N. Kutulakos, Roman Genov</i>	
Replacement Metal Gate Process Extendible Beyond 2-nm Node with Superior Gate Conductivity	430
<i>Naomi Yoshida, Ilanit Fisher, He Ren, Chi-Chou Lin, Chenfei Shen, Yongjing Lin, Yi Xu, Michael S.- C. Chen, Mehul Naik</i>	
A 4.6pJ/b 64Gb/s Transceiver Enabling PCIe 6.0 and CXL 3.0 in Intel 3 CMOS Technology	432
<i>Dong-Myung Choi, Yikui Dong, Roan Nicholson, Frank Liu, Wenyan Jia, Vadim Levin, Mike He, Sameer Pradhan, Jieqiong Du, Michael De Vita, Amanda Tran, Reza Navid, Sitaraman Iyer, Rui Song</i>	
A Dual-Gate Vertical Channel IGZO Transistor for BEOL Stackable 3D Parallel Integration for Memory and Computing Applications.....	434
<i>Ziyi Liu, Yiwei Dul, Renrong Liang, Zhigang Zhang, Liyang Pan, Jianshi Tang, Renrong Liang, Bin Gao, Qi Hu, Jun Xu, He Qian, Huaqiang Wu, Yuegang Zhang</i>	
A 10.8GS/s, 84MHz-BW RF Bandpass $\Sigma\Delta$ ADC with a 89dB-SFDR and a 62dB-SNDR for LTE/5G Receivers	436
<i>A. Sayed, M. Vasilevski, M. T. Abdelmomen, S. Turk, A. Ghoniem, C. Perez, C. Voillequin, H. Stratigopoulos, M.-M. Louërat, E. Wantiez, H. Aboushady</i>	
A 3.2GHz-15GHz Low Jitter Resonant Clock Featuring Rotary Traveling Wave Oscillators in Intel 4 CMOS for 3D Heterogeneous Multi-Die Systems	438
<i>Vinayak Honkote, Ragh Kuttappa, Jainaveen Sundaram, Satish Yada, Chinnusamy Kalimuthu, Juhi Patil, Richard Lee, Cristan Paulino, Paolo Aseron, Trang Nguyen, Amreesh Rao, Dileep Kurian, Mingming Xu, Yan Song, Tanay Karnik, Anuradha Srinivasan, Vivek De</i>	
A 4×50Gb/s NRZ 1.5pJ/b Co-Packaged and Fiber-Terminated 4-Channel Optical RX.....	440
<i>Sashank Krishnamurthy, Susnata Mondal, Junyi Qiu, Joe Kennedy, Soumya Bose, Tolga Acikalin, Shuhei Yamada, James Jaussi, Mozghan Mansuri</i>	
A 25.4-27.5 GHz Ping-Pong Charge-Sharing Locking PLL Achieving 42 fs Jitter with Implicit Reference Frequency Doubling	442
<i>Sayan Kumar, Patchara Sawakewang, Teerachot Siriburanon, Robert Bogdan Staszewski</i>	
Cost-Effective LLM Accelerator Using Processing in Memory Technology	444
<i>Hyungdeok Lee, Guhyun Kim, Dayeon Yun, Ilkon Kim, Yongkee Kwon, Euicheol Lim</i>	
FSNAP: An Ultra-Energy-Efficient Few-Spikes-Neuron Based Reconfigurable SNN Processor Enabling Unified On-Chip Learning and Accuracy-Driven Adaptive Time-Window Tuning.....	446
<i>Ruixin Mao, Lin Tang, Zihan Xia, Zhaomin Zhang, Aoyu Shen, Yu Long, Jinhong Guo, Yunpeng He, Lai Zhang, Shujuan Wang, Liang Zhou, Liang Chang, Shanshan Liu, Jun Zhou</i>	
First Demonstration of Monolithic Three-Dimensional Integration of Ultra-High Density Hybrid IGZO/Si SRAM and IGZO 2T0C DRAM Achieving Record-Low Latency (<10ns), Record-Low Energy (<10fJ) of Data Transfer and Ultra-Long Data Retention (>5000s).....	448
<i>Menggan Liu, Zhi Li, Wendong Lu, Kaifei Chen, Jiebin Niu, Fuxi Liao, Zijing Wu, Congyan Lu, Wei Zeng Li, Di Geng, Nianduan Lu, Chunmeng Dou, Guanhua Yang, Ling Li, Ming Liu</i>	
4F ² Stackable Polysilicon Channel Access Device for Ultra-Dense NVD RAM.....	450
<i>A. Liao, M. Jerry, K. Karda, M. Hollander, P. Sharma, R. Ge, T. Zhao, G. K. El Hajjam, M. Mariani, M. Calabrese, D. Raimondi, A. Rigano, T. Rossi, K. Florent, N. Tapias, C. Jacob, A. Calderoni, S. Chhajer, J. Zahurak, N. Ramaswamy</i>	

Unveiling the Impact of AC PBTI on Hydrogen Formation in Oxide Semiconductor Transistors	452
<i>Gan Liu, Qiwen Kong, Zuopu Zhou, X. Ying, Chen Sun, Kaizhen Han, Yuye Kang, Dong Zhang, Xiaolin Wang, Yang Feng, Wei Shi, Bich-Yen Nguyen, N. Kai, Gengchiao Liang, Xiao Gong</i>	
A 256Gbps Microring-Based WDM Transceiver with Error-Free Wide Temperature Operation for Co-Packaged Optical I/O Chiplets	454
<i>Pavan Bhargava, Daniel Jeong, Eric Jan, Derek Van Orden, Derek Kita, Hayk Gevorgyan, Sidney Buchbinder, Anatoly Khilo, Woorham Bae, Sung-Jin Kim, John Fini, Norman Chan, Chen Sun</i>	
An Intel 3 Advanced FinFET Platform Technology for High Performance Computing and SOC Product Applications	456
<i>W. Hafez, D. Abanulo, M. Abdelkader, S. An, C. Auth, D. Bahr, V. Balakrishnan, R. Bambery, M. Beck, M. Bhargava, S. Bhowmick, J. Biggs-Houck, J. Birdsall, D. Caselli, H.-Y. Chang, Y. Chang, R. Chaudhuri, S. Chauhan, C. Chen, V. Chikarmane, K. Chikkadi, T. Chu, C. Connor, R. De Alba, Y. Deng, C. Destefano, D. Diana, Y. Dong, P. Elfick, T. Elko-Hansen, B. Fallahzad, Y. Fang, D. Gala, D. Garg, C. Geppert, S. Govindaraju, W. Grimm, H. Grunes, L. Guler, Z. Guo, A. Gupta, M. Hattendorf, S. Havelia, J. Hazra, A. Islam, A. Jain, S. Jaloviar, M. Jamil, M. Jang, M. Kabir, J. Kameswaran, E. Karl, S. Kelgeri, A. Kennedy, C. Kilroy, J. Kim, Y. Kim, D. Krishnan, G. Lee, H.-P. Lee, Q. Li, H. Lin, A. Luk, Y. Luo, P. Macfarlane, A. Mamun, K. Marla, D. Mayeri, E. McKenna, A. Miah, K. Mistry, M. Mleczo, S. Moon, D. Nardi, S. Natarajan, J. Nathawat, C. Nolph, C. Nugroho, P. Nyhus, A. Oni, P. Packan, D. Pak, A. Paliwal, R. Pandey, I. Paredes, K. Park, L. Paulson, A. Pierre, P. Plekhanov, C. Prasad, R. Ramaswamy, J. Riley, J. Rode, R. Russell, S. Ryu, H. Saavedra, T. Salisbury, J. Sandford, F. Shah, K. Shang, P. Shekhar, A. Shu, E. Skoug, J. Sohn, J. Song, M. Sprinkle, J. Su, A. Tan, T. Troeger, R. Tsao, A. Vaidya, C. Wallace, X. Wang, H. Wang, C. Ward, S. Wickramaratne, M. Wills, T. Wu, Z. Xia-Hua, S. Xu, P. Yashar, J. Yaung, Y. Yu, M. Zilm, B. Sell</i>	
A 100kHz-BW 99dB-DR Continuous-Time Tracking-Zoom Incremental ADC with Residue-Gain Switching and Digital NC-FF.....	458
<i>Ye-Dam Kim, Jae-Hyun Chung, Kent Edrian Lozada, Chang-Un Park, Kun-Woo Park, Kwan-Hoon Song, Young-Hun Moon, Min-Jae Seo, Seung-Tak Ryu</i>	
Scaling Potential of Nanosheet Oxide Semiconductor FETs for Monolithic 3D Integration–ALD Material Engineering, High-Field Transport, Statistical Variability	460
<i>Kaito Hikake, Xingyu Huang, Sung-Hun Kim, Kota Sakai, Zhuo Li, Tomoko Mizutani, Takuya Saraya, Toshiro Hiramoto, Takanori Takahashi, Mutsunori Uenuma, Yukiharu Uraoka, Masaharu Kobayashi</i>	
Polar Axis Orientation Control of Hafnium-Based Ferroelectric Capacitors with in-Situ AC Electric Bias During Rapid Thermal Annealing	462
<i>Zhaomeng Gao, Tianjiao Xin, D. Kai, Qiwendong Zhao, Yiwei Wang, Cheng Liu, X. Yilin, Rui Wang, Guangjie Shi, Yunzhe Zheng, Yonghui Zheng, Yan Cheng, Hangbing Lyu</i>	
Highly Robust All-Oxide Transistors with Ultrathin In ₂ O ₃ as Channel and Thick In ₂ O ₃ as Metal Gate Towards Vertical Logic and Memory.....	464
<i>Z. Lin, Z. Zhang, C. Niu, H. Dou, K. Xu, M. Islam, J.-Y. Lin, C. Sung, M. Hong, D. Ha, H. Wang, M. A. Alam, P. D. Ye</i>	
A 30fps 64 X 64 CMOS Flash LiDAR Sensor with Push-Pull Analog Counter Achieving 0.1% Depth Uncertainty at 70m Detection Range.....	466
<i>Dongseok Cho, Byungchoul Park, Hyun-Seung Choi, Myung-Jae Lee, Youngcheol Chae</i>	

A 32Gb/s 0.36pJ/bit 3nm Chiplet IO Using 2.5D CoWoS Package with Real-Time and Per-Lane CDR and Bathtub Monitoring	468
<i>J Gu, J Ma, J Guo, F Guo, D Liang, Y Li, C Shen, P Gao, X Zhang, J Ding, M Sorna, H Wang, C Cui, J Troupe, P Metty, Ken Chang</i>	
First Demonstration of BEOL-Compatible 3D Vertical FeNOR.....	470
<i>Yang Feng, Dong Zhang, Chen Sun, Zijie Zheng, Yue Chen, Qiwen Kong, Gan Liu, Yuye Kang, Kaizhen Han, Zuopu Zhou, Gengchiao Liang, Kai Ni, Jixuan Wu, Jiezhi Chen, Xiao Gong</i>	
On the Reliability of High-Performance Dual Gate (DG) W-Doped In ₂ O ₃ FET.....	472
<i>Khandker Akif Aabrar, Hyeonwoo Park, Sharadindu G. Kirtania, Eknath Sarkar, Md Abdullah Al Mamun, Sunbin Deng, Chengyang Zhang, Gilbert B. Rayner, Kyeongjae Cho, Suman Datta</i>	
122.7 TOPS/W Stdcell-Based DNN Accelerator Based on Transition Density Data Representation, Clock-Less MAC Operation, Pseudo-Sparsity Exploitation in 40 nm	474
<i>Animesh Gupta, Japesh Vohra, Viveka Konandur, Massimo Alioto</i>	
CogniVision: End-To-End SoC for Always-On Smart Vision with mW Power in 40nm.....	476
<i>Animesh Gupta, Japesh Vohra, Massimo Alioto</i>	
A 0.9-2.6pW 0.1-0.25V 22nm 2-Bit Supply-To-Digital Converter Using Always-Activated Supply-Controlled Oscillator and Supply-Dependent-Activation Buffers for Bio-Fuel-Cell-Powered-And-Sensed Time-Stamped Bio-Recording.....	478
<i>Hiroaki Kitaike, Masaharu Inada, Mitsuru Terauchi, Hironori Tagawa, Ryosuke Nagai, Shufan Xu, Ruilin Zhang, Kunyang Liu, Kiichi Niitsu</i>	
Co-Optimization for Robust Power Delivery Design in 3D-Heterogeneous Integration of Compute In-Memory Accelerators.....	480
<i>Ankit Kaul, Madison Manley, James Read, Yandong Luo, Xiaochen Peng, Shimeng Yu, Muhannad Bakir</i>	
Terahertz Sensing with CMOS-RFIC - Feasibility Verification for Short-Range Imaging Using 300GHz MIMO Radar -	482
<i>Ichiro Somada, Akihito Hirai, Keigo Nakatani, Akinori Taira, Kazuaki Ishioka, Takuma Nishimura, Koji Yamanaka</i>	
A Quad-Core AI Processing Unit for Generative AI in 4nm 5G Smartphone SoC	484
<i>Chien-Hung Lin, Jeng-Yun Hsu, Cheng-Ying Yu, Chia-Wei Hsu, Yi-Min Tsai, Kuo-Sheng Wu, Chung-Lun Huang, Meng-Han Hsieh, Tsung-Yao Lin</i>	
AMD Instinct™ MI300X Accelerator: Packaging and Architecture Co-Optimization	486
<i>Alan Smith, Gabriel H. Loh, John Wu, Samuel Naffziger, Tyrone Huang, Hugh McIntyre, Ramon Mangaser, Wonjun Jung, Raja Swaminathan</i>	
A Three Dimensional DRAM (3D DRAM) Technology for the Next Decades	488
<i>K. S. Choi, S. H. Kim, J. W. Seo, H. S. Kang, S. W. Chu, S. W. Bae, J. H. Kwon, G. S. Kim, Y. T. Park, J. H. Kwak, D. I. Song, S. M. Park, Y. T. Kim, K. C. Jang, J. S. Cho, H. S. Lee, B. H. Lee, J. W. Park, J. H. Lee, H. H. Kwon, D. S. You, C. S. Hyun, J. J. Lee, S. C. Lee, I. D. Kim, J. H. Myung, H. S. Won, J. H. Chun, K. H. Kim, J. H. Kang, S. B. Kim, K. H. Lee, S. O. Chung, S. S. Kim, I. S. Jin, B. K. Lee, C. W. Kim, J. Park, S. Y. Cha</i>	
A 28GHz 4-Stream Time-Division MIMO Phased-Array Receiver Utilizing Nyquist-Rate Fast Beam Switching for 5G and Beyond.....	490
<i>Yi Zhang, Minzhe Tang, Jian Pang, Zheng Li, Dongfan Xu, Dingxin Xu, Yuncheng Zhang, Kazuaki Kunihiro, Hiroyuki Sakai, Atsushi Shirane, Kenichi Okada</i>	

Mobility Evolution: Electrification and Automation 492
Kazuoki Matsugatani

Photonics-Electronics Convergence Technology to Accelerate IOWN 496
Hidehiro Tsukano

Making Sense at the Edge 501
Ahmad Bahai

Wireless Connectivity in a Future Hyperconnected World..... 507
Maryam Rofougaran, Reza Rofougaran

Author Index