

2024 International Symposium on Power Electronics, Electrical Drives, Automation and Motion (SPEEDAM 2024)

**Napoli, Italy
19-21 June 2024**

Pages 1-655



**IEEE Catalog Number: CFP2448A-POD
ISBN: 979-8-3503-8760-5**

**Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP2448A-POD
ISBN (Print-On-Demand):	979-8-3503-8760-5
ISBN (Online):	979-8-3503-8759-9
ISSN:	2835-8449

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

Multiphase Motors and Drives

- 1 *Scuiller F.* - (France)
General control scheme for asymmetrical machines applied to a 15-phase PM machine
- 7 *Willich V., Hullmann M., Nelles R., Hubert T., Mertens A., Ponick B.* - (Germany)
Impact of interleaved inverter operation on the machine losses of dual three-phase synchronous machines
- 14 *Drobnič K., Fišer R., Ambrožič V., Nemeč M.* - (Slovenia)
Dual three-phase PMSM loss determination using synthetic loading
- 19 *Roux L.* - (France)
Vectorial control of a multiphase induction machine for electronic pole commutation
- 25 *Guhl D., Hofmann W.* - (Germany)
Design of multi-phase combined windings for bearingless machines with focus on higher harmonic effects

EV Chargers

- 32 *Strohhäcker J., Lindenmüller L., Söffker C., Röhlig S., Stephan A.* - (Germany)
Grid-friendly high-power charging system for battery-electric vehicles
- 38 *Hind G., Ballantyne E., Stone D.* - (United Kingdom)
Analysis of power requirements for workplace EV chargers
- 42 *Fujimoto K., Shimizu O., Fujimoto H., Kawano S., Katsuya J., Sato T.* - (Japan)
Feasibility study for dynamic wireless power transfer in simulation with big data focusing on battery capacity requirement of electric vehicles
- 47 *Campi T., Cruciani S., Maradei F., Feliziani M.* - (Italy)
Weight saving in electric vehicles adopting LCC compensation in wireless power transfer receivers
- 52 *Yarmohammadi L., Siadatan A., Afjei E.* - (Canada)
Analysis of magnetic performance for conventional coil structures of electric vehicle charging

Power Electronic Devices

- 58 *Musumeci S., Barba V., Mandrile F., Stella F., Palma M.* - (Italy)
GaN fet versus MOSFET dead time losses comparison in half-bridge configuration
- 65 *Forte G., Spampinato A.* - (Italy)
High power-density design based on WBG GaN devices for three-phase motor drives
- 71 *Frivaldsky M., Svarna V.* - (Slovakia)
Thermal performance of cold plate cooling of SiC power transistor in TO 247 package
- 76 *Rubino G., Rubino L., Langella R.* - (Italy)
Comparative study of solid state state circuit breaker for big inductance load
- 81 *Ahmad F., Portesine F., Aschero M., Marchesoni M., Vaccaro L.* - (Italy)
Transient thermal impedance characterization of new high power press pack diodes

Design of Electric Machines (Part I)

- 87 *Aoyama M.* - (Japan)
Air-core PCB motor focusing on electrical and mechanical integration

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

- 93 *Poskovic E., Franchini F., Ferraris L., Tenconi A.* - (Italy)
Development of Halbach array for fractional electrical machine with bonded magnets
- 99 *Dajaku G., Stapff B., Dajaku A., Roth C., Gerling D.* - (Germany)
High power density E-bike traction motor using stator flux-barrier technology
- 105 *Martins I., Labakhua L.* - (Portugal)
Design of a novel electrical machine with full axial and radial magnetic flux excitation
- 111 *Kawano R., Terao Y., Ohsaki H.* - (Japan)
Influence of harmonic magnetic field components on hysteresis loss in armature windings of a fully superconducting synchronous motor
- 117 *Gori N., Simonelli C., Sani L., Musolino A., Rizzo R.* - (Italy)
Sensitivity analysis of YASA axial flux permanent magnet machines
- 123 *Siadatan A., Karimi H., Tarrasodi P., Sepehrinour M.* - (Canada)
Optimization and analysis of transformer hot spot temperature under harmonic conditions with different windings
- Advances in Grid ESS Solutions (Part I)**
- 129 *Dutta O., Dow A., Muller J., Wauneka R., De Angelis V.* - (United States)
A modular prototype of hybrid storage technologies for grid applications
- 135 *Ghimire P., Poudel S., Bhujel N., Dhiman V., Hummels D., Tonkoski R.* - (United States)
Data-driven modeling of commercial off-the-shelf photovoltaic inverters using neuromancer
- 141 *Bhujel N., Rai A., Tamrakar U., Hummels D., Tonkoski R.* - (United States)
Integrated voltage and frequency support in microgrids using droop and model predictive control with energy storage systems
- 147 *Adeyemo A. A., Araujo L. S., Tedeschi E.* - (Norway)
Centralized vs decentralized deployment of battery energy storage system on offshore platforms
- 154 *Young J., Wilson D. G., Weaver W. W., Robinett III R. D.* - (United States)
A scalable optimal control algorithm for the operation of a resilient power grid architecture
- 162 *O'Brien V., Trevizan R. D.* - (United States)
A comparison of online model-based anomaly detection methods for a Lithium-ion battery cell
- Control of Electrical Drives**
- 169 *Spina I., Brando G., Cervone A.* - (Italy)
A perturb-and-observe based MTPA algorithm for mono-inverter multi PMSM electric drives
- 178 *Baratto S., Cinti L., Bianchi N.* - (Italy)
Extremum seeking control for minimum losses tracking in hybrid excited permanent magnet synchronous motors
- 184 *Piontek D. A., Oberland A., Beck H. P., Turschner D., Hauer I.* - (Germany)
Derivation of analytical setting formulas for PI control of electrical drives for active torque damping in deep drilling technology

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

- 192 *Comanescu M., Dellas J.* - (United States)
Stator field oriented control of cycloconverter doubly fed induction motor-generator system for plasma fusion operation
- 198 *Robert A., Verdegheem J. V., Dehez B.* - (Belgium)
Stabilization of passive self-bearing motor through D-axis current injection
- 204 *Adamczyk M., Orłowska-Kowalska T., Miniach M.* - (Poland)
Modified extended Luenberger observer for current sensor fault-tolerant control of induction motor drive
- 209 *Rafetseder D., Poltschak F.* - (Austria)
Position-sensorless control and end-position monitoring of a two-point switching actuator
- Advances in Grid ESS Solutions (Part II)**
- 215 *Wilson D. G., Robinett III R. D., Young J., Weaver W. W., Glover S. F., Lehman C. A.* - (United States)
Optimal fisher information equivalency for power grid integration of renewable energy
- 223 *Trevizan R. D., O'Brien V. A., Rao V. S.* - (United States)
Adaptive battery state estimation considering input noise compensation
- 229 *Rai A., Bhujel N., Tamrakar U., Byrne R. H., Hummels D., Tonkoski R.* - (United States)
Frequency security index-based state of health monitoring of a microgrid using energy storage systems
- 235 *Donnelly T., Bacelli G.* - (United States)
Efficient motor drives for wave energy converters
- 242 *Lehman C. A., Robinett III R. D., Weaver W. W., Wilson D. G.* - (United States)
Hamiltonian-based power flow and stability analysis on a passively controlled multi-frequency power system
- 248 *Byrne R. H., Bera A., Nguyen T. A.* - (United States)
Reliability of the future smart grid and the role of energy storage
- Analysis and Control of Power Grids**
- 255 *Cirotto A., Bosisio A., Di Gregorio R., Iannarelli G., Lomonte A., Morotti A.* - (Italy)
Using automatic low-voltage regulators to increase distribution networks' hosting capacity: a real case study in Milan, Italy
- 261 *Smith A. M., D'Arco S., Suul J. A., Holdyk A.* - (Norway)
Passivity-based screening to identify critical nodes for converter interoperability in power systems
- 269 *Balzer G., Saciak A., Hanson J.* - (Germany)
Calculation of short-circuit currents of HVDC installations for the planning and operation of secure AC networks
- 277 *Begovic M., Cisneros J.* - (United States)
Current-limiting strategy for inverters and protection against faults in microgrids
- 282 *Sturm G., Hofmann W., Kienast J.* - (Germany)
Grid synchronization of a grid stabilizer with doubly fed induction generator and flywheel
- 290 *Khan B., Senroy N.* - (India, Netherlands)
Harnessing virtual synchronous generators: implications for inter-area oscillations

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

- 295 *Mostafa M., Heise J., Baboli P. T., Becker C.* - (Germany)
Exploiting flexibility in multi-energy systems through distributionally robust chance-constrained optimization
- 301 *Fabozzi S., Pannone F., Iossa R., Buonanno A., Adinolfi G., et al.* - (Italy)
Modeling of multienergy polygeneration hybrid system for the control strategies of the smart microgrid at the enea research center in portici
- Grid Integration Issues and Microgrids**
- 307 *Tuttoren T. M., Suul J. A., D'Arco S.* - (Norway)
Robust choice of virtual impedance for virtual synchronous machines accounting for grid impedance uncertainty
- 313 *Tavagnutti A. A., Olivo F., Bosich D., Sulligoi G.* - (Italy)
Multi-criteria methodology for the sustainable powering of an industrial DC microgrid cluster
- 321 *Lauria D., Mottola F., Giannuzzi G., Pisani C., Tessitore S.* - (Italy)
Power system stabilizer redesign based upon Kalman filter parameter estimation
- 327 *Tang N., Landas N., Rodrigues Y. R., Monteiro M. R.* - (United States)
Industry state-of-art and opportunities for the use of drones in smart grids inspections
- 332 *Boi M., Bossi G., Damiano A.* - (Italy)
Digital notch filters design for grid side current control of LCL filtered grid-connected converter
- Transportation Electrification**
- 339 *Weiß R., Rode S., Bernet S.* - (Germany)
A step-by-step multi-stage filter design method of an active three-phase three-level rectifier for aircraft application
- 345 *Corcau J. I., Dinca L.* - (Romania)
Simulation of battery/supercapacitor hybrid energy storage system for more electric aircraft
- 351 *Dalir A., Jaman S., Geury T., Hegazy O.* - (Belgium)
A high-level optimal charging management strategy using model predictive control for megawatt charging station
- 357 *Longo M., Colombo C. G., Zaninelli D., Yaici W., Niccolai A., Miraftebzadeh S. M.* - (Italy)
E-buses charging phase: an optimized model for charging management
- 363 *Fedele E., De Simone D., Piegari L., Tricoli P., Rizzo R.* - (Italy)
Multiport traction converter with partial-power-processing DC-DC stage for hydrogen rail vehicles
- 369 *Wiese N., Gronwald P. O., Etzold K., Henke M.* - (Germany)
Thermal neural networks for electric vehicle traction machines: a transfer learning approach
- 375 *Penta M., Fedele E., Iannuzzi D., Del Pizzo A.* - (Italy)
Energy management of a fuel cell train using an equivalent consumption minimization strategy
- Renewables**
- 383 *Foti S., Baia G., Campagna D., Rizzoli G., Vancini L., Testa A.* - (Italy)
A high-efficiency GaN-based multilevel converter for five-phase wind generators with integrated energy storage

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

- 389 *Polonelli T., Hug G., Magno M.* - (Switzerland, Italy)
An ultra-thin 4.3 mm generator for energy harvesting on operating wind turbine blades
- 396 *Matacena I., De Riso M., Guerriero P., D'Alessandro V., Dhimish M., Daliento S.* - (Italy)
On the optimal orientation of bifacial solar modules
- 401 *Cipriani G., Di Dio V., Marrali A.* - (Italy)
A test bench realization for the comparison in performance between a bifacial photovoltaic module installed on the ground and floating one
- 407 *Dannier A., Guerriero P., Coppola M.* - (Italy)
PV-BESS CHB operating in the overmodulation region
- Power System Testing and Digital Twinning**
- 412 *Petropol Serb G. D., Serb I. P., Petropol Serb G. I.* - (Romania)
Predictive digital twin concept to analyze the influence of adhesion force in the first moment of movement of a motors unit equipped with asynchronous motors
- 418 *Frivaldsky M., Takacs K., Spanik P.* - (Slovakia)
Hardware in the loop simulation of solid state transformer for smart grid applications
- 424 *Gick S., Fürst M., Bakran M. M.* - (Germany)
High voltage high dv/dt pulse generator for partial discharge testing with adjustable slew rate
- 430 *Zeynivand M., Esmaili P., Cristaldi L., Gruosso G.* - (Italy)
Modern digital twin for validation and generation of datasets for machine tool spindle modeling
- Reliability and Diagnostics**
- 436 *Fioravanti A., Prudenzi A., Fiorucci E., Silvestri A., Mari S.* - (Italy)
The effect of short duration voltage sags on LED lamps
- 442 *Qerkin A., Vogelsberger M., Grubelnik W., Moser E., Wolbank T.* - (Austria)
Characterisation of insulation material aging and lifetime using newly defined parameter partial discharge extinction temperature
- 448 *Chiodo E.* - (Italy)
Bayes availability estimation of the “k-out-of-n” partially redundant system by lognormal prior distributions
- 455 *Chiodo E., Di Noia L. P.* - (Italy)
Bayes reliability estimation of motor drives redundant configuration
- Miscellanea**
- 460 *Spina I., Brando G., Dannier A.* - (Italy)
Minimizing the battery losses in MMC via zero-sequence voltage injection: an open challenge
- 468 *Wang X., Long S., Zeng L., Chen C., Li Y.* - (China)
Mapping the evolution and future trajectories of network mining: a scientometric analysis (2004-2023)
- 474 *Krinski I. M., Leite V. R., Och S. H., Simão I. T., Mariani V. C.* - (Brazil)
Kinetics and thermodynamics of oil extraction from spent coffee grounds using ethanol as solvent
- 480 *Schulthess L., Mayer P., Magno M., Benini L.* - (Switzerland)
A passive and asynchronous wake-up receiver for acoustic underwater communication

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

- 486 *Katulić F., Sumina D., Groš S., Erceg I.* - (Croatia)
Devising framework for assessing usability of cybersecurity solutions in industrial automation and control systems
- 492 *Guercio A., Curto D., Franzitta V., Martorana P., Frascati M., Mangione S.* - (Italy)
Preliminary energy efficiency ratio analysis for sizing HVAC rooftop units
- 498 *Karimi H., Tarrasodi P., Siadatan A., Sepehrinour M.* - (Canada)
Designing and manufacturing a solar tracking to enhance the performance of photovoltaic (PV) panels for produce maximum power electrical
- 503 *Karimi H., Tarrasodi P., Siadatan A., Sepehrinour M.* - (Canada)
Control of reactive power and connection voltage in grid connected wind turbine
- Multi-Level and Modular Converters**
- 509 *Kienast J., Bernet S., Sturm G., Hoffmann A., Zhu X., Ponick B.* - (Germany)
Contributing significant short circuit current with modular multilevel matrix converters in flywheel energy storage system
- 515 *Buccella C., Cimatoroni M. G., Sahebi A. G., Cecati C., Miceli R., et al.* - (Italy)
Recursive method for harmonic elimination problem in multilevel inverters
- 521 *Peters L. T., De Michiel A., Kammermann J., Herzog H. G.* - (Germany)
A decentralized fault-tolerant control strategy for multilevel CHB inverters based on a multiband hysteresis modulation
- 527 *Turner B., De Lillo L., Empringham L., Rovere L.* - (United Kingdom)
A non-computationally intensive capacitor balancing technique for a multilevel matrix converter
- 533 *Abba S. A., Banda J. K., Araujo L. S., Tedeschi E.* - (Norway, Italy)
Multi-level BESS power conversion topologies for isolated grids: a systematic comparison
- 539 *Toscani N., Benvenuti M., Tagliaretti R., Castelli Dezza F., Agnetta V., et al.* - (Italy)
A novel modular converter-transformer for AC/DC, DC/AC and DC/DC HV applications
- Electric and Hybrid Vehicles**
- 545 *Pastura M., Filippini F., Bianchi N., Zigliotto M.* - (Italy)
Magnetic and thermal analysis of electrically excited synchronous motors for electric vehicles
- 551 *Tiwary A.* - (India)
Electric vehicle range estimation based on driving behaviour employing long short-term memory neural network
- 557 *Wu T., Zhang Y., Zhao H., Yue Y., Yu L., Wang X.* - (China)
Enhancing automated guided vehicle navigation with multi-sensor fusion and algorithmic optimization
- 563 *Yuan S., Hofmann W.* - (Germany)
An analytical approach to design energy-efficient propulsion systems for electric vehicles with consideration of magnetic saturation in electric motors

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

- 569 *Romero F. B., Soriano I. E., Marotta R., De Matteis L.* - (Spain, Italy)
Optimizing motion planning for autonomous vehicles: path planning, curvature analysis, and steering control
- 574 *De Matteis L., Marotta R.* - (Italy)
On a nonlinear constrained estimator for monitoring vehicle and tire-road interaction
- Wind Power Generation**
- 579 *Valikhani M., Schäfer U.* - (Germany)
Fault ride through behaviour of a six-phase DFIG under grid voltage dip
- 587 *Rabanal A., D'Arco S., Tedeschi E.* - (Norway, Italy)
Coordinated control of a dual grid forming unit connecting an offshore wind farm and an E-STATCOM for damping and inertia provision
- 593 *Köster R., Binder A.* - (Germany)
Damper screen design in HTS medium speed wind generators considering stator current harmonics
- 600 *Mushtaq H., Senroy N.* - (India)
Stochastic stability assessment of grid connected DFIG system
- 605 *Ávila-Martínez R. E., García-Aguilar J., Rouco L., Renedo J., Sigríst L., García-Cerrada A.* - (Spain)
Small-signal stability of type 4 wind generators as affected by the bandwidth of current and PLL controllers
- 611 *Ogan S. E., Chakraborty S., Geury T., Hegazy O.* - (Belgium)
Lifetime and cost analysis of DC-DC solid state transformers for wind applications
- Modeling/Analysis of SM and Drives**
- 619 *Deusinger B., Köster R., Binder A.* - (Germany)
Simplified calculation of Eddy currents in segmented rotor magnets of inverter-fed synchronous machines
- 625 *Mirazimi M. S., Chen C., Pescetto P., Ferrari S., Diana M., et al.* - (Italy, Sweden)
Accurate modeling of variable-flux PMSMs without electromagnetic co-simulation
- 631 *Boulanger F., Bruno D.* - (Belgium)
Metamodel of a hybrid-excited flux-switching machine for operating cycle optimization of long-term flywheel energy storage systems
- 637 *Yogal N., Lehrmann C., Henke M.* - (Germany)
An experimental evaluation of Eddy current loss measurement in interior permanent magnet synchronous machine during rotational operation
- 644 *Troncoso Cruz M. F., Stella F., Pescetto P., Pellegrino G.* - (Italy)
Comparative study of DC-link capacitor size for two and three phase permanent magnet synchronous machines
- Battery Modeling and Estimation**
- 650 *Capasso C., Falco I., Iannucci L., Veneri O., Patalano S., Vitolo F.* - (Italy)
Multi-objective optimization for battery thermal management in electric vehicles
- 656 *Di Fonso R., Simonetti F., Teodorescu R., Bharadwaj P.* - (Denmark, India)
A fast technique for Lithium-ion diffusion coefficient determination in batteries

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

- 661 *Wickramanayake T., Mehran K.* - (United Kingdom)
A novel adaptive gradient descent based parameter estimation algorithm for the single particle model of a Lithium-ion battery
- 668 *Brando G., Iannuzzi D., Ribera M.* - (Italy)
State of health estimation of cycle-aged cylindrical LFP batteries using ARMAX modeling
- Modeling/Analysis of EM and Drives**
- 674 *Fujii T., Masuda H., Ogashi Y., Oka T.* - (Japan)
Study of torsional sub-synchronous interactions of drive systems with hybrid converters
- 680 *Binder A., Lehr M.* - (Germany)
Magnetically excited acoustic noise of flux switching machines
- 686 *Golafshani A. R., Pairo H., Mohamadian S., Buccella C., Cecati C.* - (Italy)
Efficiency optimization of induction motor by automatic voltage regulator of synchronous generator based on search-based method
- 692 *Teler K., Adamczyk M., Orłowska-Kowalska T.* - (Poland)
Impact of PWM strategy on current estimation quality in induction motor drive system
- 698 *Shheibar M., Dittmann J., Ponick B.* - (Germany)
Transient overvoltage prediction of an inverter-fed electric machine
- 706 *Rouco L., Antolin M.* - (Spain)
A reduced-order model for simulation of back-to-back start-up of synchronous motors in pumped storage hydropower plants
- Modeling/Analysis of Power Converters**
- 712 *Cervone A., Arbogast L., Dujic D.* - (Switzerland)
Analysis of a DC data center power supply with series-connected active and passive rectifiers
- 721 *Iannelli L., Cabrini A., Ricotti G., Rossi S.* - (Italy)
Behavioural model for fast PVT simulations of DC-DC converters with hybrid digital control loops
- 728 *Piepenbrock T., Böcker J., Förster N., Schafmeister F.* - (Germany)
FEM modelling of dimensional-resonant inductors for LLC converters in MHz range
- 734 *Xie L., Yuan X.* - (United Kingdom, China)
A high-performance phase-shift full-bridge converter with a rotary transformer for the field excitation of electric machines
- 742 *Widek P., Ottosson J.* - (Sweden)
Common mode current reduction in traction systems for electric vehicles
- 750 *Beckemeier C., Mertens A.* - (Germany)
Comparison of input voltages of series resonant converters for isolated auxiliary power supply
- 755 *Solimene L., Musumeci S., Ragusa C. S.* - (Italy)
Power inductor design optimization with data-driven magnetic loss models

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

Photovoltaic Generation

- 762 *Pavon-Vargas C., Guejia-Burbano R. A., Garcia Marrero L. E., Petrone G.* - (Italy)
Impedance spectroscopy for partial shading detection on series-connected PV panels
- 768 *Figueiredo Ramos C. A., Alcaso A. N., Marques Cardoso A. J.* - (Portugal)
Thermography analysis of photovoltaic-thermal (PVT) solar collectors
- 776 *Garcia Marrero L. E., Pavon-Vargas C., Petrone G., Monmasson E.* - (Italy, France)
Advancements in photovoltaic research: electro-impedance spectroscopy for PV cell characterization
- 782 *Manthey T., Graue J., Kühne P., Friebe J.* - (Germany)
Yield and hot-spot analysis for replacing bypass diodes with PV module-integrated microinverters
- 788 *Schirone L., Granello P., Massaioli S., Ferrara M., Pellitteri F.* - (Italy)
An approach for maximum power point tracking in satellite photovoltaic arrays
- 794 *Kumar A., Majumder A., Paramasivam S., Losito M., Gatto G.* - (Italy)
Photovoltaic energy harvesting: experimental and model data comparison

Design and Analysis of Electric Machines

- 800 *Knapp T., Hofmann W.* - (Germany)
Analysis of distributed integer slot round wire windings with combined star-delta connection
- 806 *Bianchi N., Stoppato A.* - (Italy)
Thermal analysis of a multi-three-phase PM motor in nominal, overload and post-fault operations
- 812 *Heilmann M. N., Steckel R., Schuler M., Keller D., Gracia M. H., Kempkes J.* - (Germany)
Improved calculation of the force density in the air gap of a squirrel cage induction machine for NVH simulation
- 819 *Rafajdus P., Stano M., Kocan S., Kovacik M.* - (Slovakia)
Comparison of high speed synchronous motor with PM and switched reluctance motor performances
- 825 *Bruce C., Bird J.* - (United States)
A systematic design method for a coaxial magnetic gear

Control of Electric Motor Drives

- 830 *Scaglione G., Nevoloso C., Schettino G., Di Tommaso A. O., Miceli R.* - (Italy)
Cascaded model predictive speed and current control for IPMSM drives fed by CHBMI with MTPA and flux weakening capability
- 837 *Himker N., Fehse M., Mertens A.* - (Germany)
Reducing the effect of iron losses on the quality of self-sensing control based on current oversampling
- 844 *Bae Y. J., Choi H. W., Lee K. B.* - (South Korea)
Temperature reduction method using model predictive control with space vector modulation in SiC inverter-fed motor drive systems
- 849 *Himker N.* - (Germany)
Extension of low-speed self-sensing capability for induction machines by using an FPGA
- 855 *Valchev S., Sinyukova T., Gracheva E., Sinyukov A., Meshcheryakov V., Miceli R.* - (Italy)
Heavy duty conveyor drive with relay controller

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

Measurement, Estimation, and Identification

- 861 *Marotta R., De Matteis L.* - (Italy)
Addressing integration challenges in vehicle roll and pitch estimation using neural networks
- 867 *Spitaleri M. G., Scelba G., Scarcella G., Cacciato M., Nicolosi G., et al.* - (Italy)
A comparative study of current sensing technologies for switching current measurements
- 873 *Long S., Wang X., Li S., Ding Z., Zhang J.* - (China)
Compressive sensing reconstruction algorithm based on heavy-ball momentum
- 879 *Kizhlo M.* - (Latvia)
The influence of solar flux on the grounding system and correlation analysis
- 883 *Lourenço G., De Arruda G. T., Correia de la Rosa V. E., Castoldi M. F., Goedel A., De Souza W. A.* - (Brazil)
Three-phase induction motor electrical parameter estimation using artificial neural networks

Design and Control of Power Electronics

- 889 *Schettino G., Nevoloso C., Scaglione G., Miceli R., Cecati C., et al.* - (Italy)
Novel selective harmonic mitigation algorithm for seven-level three-phase cascaded H-Bridge inverters
- 895 *Barresi M., Piegari L., Scalabrin R.* - (Italy)
Thermal adaptive space vector modulation for current source converters
- 903 *Liotta A., Moisello E., Frattini G., Giannelli P., Malcovati P., Bonizzoni E.* - (Italy)
Primary-side dual-control architecture for multi-channel simultaneous wireless information and power transfer systems for cobot application
- 909 *Laumann J. N., Lorenz M., Mertens A.* - (Germany)
Advanced control method for quasi-three-level operation of a conventional converter extended by a modular multilevel branch
- 917 *Lorenz M., Mertens A.* - (Germany)
Predictive branch energy controller for a hybrid modular multilevel converter in quasi-three-level operation
- 924 *Foti S., Scimone T., Cacciato M., De Caro S., Testa A., Khan H. H.* - (Italy)
A reduced switch count, self-balanced, n-level inverter based on a dual T-type configuration
- 930 *Moisello E., Cattani A., Malcovati P., Bonizzoni E.* - (Italy)
A wireless power transfer antenna and active rectifier system compatible with Qi and airfuel standards
- 936 *Tournoux K., Houari A., Benkhoris M. F., Terrien F.* - (France)
Study of a MMC-based three phase rectifier for a back-to-back application
- 942 *Frivaldsky M., Gonscak P.* - (Slovakia)
Part2: design alternatives for power inductor of the 10 kW 3-phase Vienna rectifier
- 948 *Di Cataldo A., Rajendran G., Aiello G., Scelba G., Cacciato M., Gennaro F.* - (Italy)
Design and analysis of GaN-based dnpc converter for electric traction applications
- 954 *Gonscak P., Frivaldsky M.* - (Slovakia)
Part 1: new fast switching power semiconductors in innovative SMT packages for 10 kW 3-phase Vienna rectifier

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

- 960 *Nkemi A. A., Ahmad F., Kortabarría I., Santoro D., Cova P., et al.* - (Italy)
Performance comparison of different modular dual active bridge converter topologies for fast battery charging applications
- 966 *Fedele E., Cervone A., Spina I., Rizzo R.* - (Italy)
Novel modulation with flexible power distribution for single-phase dual-port DC-AC converters
- 973 *Himker R., Mertens A.* - (Germany)
Differential-mode voltage components as degrees of freedom in the control of modular multilevel converters
- 979 *Solomon O. R.* - (United States)
Harmonic elimination and suppression for three-phase three-level multilevel inverters
- 986 *Franzese P., Spina I., Attaianesi C., Iannuzzi D.* - (Italy)
Partial power processing using a flyback converter: design and comparison

Design of Electric Machines (Part II)

- 994 *Behrendt C. N., Dittmann J., Ponick B.* - (Germany)
Optimization of hairpin winding schemes with respect to the common-mode current
- 1002 *Miroschnitschenko B., Amrhein W., Poltschak F.* - (Austria)
Design and optimization of a linear-rotary electromagnetic actuator based on analytical model of magnetic flux
- 1010 *Schepe C., Ponick B.* - (Germany)
Rotor design measures to lower an induction machine's saturation-dependent anisotropy as a prerequisite for self-sensing control
- 1017 *De Croo R., De Belie F.* - (Belgium)
Active magnetic gear based on a dual-rotor switched reluctance machine
- 1023 *Kesten J., Müller P., Brodatzki M., Doppelbauer M.* - (Germany)
Holistic efficiency map calculation of variable flux machines regarding relative magnetisation
- 1030 *Bruce C., Bird J., Dechant B.* - (United States, Norway)
Design and construction of a high-torque density wave energy conversion magnetic gear with a 16.5:1 gear ratio
- 1036 *Siadatan A., Karimi H., Tarrasodi P., Sephrinour M.* - (Canada)
Recycling the driving force of a hybrid electric bicycle in the drive cycle in order to provide energy in negative slopes

FB1-Marine Power Solutions (Part I)

- 1042 *Campora U., Mocerino L., Acanfora M.* - (Italy)
On the improvements in maritime decarbonization by the natural gas-electric power system of a ferry operating in the mediterranean sea
- 1048 *D'Agostino F., Gallo M., Saviozzi M., Silvestro F.* - (Italy)
Performance investigation of an optimal control strategy for zero-mission operations of shipboard microgrids
- 1054 *Coppola T., Micoli L., Russo R., Zagaria G.* - (Italy)
Methanol and fuel cell technology for ship cold ironing applications

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

- 1060 *Altosole M., Cameretti M. C., Campora U., De Robbio R., Palomba M., Scamardella F.* - (Italy)
A preliminary numerical study of a medium speed marine engine fueled by methanol
- 1066 *Young J., Wilson D. G., Cook M. A., Weaver W. W., Glover S. F.* - (United States)
A model predictive control for a four-zone medium-voltage AC/DC electric ship
- Railway Drives and Systems**
- 1074 *Andreotti A., Di Pasquale A., Meo S., Pagano M., Toscano L.* - (Italy)
Optimal sizing of supercapacitor-based energy storage for DC rail transit systems using an analytic hierarchy process approach
- 1081 *Rojas J., Rivera S., Diab I., Bauer P.* - (Netherlands)
A sensitivity analysis for a power profile model. A case of study for dutch DC railway networks
- 1087 *Scheuermann S., Brodatzki M., Doppelbauer M.* - (Germany)
Investigation of electrostatic shieldings in traction motors to mitigate capacitive bearing currents
- 1093 *De Matteis L., Marotta R., Stefanelli R., D'Acerno L.* - (Italy)
Renewal of rolling stock in a metro line: performance analysis and operational implications
- 1099 *Kaleybar H. J., Brenna M., Gurruchaga Llana I. M., Zaninelli D.* - (Italy)
Interleaved four quadrant converter-based active traction substation for recuperating regenerative braking energy in DC railway line
- Control/Modulation of Power Converters**
- 1105 *Gross Muresan A. M., Majstorovic M., Matas Diaz F. J., Dobric G., Villarejo M. B., Maza Ortega J. M.* - (Spain, Serbia and Montenegro)
Independent per-phase power control in four-leg grid-following voltage source converters
- 1111 *Kumar A., Ramasamy S., Ebel T., Gatto G.* - (Italy, Denmark)
GaN-HEMT switch based three phase transformerless inverter with reduced passive filter design
- 1117 *Bossi G., Sangwongwanich A., Song C., Blaabjerg F., Damiano A.* - (Italy)
A harmonic-based triple phase shift modulation strategy for a dual active bridge converter in an all electric aircraft application
- 1124 *Hazrati T., Hahn I.* - (Germany)
Investigation of the influences of the bandwidths in hysteresis current controller on single phase inverters
- 1130 *Centi F., Credo A., Fabri G., Parasiliti F., Tursini M.* - (Italy)
Enhancing PWM rectifier control through Kalman filtering
- 1136 *Khan H. H., Courteau G., Kissling S., Testa A., Foti S., Carpita M.* - (Switzerland, Italy)
Assessment of the star connected cascaded H-Bridge to be used in STATCOM application
- Hydrogen Storage Systems and Fuel Cells**
- 1142 *Noriega H., Lazzari R., Piegari L.* - (Italy)
Particle swarm optimization for the sizing of a battery and hydrogen storage system for residential buildings
- 1148 *Andrade P., Bento F., Alcaso A. N., Marques Cardoso A. J.* - (Portugal)
Voltage model predictive control for two-switch boost buck converter applied to fuel cells in DC microgrids
- 1154 *Vaccaro A., Iuliano S., Mofidi A., De Caro F.* - (Italy)
Modeling discrete decision variables in economic dispatch of hydrogen-based energy hubs

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

- 1160 *Palma L.* - (Chile)
Analysis and selection of step-down converter for PEM electrolyzer applications
- 1166 *Shirvani R., Bosisio A., Bovo C., Cirocco A., Iannarelli G.* - (Italy)
A hydrogen-based storage system to peak shaving domestic prosumers energy demand: a case study in Italy
- 1172 *Rrukaj R., Zadeh M.* - (Norway)
Optimal design of a port integrated energy system: a cost modeling framework
- Identification Problems**
- 1178 *Aarab M., Idkhajine L., Monmasson E.* - (France)
Online system identification based reconfigurable embedded real-time simulator for electronic power converters
- 1184 *Kaiser B., Schäfer A., Schütz A., Parspour N., Lechler A., Verl A.* - (Germany)
Identification of a lumped-parameter-model for a dual-motor robotic drive train with backlash and electrical preload
- 1191 *Di Nezio G., Marini G., Di Benedetto M., Lidozzi A., Solero L.* - (Italy)
Digital twin based identification of passive parameters for PMSM-based generating unit by an extended Kalman filter for wind off-shore applications
- 1197 *Fornaro E., Cardone M., D'Agostino V., Dannier A.* - (Italy)
An aircraft hybrid electric propulsion model experimentally validated
- Diagnostics**
- 1204 *Antunes H. R. P., Fonseca D. S. B., Serra J., Marques Cardoso A. J.* - (Portugal)
Stator fault diagnostics in asymmetrical six-phase induction motor drives with model predictive control under transient regimes
- 1210 *Amitabh P., Bozalakov D., De Belie F.* - (Belgium)
Methodology for analysis and quantification of bearing fault signature using MCSA
- 1218 *Inoue K., Yanagawa K., Enomoto J.* - (Japan)
Fault diagnosis of high voltage contactor using acoustic monitoring
- 1223 *Guo C., Yuan X., Zhou W., Xu Y., Liu Q., et al.* - (China)
Investigation of bearing current and degradation in wide bandgap inverter fed electric machines
- 1230 *Lehmann M., Möckel A.* - (Germany)
Intelligent bearing condition monitoring for electrical machines through vibration signal based on autoencoder and almost-parameter-free classifiers
- 1236 *De Riso M., Celentano L., Coppola M., Guerriero P., Daliento S., Di Palo R.* - (Italy)
A new modelling approach for a Cuk converter for on-field diagnostics of PV modules
- Marine Power Solutions (Part II)**
- 1242 *Briguglio G., Crupi V., Villari M., Saraniti D.* - (Italy)
Green boat monitoring for sea digitalization
- 1248 *Foti S., Baia G., Balsamo F., Campagna D., Nevoloso C., Scamardella F.* - (Italy)
Ferry refitting with multilevel converters and methanol fueled HT-PEMFC

SPEEDAM 2024 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
ISCHIA (Italy), June 19th – June 21st

PROCEEDINGS INDEX

- 1254 *Acanfora M., Campora U., Giannino G., Mocerino L.* - (Italy)
Digital-twin based approaches for predictive maintenance of marine diesel engine
- 1260 *Marchesi N. T., Utzeri S., Bucci V., Coletto T., Bosich D., Sulligoi G.* - (Italy)
Sustainable boat for passenger transport in smart cities
- Digital Technologies and AI Solutions**
- 1266 *Kock R., Kaheh Z., Shafie-Khah M.* - (Finland)
Developing two RNN-based algorithms for electricity price forecasting in markets with high penetration of renewable energy resources
- 1271 *Muñoz J. E., Bayazit G. H., Caarls E. I., Schellekens J. M., Lomonova E. A.* - (Netherlands)
Adaptive PI utilizing maximum torque per ampere strategy for PMSM considering saturation effect
- 1277 *Serban P., Mircea R., Ursache S., Martis C. S., Zinveli A., Chindris G.* - (Romania)
Comparative analysis of different approaches for modeling lead acid batteries
- 1283 *Mohamed Idris D. K., Martis C. S.* - (Romania)
Integration and implementation of stand-alone photovoltaic systems with battery backup: optimization via tuned PI controller with genetic algorithms
- Industrial Automation**
- 1289 *Frick F., Ellwein C., Lechler A., Neubauer M., Verl A.* - (Germany)
Software-defined manufacturing: reference architecture
- 1296 *Schmidt H. P.* - (Germany)
Design and implementation of a model factory for industrial communication in industry 4.0 and 5.0
- 1302 *Estenlund S., Adolfsson E., Hosseini S.* - (Sweden)
A study in additive manufacturing of windings for traction machines
- 1309 *Schubert M. P., Ponick B.* - (Germany)
Reduction of Eddy current losses in additively manufactured synchronous reluctance rotors