2024 IEEE International Communications Energy Conference (INTELEC 2024)

Bengaluru, India 4-7 August 2024



IEEE Catalog Number: CFP24INT-POD ISBN: 979-8-3503-7058-4

Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

*** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

 IEEE Catalog Number:
 CFP24INT-POD

 ISBN (Print-On-Demand):
 979-8-3503-7058-4

 ISBN (Online):
 979-8-3503-7057-7

Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-040

Phone: (845) 758-0400 Fax: (845) 758-2633

E-mail: curran@proceedings.com Web: www.proceedings.com



IEEE INTELEC 2024, BANGALORE, INDIA, 4-7 AUG 2024

	Table of Content			
SI No.	Page #	Title	Authors	
1	1	Analyzing Impact of Current Distribution on Parallel Connected Battery Packs in Telecom Applications	Shiromani Chandra*; Suman Basu; Praveen Kumar	
2	7	Impact of Deadband on a Three-Phase Three-Level NPC Inverter for Induction Motor Drive utilizing a Innovative Deadband Circuit	Hritik Kumar*; DR.RANJAN KUMAR BEHERA	
3	13	An Interpolation based Synthetic Battery Data Generation Technique	Janamejaya Channegowda*; vageesh Maiya; Chaitanya L	
4	19	A Long Horizon Data Augmentation Technique to Produce Reliable Synthetic Battery Parameters	Janamejaya Channegowda*; vageesh maiya; Chaitanya L	
5	25	Reliability Consequence of using Optimal Gbit Flash Memory based PWM Inverters	dorin neacsu*	
6	31	Multi-switch Fault Diagnosis for the Voltage Source Inverter fed Multi-phase Motor Drives based on Machine Learning	BHEEMAIAH CHIKONDRA*; Rachna Vaish; Umakant Dhar Dwivedi	
7	36	Challenges Posed by Renewable Energy Source Integration to Machine Learning based Power System Fault Diagnosis	Rachna Vaish; BHEEMAIAH CHIKONDRA*; Umakant Dhar Dwivedi	
8	41	A Nonisolated Enhanced Voltage Gain Dual Input DC- DC Converter with Symmetrical Bipolar Output	SOURAV PRASAD*; Prajof P; Arun Dominic D	
9	47	Active Flux-based Torque Compensation Method of Permanent Magnet Synchronous Motors for Traction Application	Niraj D Muley*; Gourab Ghosh; Anchal Saxena	
10	53	Machine Learning-driven Battery SOC Estimation for Electric Vehicle Application	Namrata Narayan*; Souvik Saha; Moumita Das	
11	59	High Power Density HV DCDC Converter for Aerospace	Durgaprasad Valluri*; Rupan Sarkar; Nartu Santosh; MUSTANSIR KHERALUWALA	
12	65	A Fault-Tolerant Single-Phase Inverter using Redundant Leg	Ankita Tripathi*; Priya Singh Bhakar; Kalaiselvi J	

		I	In 1.41: 1.4.7.1.1.5.1.
			Osamah Aljumah*; Vasishta Burugula;
		DC Microgrids Enabled with Triple Active Bridge	Shubham Dhiman; Shrivatsal Sharma;
13	70	Converter for Remote Areas	Subhashish Bhattacharya
		Non-isolated Interleaved High Step-down DC-DC	
		Converter with Reduced Switched Capacitor Stages	Kazuhiro Umetani*; Fumie Ishitani; Taira
14	75	and Automatic Current Sharing	Shirahase; Masataka Ishihara; Eiji Hiraki
		Indoor Grounding of Data Centers to IEC30129 and	
15	81	TIA607D Standards	Rohit P Narayan*
		Flexible Busbar Solution for High Current Density	
16	86	Applications	Rohit P Narayan*; Julien Brousseau
		A PSIM-based Tool for Quick Failure Rate Estimation	
17	92	for a DC/DC Converter	dorin neacsu*; Dan Butnicu
		Microgrids for Base Stations: Increased Cellular	
		Network Resiliency through Integration of Solar	
18	98	Energy and Virtual Energy Transfer	Andres Kwasinski*; Alexis Kwasinski
		Frequency- and Time-Domain-Based Methods to	
		Estimate Parasitic Capacitances in Planar Magnetics	Ashiq Muhammed*; Ambadi Vinayak;
19	104	using Terminal Measurements	Vinod John
		Comparison of Availability and Resiliency Planning for	
20	110	Critical Loads	Alexis Kwasinski*
		Compact and Modular Power Units for Remotely	
21	116	Operated Vehicles	Rahul Raj; Harish S Krishnamoorthy*
		Effectiveness Study of Streamlined Fin with Low-	
		Pressure Loss to Improve Heat Dissipation	Hiroki Seto*; Kazuhiro Umetani; Masataka
22	122	Performance of Heat Sink	Ishihara; Eiji Hiraki
		Universal Modulation Technique for Quasi-Hybrid	
		Input based Dual-Active-Bridge Converter for	Priyatosh Jena*; Rajeev Kumar Singh; Dr.
23	130	Bidirectional V2G Applications	V. N Lal
		Deep Deterministic Policy Gradient Data-Driven	
		Approach for EV Charging and Discharging Scheduling	
24	136	Problem	Sulaiman B Alabbas*; Alexis Kwasinski
		A Fault-Tolerant Multilevel Inverter Topology with	Sundararajan; Mrutyunjaya Sahani;
		Three Source Configuration Using Lower Number of	Dharani Kolantla; Rahul Bhujade; Sanjib
25	142	Switches	Panda*
			Marif Daula Siddique; Prasanth
		Design and Validation of Fault-Tolerant Boost Inverter	Sundararajan; Mrutyunjaya Sahani; Rahul
26	147	Topology	Bhujade; Dharani Kolantla; Sanjib Panda*
		A Nonisolated Four-Port DC-DC Converter for Solar PV-	SOURAV PRASAD*; Prajof P; Arun Dominic
27	152	Battery Integration in Bipolar Load Systems	D
			•

		I	
		Adaptive Model Predictive Control Applying on Two-	Chi Budaal * Baaal Ciada Adi
20	450	Switch Forward Converter for the Application of High	Shiv Prakash*; Rangoli Singh; Aditya
28	158	Voltage Battery Management System	Kumar; Sandip Ghosh; N K Swami Naidu
			December 14 and Discussion 15 and 18
		Dual Output Five-Level Converter with Reduced Switch	
29	164	Count	Chinmaya K A
		A 300 VA Low-Cost Efficient Standalone Photovoltaic	Jenson Joseph C Attukadavil*; Aniket
30	170	System for Rural Applications	Nadkarni; Baylon G. Fernandes
		An Isolated Multi Active Bridge Type Soft Switched AC-	Himanshu Bhusan Sandhibigraha*; Vishnu
31	176	DC Boost PFC Converter	Mahadeva Iyer
		Component Stress Minimization of Resonant DC/DC	WARDA MATIN KHAN*; Soumya Ranjan
		Converter Using Fractional Power Processing for	Meher; Rajeev Kumar Singh; Ranjit
32	182	Battery Charging	Mahanty
		A comprehensive approach to addressing the lightning	
		and grounding safety requirements in grid-integrated	Rohit P Narayan*; Julien Brousseau;
33	187	EES systems per IEC 62933-5-2	Smitha Harshavardhana
		Quasi-Two-Level Switching for Active Balancing of	
		Flying Capacitor Multilevel Converters Under Light-	Rahul K Iyer*; Tahmid Mahbub; Robert
34	192	Load Conditions	Pilawa-Podgurski
		A Highly Efficient Wide Battery Voltage Range Dual Active	
		Bridge-based Single-stage Bidirectional EV Onboard Charger	
35	199	Without Low-Frequency Harmonics in the Charging Current	Soumya Ghorai*; Souvik Chatopadhyay
			Mayank Deo; Pramod Chaudhary; Siva
		Extended High Efficiency Operation of Semi-Active Half-	Prabhakar; Shiladri Chakraborty; Sandeep
36	205	Bridge DC-DC Converter	Anand
			Mayank Deo; Pramod Chaudhary; Siva
		Diode Emulation Control for Efficiency Improvement	Prabhakar; Shiladri Chakraborty; Sandeep
37	211	of Dual Active Bridge Converters	Anand
		Data-Driven Digital Twins for Monitoring the Health	Yingpei Li*; Bharat Bohara; Harish S
38	217	and Performance of Converters	Krishnamoorthy; Jeevanand Seshadrinath
		On MATLAB-based Stability Analysis of Discrete	
		Differential Capacitor Voltage Feedback for Active	
39	223	Damping of LCL Filters	Durga Nair S*
		High Efficient, High Power Intensive DC – DC Converter	Viresh Ashok Botre*; Raviraj Sumbe;
40	227	solution for 5G telecom	Dilesh Raut
		Sensitivity of Dynamic Mho Characteristic to PLL	Meenu Jayamohan*; Sarasij Das; Marjan
41	231	Parameters of Grid Following PV	Popov
		-	
		A Reduced Switching State PWM Single-Stage 3- Phase	Ravichandra Maddipudi*; Souvik
42	237	Matrix Inverter Without Device Voltage Spikes	Chatopadhyay

		T	I
		A Naval Three Dhase Overdranda Daget Switzhad	Viina Varrous Circh*, DUFFNANIALI
42	242	A Novel Three-Phase Quadruple Boost Switched	Vijay Kumar Singh*; BHEEMAIAH CHIKONDRA
43	243	Capacitor Multilevel Inverter for PV Applications	CHIKONDRA
		A Four Port DC DC Convertor for Unbrid Integration of	COLIDAY DDACAD*, Draiof D. Arun Dominio
44	249	A Four-Port DC-DC Converter for Hybrid Integration of Fuel Cell-Solar PV with Bipolar DC Microgrid	SOURAV PRASAD*; Prajof P; Arun Dominic
44	249		D
		A Non-Isolated Modified Quadratic DC-DC Boost	
45	255	Converter in a Stacked Configuration with Reduced Switch Voltage Stress	SOHAM CHAKRABORTY*; PRASUN MISHRA
43	233	Switch voltage stress	SOTIANI CHARRABORTT , FRASON WISHIKA
		A Hybrid Model Predictive Controller for an Integrated	 Ritam Chakraborty*; Amrit Gaurav Rath;
46	261	Dual-DC Boost Converter	Olive Ray; Kapil Jha
	201	Dual De Boost converter	onve Ray, Raphisha
		1 MHz Isolation Transformer Design, Using the Core	Pedram Chavoshipour Heris*; H. Alan
47	267	Geometry Approach	Mantooth
.,			
		A Review of High-Voltage High-Step Down Isolated	Debjit Rana*; Sonam Acharya; Anil Suresh;
48	273	Converter Topologies	Santanu Mishra; Sreejakumar Nair
		Design Comparison and Investigations into Thermal	
		Failure of HF Transformers in Isolated DC-DC	P. Roja*; Mohd Shadab Ansari; D
49	278	Converters	Venkatramanan; Vinod John
		A Dual Input Bipolar Symmetrical Output DC-DC	SOURAV PRASAD*; Prajof P; Arun Dominic
50	284	Converter with Improved Voltage Gain	D
			Manish Mandal*; Bharath Kumar M;
		A Detailed Experimental Switching Transient	Malingu G; Shamibrota Kishore Roy;
51	290	Performance Comparison of Normally-off GaN HEMTs	Kaushik Basu
		Generalized Analytical Modeling for Switching Loss	
52	296	Estimation of SiC MOSFET at Wide Operating Range	Adarsh Dubey; Apurv Kumar Yadav*
	202	A.C. Stelland and Differentiated Decrease Association	Damana ia Danianahi* Cantana Misha
53	302	A Switched-sink Bidirectional Power Amplifier	Ramanuja Panigrahi*; Santanu Mishra
		EV Charging Infrastructure: Smooth Power Delivery	
E /1	207	using Pulse Charging Methods for Swappable Charging Station	Dayach Kumar*: Maumita Das
54	307	A Reconfigurable DC-Link Capacitor based AC-DC	Devesh Kumar*; Moumita Das
		Converter with Multi-Function Controller for Versatile	Priyatosh Jena*; Rajeev Kumar Singh; Dr.
55	313	Loads	V. N Lal
23	212	10000	v. iv Lui
		DC Bus Regulation and Suppression of Circulating	 Pragya Nand Singh*; Ravi Ranjan; Srinivas
56	319	Current in an Isolated DC Microgrid	B Karanki
		A Case Study for Standalone Solar Power Modules	
		with and without IOT devices in Rural Hospital	Renugadevi P; Sudha A*; srimathi r
57	325	Emergency Rooms located in Kaniyambadi	ramasamy
ــــــــــــــــــــــــــــــــــــــ	~ _	J = -1 = = = = = = = = = = = = = = = = =	I

		Accurate Efficiency Estimation of DC/DC Converters	Compacth Bangrigg*, Cantany Michra
58	331	using Automatic Temperature Calibration	Somenath Banerjee*; Santanu Mishra; Priyabrata Shaw; Ambuj Sharma
38	331	using Automatic Temperature Cambration	Priyabiata Silaw, Ambuj Silamia
		Design and Applysis of a 6/4 Switched Belystones	Surai Kumar Chaurasiya*, Avik
	226	Design and Analysis of a 6/4 Switched Reluctance	Suraj Kumar Chaurasiya*; Avik
59	336	Motor for Solar Water Pumping System	Bhattacharya; Sharmili Das
		An Improved Fundamental Current Estimation	Kuldin Datal*, Dratuuch Dandou
60	342	Algorithm for Traction Drives in Overmodulation Zone	Kuldip Patel*; Pratyush Pandey; Harikrishnan P; Kamalesh Hatua
- 00	342	Algorithm for Traction Drives in Overmodulation Zone	Hariki isililali F, Kamalesii Hatua
		 Non-isolated Partial Power Processing Converter for	Jyothsna Reddy Vari; Aabid Ahmad Dar;
61	348	Battery Energy Storage Systems	Siddhi Kadam; Vishnu Mahadeva Iyer*
01	340	A Unified Reduced Order Modeling and Dual-Loop	Siddii Radaiii, visiiiid ivianadeva iyei
		Frequency Control Design for CLLC Resonant	Satyam Kumar*; Kousik Ghosh; Kamalesh
62	354	Converter	Hatua; Arunava Mitra
02	334	Development and Evaluation of Wireless Charging	Tiatua, Aramava Mitra
		Systems for Intraoral Devices using Ultra-small	Hizuki Aiba; Kosuke Moriya; Kyungmin
63	360	Receiving Coils	Sung*
	300	Incoming cons	34.15
		Analysis of Stray Capacitance Effects in Dynamics of	Dipayan Chatterjee*; ranajay mallik;
64	365	LLC Converters under PFM for Battery Charging	Santanu Kapat; Indra Narayan Kar
		Model Reference Adaptive Control for Split DC-Link	Bhoomika R S*; Ravi Ranjan; Srinivas B
65	371	based Dual Active Bridge Converter	Karanki
		Control of Cascaded H-Bridge and Series Resonant	
		Dual Active Bridge (DC-DC) based Solid State	Sourabh Chahar*; Himanshu Patel;
66	376	Transformer under Unbalance Grid	Kamalesh Hatua
		Comparison of Current Control Techniques for Single-	
67	384	Phase Integrated On-Board Chargers	Debarati Dam*; Saptarshi Basak
		Open Circuit Fault-diagnosis and Fault-tolerant	
68	390	Operation of ANPC	Dhruv M Kachhiya*; Mukul Chandorkar
			Ravali N; Venkatesh AP; Sreehari
		Optimal Design of a GaN-based high-efficiency Dual	Venugopal; CY LIN; Yingfan CHEN; Leon Li;
69	396	Active Bridge Converter	Malingu G; Shashidhar Mathapati; Taha
		LC Type dv/dt Filter Design with Clamping Diodes for	Sai Prasanna Challa; Vishnu Mahadeva
70	401	SiC MOSFET-based Motor Drives	lyer*
		Implementation of real-time digital control for phase	
		shifted full-bridge rectifier using Texas Instruments'	
71	407	ARM Cortex-R5F core based MCU	Shamik Basak*
		GaN Device Modelling using Machine Learning	Priyabrata Mondal*; Souvik Saha;
72	412	Approach for Power Electronic Converters	Moumita Das

		Non-isolated Single Industor Recod Duel Input	
		Non-isolated Single Inductor-Based Dual-Input	Kumanayal C*, Dy Bayishaylay A N.
72	447	Bidirectional DC-DC Converter with ZCS for Integrating	Kumaravel S*; Dr. Ravishankar A N;
73	417	Battery Stack	Vemparala Seshagiri Rao; Nikhil K
		S. 500	
		Size Efficiency Multi-Objective Design of DC-link	
74	423	Capacitor in Two-Stage Single-Phase Converters	Biswajit Sahoo*; Shiladri Chakraborty
			Manish Mandal*; Shamibrota Kishore Roy;
		Comparison of Single-Phase GaN HEMT-based PFC	Bharath Kumar M; Malingu G; Mayank
75	429	Topologies for Onboard EV Chargers	Shrivastava; Kaushik Basu
		Analysis of Overvoltage Across Blanking Capacitor Due	
		to Junction Capacitance of Sensing Diode in Desat	Kamisetti N V Prasad*; Syed Shahjahan
76	435	Protection of SiC MOSFET	Ahmad; Gopalaratnam Narayanan
		Aging-aware equivalent circuit model for SOH	Roberta Di Fonso*; Remus Teodorescu;
77	441	estimation in lithium-ion batteries	Pallavi Bharadwaj
		Prediction and Mitigation of Common Mode Noise in a	Siddhi Kadam; Vishnu Mahadeva Iyer*;
78	446	Four-Switch Buck-Boost Converter	Srinivas Gulur
		A New Integrated Onboard Battery Charger For	Peng-Hao Huang*; Naresh Rana; Abhay
79	452	Electric Scooters	Gupta; Prasad Enjeti; Kaushik Basu
		Multi-winding Transformer based CLLC Current	
		Mismatch Mitigation using Inter-bridge Phase	
80	458	Shift	Shubham Mungekar; AYAN MALLIK*
		Series Connected High Frequency Link Ripple Power	
		Compensation Strategy for 1-phase Bidirectional	Subhranil Barman*; Shiladri Chakraborty;
81	464	Isolated AC-DC Matrix Converters	Kishore Chatterjee
		Design to Improve Performance in Two-Stage 48-to-1V	Prantik Majumder*; Santanu Kapat;
82	470	Architecture for Server Power Supply	Debaprasad Kastha
		A Simple Active Balancing Technique for 5-Level Flying	
		Capacitor Converters with Reduced Sensing	Siddharth R Iyer*; Sayan Paul; Dragan
83	475	Requirements	Maksimovic; Luca Corradini
		Adaptive On-Time Average Current Control Tracking in	Calvin Paul Joseph*; Santanu Kapat;
84	481	Critical Conduction Mode Three-Level Boost PFC	Debranjan Mukherjee; Ruturaj Garnayak
		Analysis and Design for Current Balancing in	
		Interleaved LLC Converters for Two-Stage DCX 48-to-	
85	487	1V Telecom Power Supply	Faraz Ahmad*; Santanu Kapat
		PSAM and TM Based Fault Tolerant Scheme for Open	Pradyumn Chaturvedi*; Harish R Bhawane;
86	492	Switch Faults in Dual Active Bridge Converters	Saurabh P Kamble
		ZVS-Oriented Power Sharing Control in Modular DAB	
		Converters connected in Input-Parallel Output-Parallel	
87	498	Configuration	Saikat Dey; AYAN MALLIK*; Akin Akturk
_ <u></u>	.50	1 0	

		Thermal Characterization of Current and Next- Generation Lithium-ion Battery for E-mobility	
88	504	Applications	Chandan Chetri*; Sheldon Williamson
		A Feedforward control methodology incorporating	Behera; Subhrasish Pal; Sanjib Kumar
		input and output voltage variations in Dual Active	Mitra; Harisyam P V; Shashidhar
89	509	Bridge converter	Mathapati; Kaushik Basu
		Secondary side-controlled fly-back converter for USB	Milind Dighrasker*; Rajarajan Rajendran;
90	515	PD Charger application	Kavan Gangadhar Acharya; Jeevan Thomas
		PWM Inverter Based Active Filter for High Frequency	Mohammed Tuhin Rana*; Surjakanta
91	521	AC Systems in Space Applications	Mazumder; Murti Salapaka; Kaushik Basu
		Design of Three-phase Multi-winding Transformer of	Surjakanta Mazumder*; Akhila Lakkam;
		High-Frequency AC Power Distribution Architecture for	Shrinivas B Mural; Naresh Rana; Pradeep K
92	527	Space Application	Peter; Prasad Enjeti; Kaushik Basu
		Performance of a Doubly Excited Cylindrical Rotor	Lokenath Chakraborty*; Debranjan
93	532	Brushless Synchronous Generator	Mukherjee; Chandan Chakraborty
	·		
			Vrundesh S Pawde; Suman Saurav; Ritesh
94	537	Non Conductive Gun for Electric Vehicle Charging	Kumar Keshri*; Hiralal Suryawanshi