

AMPP Annual Conference 2024

New Orleans, Louisiana, USA
3-7 March 2024

Volume 1 of 7

ISBN: 979-8-3313-0472-0

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2024) by Association for Materials Protection and Performance (AMPP)
All rights reserved.

Printed with permission by Curran Associates, Inc. (2025)

For permission requests, please contact Association for Materials Protection and Performance (AMPP)
at the address below.

Association for Materials Protection and Performance (AMPP)
15835 Park Ten Place
Houston, Texas 77084
USA

Phone: +1-800-797-6223
Fax: +1-281-228-6300

customersupport@ampp.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

Testing Heavily Cold Formed 22Cr Duplex Stainless Steel Exposed to Liquid Mercury to Assess Liquid Metal Embrittlement Susceptibility	1
<i>W. Kovacs, K. Eriksen, B. Hugaas, S. Hauger</i>	
Premature Corrosion Attack of Stainless Steel Pipes and Welds	23
<i>H. AlMahamedh, A. AlShawaf</i>	
Assessing Coating Breakdown Factors of Silicone Rubber Thermal Insulation for Enhanced Cathodic Protection in Subsea Equipment Operations	28
<i>H. Amaya, B. Fahimi, J. Bogard</i>	
Field Experience of Various Coating Systems in Oil & Gas Industry	38
<i>A. Kharusi, J. Saithala, M. Al Ghafri, M. Ossama, T. Nabhani</i>	
Field Experience of Duplex Stainless-Steel Pipes in Stagnant Condition	50
<i>A. Al Kharusi, J. Saithala, M. Al Ghafri, T. Nabhani</i>	
Concrete Structures in Wastewater Environments: Key Considerations for Substrate Repair and Surface Preparation for Protective Coatings/Linings Applications	59
<i>B. Cheshire, V. O'Dea</i>	
Identification of Synergistic Interactions in Green Corrosion Inhibitor Mixtures by Molecular Modeling	74
<i>C. Menendez, O. Mazyar, S. Ramachandran, T. Jackson</i>	
Leveraging Geospatial Corrosion Data to Facilitate Smart Decision-Making in Municipal Water and Wastewater Infrastructure Management	89
<i>W. Dong</i>	
Hydrostatic Testing for Pipelines with SCC Threats	101
<i>J. Pikas</i>	
Developing Vapor Phase Corrosion Inhibitors for Aluminum Alloys in Ethylene Glycol Coolant Solutions	108
<i>B. Bavarian, L. Reiner</i>	
MEA Triazine Contactor Optimization to Increase Efficiency and Reduce Fouling Potential	122
<i>W. Marais</i>	
Stress Corrosion Cracking of Carbon Steel in CO ₂ Liquefaction Plant	137
<i>Q. Lu, L. Lau, S. Kanda, L. Esposito</i>	
Probabilistic Assessment of Hydrogen Stress Cracking of Steels and CRA in Sour Environments	151
<i>N. Sridhar, M. Kappes</i>	
Evaluation of Various IMM/IC Coating Systems in Terms of Corrosion Protection	166
<i>D. Koshiba, T. Oshikawa</i>	

Investigation of Sulfide Stress Crack Propagation Using Sour Pipe Burst in Tubulars with Simulated Defects under Pressure	181
<i>B. Chambers, B. Bezensek, S. Cravero, P. Olivo, O. Albores</i>	
Corrosion Behaviour and Studies on Effect of Electric Arc Furnace Dust Addition on Porosity and Chloride Diffusion in Concrete	198
<i>F. Al Mutlaq, S. Al-Shehri, S. Al Subai</i>	
Electrochemical Evaluation of the Localized Corrosion Susceptibility of Ni Based Precipitation Hardening Alloys in Supercritical Sour Gas Service Conditions	213
<i>R. Case, L. Zhao, Y. Ding, J. Ren, T. Dunne</i>	
Compostable VCI Film Brings Corrosion Protection "Back to Nature"	230
<i>A. Djurin, M. Shen, D. Zrinski, J. Holmquist</i>	
Susceptibility to Localized Corrosion Attack and Application Service Envelopes for Ni Based Corrosion Resistant Alloys in Oil & Gas Production Service Conditions, a Literature Review	238
<i>R. Case, L. Zhao, Y. Ding, J. Ren, T. Dunne</i>	
Effect of Minor Ce Additions on Corrosion Behavior of Experimental Pipeline Steel	252
<i>Z. Belarbi, P. Jablonski, O. Dogan, M. Detrois, R. Oleksak</i>	
Corrosion Behavior of Zinc Cold Spray Coatings (ZnCr & ZnNb) in a Simulated Natural Gas Environment Containing H ₂ O, CO ₂ , and H ₂ S.....	266
<i>Z. Belarbi, R. Chinn, O. Dogan</i>	
A Novel Approach to Assessing Stray Current Interference without Potential Interruption.....	282
<i>P. Robbins</i>	
An Exploratory Investigation of the Cracking Susceptibility of Three Corrosion Resistant Alloys under Thermal Cycles and Conditions Exceeding the Traditional NACE MR0175/ISO 15156 Recommendations	293
<i>M. Marya</i>	
High-Temperature-Stable Vapor Corrosion Inhibitor for CUI.....	308
<i>M. Shen, B. Miksic, P. Solntsev</i>	
A New Biocide Enhancer for a Better Pipeline Treatment	317
<i>N. Norizam, H. Rahman, A. Nor</i>	
Development of Anti-Fouling Compound Extracted from Marine Resources in Preventing Marine Growth for Static Applications at Warm and Cold Water Environments.....	325
<i>N. Norizam, H. Rahman, A. Nor</i>	
Managing Risk in Sustainable Aviation Fuel and Renewable Diesel Production with Online Corrosion Monitoring.....	335
<i>W. Fazackerley</i>	
Recent Advances in Water-Based Coatings and Their Contributions to Asset Protection and Sustainability Goals.....	350
<i>B. Cheshire, J. Ethington, J. Gleisberg</i>	
A Parametric Evaluation of Well Construction Corrosion-Resistant Alloys for Geological Carbon Sequestration	364
<i>M. Marya</i>	

Recent Surface Preparation Challenges and Solutions	379
<i>K. Rossy, T. Crenshaw</i>	
Effect of Curing Time on the Performance of Novolac Internal Tank Coatings - a Realistic Assessment Using Laboratory Testing	389
<i>A. Al-Borno, M. Islam, A. Al Hashem, H. Sabri</i>	
40-Year Maintenance Free Coating Solution for Offshore Structures	400
<i>D. Ward, M. O'Donoghue, V. Datta</i>	
ISO 27913 - Example for Successful Standardization Activities in the Field of CCUS.....	411
<i>R. Babler</i>	
Internal Corrosion Prevention During Hydrostatic Testing and Wet Layup of Pipelines: Approach and Case Study	417
<i>S. Kotu, C. Kagarise, R. Eckert</i>	
Forgotten Phenomenon: Corrosion of Galvanized Piping Underground.....	428
<i>M. Szeliga</i>	
Corrosion Resistance of Duplex Stainless Steels for CCS Application under the Liquid Phase in Equilibrium with Supercritical CO ₂ Containing Slight Amount of O ₂	433
<i>K. Kanki, D. Matsuo, Y. Arai, H. Amaya</i>	
Using Guided Waves Testing (GWT) for the Integrity Inspection of Pipelines.....	442
<i>O. Mejia, A. Al Mahrami</i>	
Impact of Different Carbon Sources on dsrAB Gene, a Major Concern for Oil and Gas Industries	456
<i>L. Pinto, V. Flores, D. Coutinho, W. Junior</i>	
How Fluoropolymers Resist Chemical Attack across the pH Spectrum.....	468
<i>J. Knapp</i>	
Maximizing Materials Utility through a Next Life Optimization Process.....	473
<i>W. Kovacs, C. Taylor</i>	
Toward a Preliminary Mechanistic Understanding of Co-Evaporation and Co-Condensation of Top-of-the-Line Corrosion Inhibitors	487
<i>W. Zhang, D. Orta, I. Gilbert, A. Jenkins</i>	
Compatibility Study of HDPE Internal Lining in Carbon Steels for Polymer Injection and Mixing Applications.....	503
<i>A. Al Yahyaai, A. Al Kharusi, B. Al Hudar, H. Al Shuhumi, M. Al Maqbali</i>	
Sour Service Qualification of Carbon Steels (SMYS 450 MPa) and Their Welds Considering Field H ₂ S Fugacity / Dissolved H ₂ S Concentration - Qualification at Design and Atmospheric Pressure.....	519
<i>J. Zhang, R. Rao, F. Ramirez, A. Darwin</i>	
New Advances in Corrosion Protection: Powder Coating of PEKK	532
<i>Z. Eckel, Y. Adhia</i>	
Evaluation of Coatings for High-Temperature Process Vessel Applications	540
<i>B. Yuan, M. Ramakrishnan</i>	
High Performance Liquid Epoxy Polymer Concrete: 30 Year Benchmark Solution - Aro Coating Selection Criteria.....	552
<i>M. Moreno, J. Corona</i>	

Sour Crack Initiation and Propagation Assessment of P110 and Q125RY Casing Materials in Mild Sour Conditions	570
<i>M. Yunovich, B. Chambers, B. Thomas</i>	
Corrosion Fatigue Performance of Materials in Delayed Cokers and Coker Blowdown Piping System	577
<i>H. Guo, M. Iverson, S. Yuen, S. Bohra, L. Cao</i>	
Effect of Environmental and Flow Process Conditions on Impressed Current Cathodic Protection System in a Petrochemical Installation.....	589
<i>E. Santana, K. Jedig, L. Jung</i>	
Non Producing Environments Leading to Downhole CRA Completion Failures	602
<i>B. Thomas, M. Al Kindi, A. Braiki</i>	
Corrosion of Stainless Steel Alloys in Fresh Water Simulating Condensed Water in Contact with Supercritical CO ₂ - An Electrochemical Study	614
<i>S. Divi, B. Craig, A. Rowe</i>	
Liquid Metal Embrittlement (LME) Study of a Zinc Rich Primer Applied Steel Vessel Plate and Galvanized Steel Plate at Elevated Temperature	628
<i>S. Divi, S. Chimbli</i>	
Evaluation of Corrosion Risk by DC Stray Current: a Study of the EN ISO 21857 Standard Criteria	639
<i>C. Rogier, A. Lopitaux, D. Gauthier, A. Fakhry, S. Fontaine, F. Castillon</i>	
Correlating of Online Corrosion Monitoring (OCM) with in Line Inspection Data for Export Crude Pipeline– Case Study	652
<i>A. Rashed, A. Jaithlya, A. Redha, S. Abraham</i>	
Charpy Impact Requirements for Carbon Capture and Storage (CCS) Wells Using CRA Alloys.....	666
<i>B. Bezensek, W. van Haafden, B. Chambers, H. Amaya, Y. Arai, H. Kamitani</i>	
Synthesis of Aminopropyl-modified Silica with Hydrophilic Branches Inhibitor for Corrosion Inhibition	680
<i>N. Ajeaban, A. Busaleh, B. Alharbi, T. Saleh</i>	
Field Case Study: Impact of Corrosion Inhibitor on Scale Control.....	689
<i>A. Lu, Z. Yue</i>	
Case Study - AC Mitigation Design for Multiple Pipelines without Powerline Data.....	700
<i>B. Lu, H. Yu</i>	

VOLUME 2

Erosion and Corrosion Assessment of Type 304L Stainless Steel Jumper Removed from Nuclear Waste Transfer Service	715
<i>S. Feng, J. Page</i>	
Applicability of Martensite-Based Stainless Steels for CO ₂ Injection Tubing.....	730
<i>Y. Kamo, K. Eguchi, H. Ebina, H. Takai, T. Kawai</i>	
Erosion Behavioral Study for High Nickel Alloys	743
<i>M. Alhammad, N. Alanazi, A. Alabdulhadi, S. Olaoluwa, A. Ali</i>	

Efficiency of Cathodic Protection of Stainless Steel in Confined Area - Further Understanding of the Protection Mechanism through Experimental Testing and Modeling.....	751
<i>C. Leballeur, J. Vittonato, N. Larche, H. Marchebois</i>	
Effective Sand Management Using Complimentary Non-Intrusive Erosion Monitoring Solutions.....	766
<i>A. Dienes, W. Fazackerley</i>	
Proposed Test Protocol for Evaluating Internal Coating Systems for Railcar Sour Oil Applications.....	777
<i>A. Al-Borno, M. Islam, H. Pedraza</i>	
Effect of CO in Stress Corrosion Cracking of Carbon Steel Pipelines in CCS Environments	783
<i>G. Wu, J. Vera, K. Evans, C. Li, W. Kovacs</i>	
Effect of TEG in Corrosion Behavior of Carbon Steel Pipelines in CCS Environments	793
<i>G. Wu, C. Li</i>	
Effect of the Austenite Spacing in Duplex Stainless Steel on the Sour Cracking Resistance.....	800
<i>C. Mendibide, M. Regniere</i>	
Assessing Comprehensive Mechanistic CO ₂ Corrosion Modeling Methods and Their Impact on Predicted Corrosion Behavior	815
<i>M. Jones, G. de Boer, R. Woollam, J. Owen, R. Barker, M. Folea, H. Farhat</i>	
Advancement of a Comprehensive Mechanistic CO ₂ Corrosion Model to Incorporate Simulated Hydrodynamics via a Turbulent Flow Model.....	830
<i>M. Jones, G. de Boer, R. Woollam, J. Owen, R. Barker, M. Folea, H. Farhat</i>	
Break Reduction/Life Extension for Municipal Water Pipelines.....	842
<i>E. Nelson, E. Richey</i>	
Results and Relation to Deformation Mechanisms for SSRT Testing of Austenitic Stainless in Hydrogen Gas.....	856
<i>U. Kivisakk, U. Borggren, R. Siriki</i>	
Nanolaminar Nickel-Cobalt Coatings: a Revolution in Wear and Corrosion Resistance	864
<i>M. Li, H. Amaya, S. Brunst</i>	
Balancing the Performance and Robustness of Epoxy Intumescent Coatings.....	878
<i>I. Vee, J. Irving, M. Bashir, Z. Wierzba</i>	
Development of Corrosion Severity Assessment Algorithms Using Environmental Monitoring Sensors in Naval Aviation Environments	888
<i>A. Lilly, S. Kopitzke, I. Long</i>	
An Expanded Characterization of Environmental Severity for Naval Air Stations.....	902
<i>S. Kopitzke, I. Long, A. Lilly, K. Canales, A. Muenzer</i>	
The Effect of CO ₂ Partial Pressure on the Formation and Protective Characteristics of Iron Carbonate Corrosion Products.....	915
<i>A. Sykes, R. Jacklin, D. Burkle, R. Woollam, J. Owen, R. Barker</i>	
In-situ Study of Iron Carbonate Formation Kinetics and Pseudo-passivation of Carbon Steel in Aqueous CO ₂ Environments	930
<i>J. Owen, R. Woollam, R. Barker, E. Basilico, G. Joshi, J. Kittel, D. Burkle, F. Ropital, S. Marcelin, A. Kleppe</i>	

Predicting Corrosion of Successive Feeds in Distilling Units - An Experimental Approach	941
<i>G. Bota, I. Patel, P. Jin, D. Young</i>	
Wet CO-CO ₂ Stress Corrosion Cracking in CCS Pipelines	956
<i>M. Gonuguntla, V. Aruna, J. Sonke, G. Sundararajan</i>	
Pipeline Corrosion Management against Dynamic Production towards the Extended Life	965
<i>F. Mitraningsih, A. Samiaji, R. Rinaldi, M. Adhael</i>	
Wireline Cable: Corrosion of Galvanized Armor Wires in Aqueous Drilling Fluids	983
<i>E. Barmatov, J. Staniland, J. Stoney, S. Putra, M. Gummadi, A. Medvedev, T. Hughes</i>	
Recent Progress in Corrosion Protection of Braking Systems.....	997
<i>M. Daga, M. Abello, A. Pavesi, G. Valota, A. Bonfanti, A. Mancini, F. Bertasi</i>	
Using Machine Learning to Assess Internal Corrosion Constituent Thresholds	1012
<i>N. Moore, C. Taylor, C. Kagarise, J. Cotti</i>	
Hibernation of Ducts with CRA Alloys: Standardization of Methods for the Chemical and Microbiological Composition of Operation Seawater	1030
<i>W. Cravo, F. Guedes, M. de Sousa, V. Waldow, C. Oliveira, D. Coutinho, V. de Oliveira, D. Nunes, V. Flores, L. Pinto</i>	
Corrosion Resistance and Anodizability of Recycled Aluminum Alloys: Effect of Fe and Mn	1045
<i>M. Abello, A. Pavesi, M. Daga, G. Valota, A. Bonfanti, F. Bertasi</i>	
Innovative Performance Corrosion Resistance Reinforcing Bars for Extending Service Life	1057
<i>S. Faza, H. Lopez, M. Stroia</i>	
An Environmental Performance Comparison of Premium Vs. Standard Grades Used in Non- Magnetic Drill Collars	1065
<i>F. Kudla, M. Marya</i>	
Could This Nobel Prize Winning Technology Generate a "New Class of Material" for the Coating Industry?	1080
<i>J. Daum, I. Ulkem, A. Recker</i>	
Duplex Zinc Coatings for Offshore Wind Towers	1088
<i>M. Gagne</i>	
The Optimized Inspection Approaches of PSA Adsorber Weldment Integrity with the Buried Cracks	1098
<i>S. Kim, Y. Ro, D. Lee</i>	
Corrosion Fatigue and Chloride-Induced Stress Corrosion Cracking in Sulfur Recovery Units.....	1111
<i>S. Otaibi, M. Farah</i>	
Investigating Fatigue Crack Growth Rate of Ferritic Steels in High Pressure Hydrogen Gas	1123
<i>P. Bortot, M. Ortolani, M. Bellingardi, C. Marchi, J. Ronevich</i>	
Field Data Collection for Cathodic Protection and Hydrogen Embrittlement of Super Duplex Stainless Steel for Deep Sea Application - Use of Low Voltage Anode	1139
<i>N. Larche, J. Vittonato, A. Grolleau, E. Diler, E. Agel, D. Festy</i>	
Influence of the Soil Moisture Level and Differential Aeration Cell on the Corrosion Rate of Carbon Steel and Zinc Coated Steel	1155
<i>E. Diler, P. Verpoort, S. Amami, A. De Cleene, B. Emo, T. Urios</i>	

Study into the Cause of Failure of a Ductile Iron Water Pipe.....	1168
<i>W. Young, J. Wells, E. Nelson</i>	
Attempts for Preventing Hydrogen Embrittlement and Solving the Infrastructure Problems for Hydrogen Gas Transmission Lines - A Practical IGC Study Based on Surface Thermodynamics.....	1182
<i>M. Hinman, I. Ulkem</i>	
Shale Gas Production Pipeline Failure - Case Study	1199
<i>F. El Yaakobi, S. Kung, C. Graham, J. Schmid, D. Foley</i>	
MIC Risk Assessment of Sea Water Injection Systems: the Genome Centric Approaches	1211
<i>N. Habibi, S. Uddin, N. Razzack, A. Al-Hashem, M. Islam, A. Shajan</i>	
Metallurgical Analysis of 30-Inch Pipe Containing an Internal Crack	1219
<i>S. Mahajanam, C. Miller, S. Harding, S. Moran</i>	
Scaling Risk Assessment and Remediation in Geothermal Operations Using a Novel Theoretical Approach	1231
<i>G. Das, J. Kosinski, R. Springer, A. Anderko</i>	
The Path towards More Consistent Evaluation of Corrosion Inhibitors Used in the Oil and Gas Industry.....	1246
<i>T. Place, S. Papavinasam</i>	
Establishing Internal Corrosion Prediction Model and Inline Inspection (ILI) Correlation	1261
<i>S. Papavinasam</i>	
Modeling and Prediction of Pipeline External Corrosion.....	1275
<i>N. Dakwar, S. Papavinasam, A. Hammoud</i>	
Use of AMPP SP 0113 for Methods Selection and Implementation of Pipeline Integrity Management	1290
<i>S. Papavinasam, K. Kryger, N. Dakwar, P. Bergen, B. Ganapathi, A. Kumar</i>	
Evolution of Microstructures, Mechanical Properties, and Stress Corrosion Cracking Resistance of Alloy 718 Manufactured by LPBF and WAAM.....	1303
<i>B. Han, M. Marya, S. Karuppoor</i>	
A Recent Failure Case Studies on Duplex Stainless Steels in Refinery	1318
<i>D. Lee, Y. Ro, S. Pae</i>	
Effect of Ni on Sulfide Stress Cracking and Stress Grooving in Carbon Steel - Part 2: Four Point Bend Test.....	1330
<i>N. Ishikawa, T. Fujishiro, E. Tada, D. Shimamura, T. Hara, M. Kimura</i>	
Unveiling the Mechanical Feasibility of Glass Reinforced Plastic for Post Combustion CO2 Capture Amine Service: A Thorough Examination	1342
<i>A. Sharma, S. Ghosh, R. Srinivasan, A. Sabhapondit, K. Stephenne, H. Gower</i>	
Application of Artificial Intelligence in Corrosion Management	1357
<i>M. Alias, N. Mohamed, M. Bakeri, I. Aziz, M. Hasan, M. Mohd, S. Moorthi</i>	
Can Electrochemical Charging Replace Hydrogen Gas Charging During Hydrogen Embrittlement Testing?	1366
<i>E. Koren, R. Johnsen, D. Wang, C. Hagen, A. Hagen, B. Nyhus, A. Alvaro</i>	

Experimental Study and Finite Element Modelling of the Cathodic Protection Influence on Parallel Pipelines During Maintenance Operations	1381
<i>E. Diler, Y. Zannier, A. Billot, F. Vucko, T. Lutzler</i>	
Localized Corrosion Limit of Use of S13%Cr (UNS S41427) Connector in Converted Injection Treated Seawater Well	1394
<i>N. Larche, M. Kleive, C. Leballeur, E. Malmanger</i>	
Effect of Ni on Sulfide Stress Cracking and Stress Grooving in Carbon Steel - Part 1: Constant-load (Dead-weight) Test	1409
<i>T. Fujishiro, T. Muraki, N. Ishikawa, D. Izumi, T. Hara, E. Tada, M. Kumura</i>	

VOLUME 3

Methodologies to Evaluate Corrosion of Carbon and Stainless Steels in Artificial Geothermal Solutions	1421
<i>G. Aristia, F. Grosjean, S. Marcelin, J. Kittel, N. Mary, B. Normand, G. Joshi, F. Ropital</i>	
Effect of Dissolved Oxygen on Carbon Steel Corrosion and Particulate Formation. Part 1: Rotating Cylinder Electrode Experiments.....	1435
<i>K. Evans, J. Vera, C. Mendez</i>	
Hydrogen Stress Cracking Resistance of Precipitation Hardenable Nickel Alloys and Optimization.....	1449
<i>S. McCoy, W. MacDonald, B. Baker</i>	
Development of High Strength Material with 140KSI SMYS for Sour Service	1460
<i>H. Kamitani, Y. Arai, K. Kondo, H. Amaya</i>	
Influence of the H ₂ Impurity on the Fatigue Crack Growth and Fracture in a Dense Phase CO ₂ Pipeline.....	1467
<i>B. Bezensek, F. Gui, S. Hopkin, C. Taylor, J. Sonke, R. Thodla</i>	
Biofuel Tank Lining- From Lab to the Field Journey	1480
<i>S. Liebhart, R. Nagarajan, P. Escudero</i>	
Corrosion Investigations of Copper Alloys and Cast Stainless Steel Used for Drinking Water Applications.....	1495
<i>L. Boncz, L. Holmegaard, J. Sorensen, M. Jellesen</i>	
Corrosion Inhibitor Qualification for Umbilical and Subsea Applications.....	1511
<i>L. Chen, N. Obeyesekere, T. Ariyaratna, T. Jayaneththi</i>	
Investigation of Stress Corrosion Cracking in Hydrotreatment Reactor Effluent Line Nozzles in Biorefineries	1526
<i>F. Ruel, M. Perrin, M. Echard, T. Cholley, L. Renaud</i>	
Development of Inorganic Scale Inhibitors for Ultrahigh-Temperatures Geothermal and HPHT Applications.....	1537
<i>S. Paudyal, C. Fan</i>	
Oxidation Resistant Behaviors of Commercial High Temperature Alloys in the Atmospheres Containing Water Vapor	1551
<i>B. Li, V. Deodeshmukh, L. Pike</i>	
Corrosion Performance of N10675 Alloy Welds Prepared by Different Welding Methods	1566
<i>L. Chen, J. Caron, V. Deodeshmukh</i>	

Modeling Corrosion of Corrosion-Resistant Alloys in Complex Environments in Wide Concentration Ranges.....	1580
<i>D. Ballal, A. Anderko</i>	
Naturally Buffered Iron Chloride Containing Solutions for SSC Tests of Low Alloy Steels	1595
<i>F. Thebault, H. Marchebois</i>	
Materials and Corrosion Challenges for the Development of Plastics Recycling Processes.....	1610
<i>F. Ropital, J. Kittel, W. Weiss, A. Chaumonnot, F. Favre</i>	
Ripple Slow Strain Rate Test for SSC and SCC of Super 13Cr Martensitic Stainless Steel and 25Cr Super Duplex Stainless Steel Tubular Materials.....	1620
<i>C. Li</i>	
Qualification Methods of Seamless Tubes for H2 Gas Applications.....	1629
<i>F. Thebault, V. Designolle</i>	
Computational Methods for Estimating Pipeline High Voltage Induction Susceptibility.....	1642
An Approach to Assess Environmental Severity Categories Using Corrosion Sensors	1651
<i>J. Dante, M. Hartnett, E. Macha, S. Li, A. Keller</i>	
Inspection of Corrosion Resistant FRP Equipment	1666
<i>G. Clarkson</i>	
Real-Time Measurement of Aerospace Organic Coating Condition and Performance in Atmospheric Corrosion Conditions	1678
<i>V. Avance, R. Marshall, F. Friedersdorf, M. Repasky, H. Yuchi, Y. Xie</i>	
Concrete Reinforcement Corrosion Forecasting with Potential-Dependent Threshold: Migration Effects.....	1693
<i>A. Sagues, C. Alexander</i>	
Evaluating the Flash Rust Protection of Water-Based Cleaners and Their Role in Surface Preparation.....	1708
<i>L. Marston, L. Stone</i>	
Gearbox Corrosion Mitigation During Storage and Intermittent Operation.....	1717
<i>P. Solntsev, J. Holden</i>	
Cathodic Protection as a Sustainability Tool - When Done Properly	1724
<i>C. Chapman</i>	
Thermal Spray Duplex Case Study: Coating An In-Service Bridge.....	1741
<i>B. Duran, W. Campbell</i>	
Protecting Steel Reinforcement by Coating Concrete with Thermal Spray Zinc	1746
<i>B. Duran, W. Campbell, E. Stuart</i>	
Critical Review of ISO 12944-9 and AMPP TM21612 Coating Qualification Standards Using Field Data to Compare.....	1751
<i>A. Bodington, A. Ruiz-Aparicio, C. Murdoch, B. Chang</i>	
An Investigation of Failure at Road Crossings for Oil & Gas Pipelines	1760
<i>Y. Irshad, A. Rana</i>	

Evaluation of a Hydrophobic Coating Material for Downhole Application, Lab vs. Field Evaluation	1769
<i>T. Chen, F. Chang, F. Liang, Q. Wang</i>	
Development of Corrosion Inhibitor for High Temperature Sweet Gas Wells	1779
<i>I. Obot, A. Sorour, T. Chen, Q. Wang</i>	
Failure of Cast Duplex Stainless Steel Valves Due to Improper Microstructure	1790
<i>K. Ravindranath, S. Al-Qahtani, B. Al-Wakaa, H. Al-Shammari, A. Ali, T. Kamshad, A. Al-Swaha, H. Al-Zuwayer</i>	
2-Layer Polyethylene Plant Applied Mainline Coating for Use in Water and Wastewater Pipeline Applications.....	1801
<i>S. Thomas</i>	
A Comparative Study between Corrosion in Sour Environments Generated by Na ₂ S.9H ₂ O Salt and H ₂ S Gas.....	1809
<i>H. Thomson, S. Fairley, R. Emad, S. Dyer, R. Madjitey, C. Simpson, D. Frigo, G. Graham</i>	
Evaluating AC Corrosion in Shared Corridors with Multiple Circuits.....	1823
<i>D. Lewis, M. Siahtrang</i>	
Effect of Zn ²⁺ and Pb ²⁺ on the Corrosion of Carbon Steel in Sulphide Scale Forming H ₂ S - Containing Environments.....	1834
<i>O. Frank, F. Pessu</i>	
Synergistic Effect of Magnetite-Enriched Rust Layer and Sulfate Reducing Bacteria on Pipeline Steel Corrosion in Oilfield Produced Water	1849
<i>V. Udowo, M. Yan, F. Liu, P. Okafor</i>	
Corrosion Resistance Study of Additively Manufactured Stainless Steel in Physiological Solution	1862
<i>O. Alabdulgader</i>	
Proactive Corrosion Control Assessment to Treat Higher-Acidity Gas.....	1874
<i>O. Al-Abdulgader, M. Al-Muaisub</i>	
Challenges and Insights behind Qualifying a Protective Coating as a Corrosion under Insulation Preventive Coating	1884
<i>J. Manvik, S. Volden, A. Skilbred, S. Kaspersen</i>	
Corrosion under Insulation: Case Studies and Challenges in the Use of Corrosion Inhibitors.....	1899
<i>T. Toyoda, K. Watanabe, Y. Kushima, T. Sunaba</i>	
High Strength Austenitic Stainless Steels for Hydrogen Applications at High Strength.....	1911
<i>C. Herrera, M. Seifert</i>	
Assessment of Marker Pens for Compatibility with Tank Linings: Implications for Performance	1921
<i>G. Reian</i>	
Pipeline Integrity - Onshore Pipelines vs Offshore Pipelines.....	1936
<i>H. Sirnes, P. Kildahl</i>	
Synergistic Effect of Chloride, Sulfide and Thiosulfate on the SCC Behavior of Carbon Steel Welds Exposed to Concrete Pore Water under Anoxic Conditions	1952
<i>B. Kursten, S. Caes, V. De Souza, R. Gaggiano</i>	
Impurity Reactions in Gaseous and Liquid CO ₂ Streams	1967
<i>B. Morland, G. Svenningsen, J. Sonke</i>	

Effectiveness of Vapor Corrosion Inhibitors under Bacterial Activity for Aboveground Storage Tank Application	1982
<i>P. Shukla, R. Fuentes, A. Nordquist, B. Wiersma, I. Pederson</i>	
Effectiveness of Vapor Corrosion Inhibitors under Elevated Chloride Conditions for Aboveground Storage Tank Application	1995
<i>P. Shukla, R. Fuentes, A. Nordquist, B. Wiersma, I. Pederson</i>	
Atmospheric Corrosion: GIS Corrosion Mapping and Materials Selection for Electrical Transmission Lines and Solar Farms	2009
<i>M. Zamanzadeh, G. Bayer, A. Char, A. Chikkam, P. Taheri, C. Char, B. Jessup</i>	
Effect of Drying on Corrosion Mitigation of Hanford Transfer Lines.....	2025
<i>P. Shukla, J. Boerstler, R. Fuentes, B. Wiersma, C. Girardot, J. Page, S. Campbell</i>	
Using the German Test Method TL 8135-002 for Multi-Metal Application: Non-Ferrous Alloys.....	2040
<i>J. Brekan, K. Lanzo</i>	
The Interaction between Desiccant and Volatile Corrosion Inhibitor	2048
<i>M. Fillbach, M. Shahlari</i>	
Redefining Conventional, with Biobased Alternatives.....	2060
<i>L. Stone, L. Marston</i>	
Mineral Wool CUI Mitigation Improvements	2065
<i>R. Seto</i>	
Preventing Emergency Landings: Addressing Jet Fuel Filter Clogging and Microbial Contamination	2081
<i>A. Chikkam, A. Ulmer, N. Pace, E. Larkin, M. Zamanzadeh, F. Zolfaghari, J. Datesh</i>	
Susceptibility to Hydrogen Embrittlement of Engineering Steels with Martensitic Microstructures.....	2096
<i>C. Herrera, M. Seifert</i>	
Refinement of Pitting Factor Basis to Evaluate Minimum Nitrite Requirement in Dilute Waste Chemistries.....	2106
<i>J. Boerstler, B. Wiersma, K. Martin, A. Bridges</i>	
Predicting Corrosion Severity of Pipeline Steels in Supercritical CO2 Environments Using Supervised Machine Learning	2121
<i>E. Seto, M. Li, J. Liu</i>	

VOLUME 4

Aluminum Floating Roof Damage from Hydrotesting.....	2136
<i>S. Mahajanam, K. Heidersbach, J. Brown, L. Choudhary</i>	
Combining RMU, Annual Survey, and Groundbed System Design Data to Predict Capital Replacement Needs	2149
<i>M. Barrett, D. Bolch, M. Jawed, W. Maize, T. da Costa</i>	
Control of Reservoir Souring and Corrosion Prevention in Production Systems in Response to Nitrate Injection Cessation	2164
<i>R. De Paula, C. Jones, M. Streets, L. Walker, M. Mouhamud, B. Eden</i>	

Corrosion of Cr-Alloyed Steels in Supercritical CO ₂ -Saturated Brine Water	2176
<i>A. Gross, H. Sun, J. Liu</i>	
Pitting Corrosion Detection by Ultrasound Monitoring	2187
<i>M. Wangensteen, T. Johansen, A. Fatemi, E. Viggen</i>	
Destructive Examination Protocol for 3013-Container-Package Storing Plutonium-Bearing Materials	2198
<i>R. Fuentes, M. Martinez-Rodriguez, E. Kelly</i>	
Advanced Subsea Corrosion Protection via Modulated Impressed Current Cathodic Protection a Prototype Demonstration and Comparative Evaluation	2211
<i>H. Amaya, B. Fahimi, A. Shirani, D. Holberry, N. Digre</i>	
Development of a Master Curve to Characterize the Susceptibility of Fastener Materials to Hydrogen Embrittlement	2226
<i>T. Anderson, H. Amaya, B. Fahmi</i>	
Heat Treatment of Heat Exchanger U-bends - Practices on Different Materials and Case Histories of Failures	2241
<i>S. Soltaninia, C. Shargay, Z. Ardaniel, S. Radovcich</i>	
Deadleg Stress Corrosion Cracking Risks in SS Piping Systems in Refining and Renewable Units	2251
<i>C. Shargay, G. Jacobs, S. Soltaninia</i>	
Effect Of Dissolved Oxygen On Carbon Steel Corrosion And Particulate Formation In Water Injection Systems. Part 2: Rotating Cage Experiments	2262
<i>J. Vera, K. Evans, C. Mendez</i>	
Corrosion Inhibitors Qualification Tender - Testing Requirements	2283
<i>M. Al Maawali, S. Maskery, T. Al Nabhani</i>	
Corrosion Failures of Stainless Steel Plate Exchangers in Oil Sands Pond Effluent Water	2297
<i>R. Chung, J. Jiang, M. Garcia</i>	
Shortcomings regarding the Testing of Oil and Gas Corrosion Inhibitors	2312
<i>A. Jenkins, D. Orta, K. Ky</i>	
Digital Twin as a Tool for Extending In-Line Inspection Intervals	2326
<i>K. Parker, C. Baete, Y. Li, V. Chum, T. Johnston</i>	
Recent Developments in the Worldwide Use - Performance of Hot-Dip Galvanized (HDG) Rebar	2336
<i>J. Krzywicki</i>	
Condition Assessment of 66 kV Underground Transmission Lines in Concrete Vaults	2345
<i>A. Chikkam, A. Ulmer, N. Pace, M. Zamanzadeh</i>	
Soluble Salt Contamination: Testing and Cleaning before Coating	2354
<i>C. Chalifoux, A. Kraynak</i>	
Coating Condition Surveys	2364
<i>G. Collins, C. Chalifoux</i>	
Mitigating Stray Currents in 5G-Connected Metallic Structures: A Comprehensive Solution	2376
<i>A. Chikkam, M. Zamanzadeh, M. Carone, A. Ulmer</i>	

Corrosion Deposits Data Base - X-Ray Diffraction Analysis of Deposits from Oil and Gas Upstream Well/Production Systems	2384
<i>A. Chikkam, M. Zamanzadeh, S. Pulagam, P. Ganesh, P. Mortel, B. Murali, S. Miller, S. Mercurio</i>	
Corrosion and Risk Modelling Analytics	2396
<i>B. Shivadhanush, F. Samie, N. Laycock, P. Panchami, M. Geeta, J. Hartog</i>	
Downhole Scale Removal in High Temperature Sour Gas Wells	2408
<i>M. Espinosa, J. Leal, T. Chen, Q. Wang</i>	
Effect of Flow Velocity on the Corrosion Performance of Thermally Sprayed Aluminium Coating in Synthetic Seawater	2419
<i>A. Vargas, S. Paul</i>	
Deployment of Risk-Based Inspection (RBI) Assessment to Extend Turnaround and Inspection (T&I) Cycle of Crude Distillation Unit	2427
<i>M. Lutfallah, G. Guerrero, K. Galera, M. Alismail, M. Faraj</i>	
Sol-Rec2: Recycle of Multicomponent, Multilayer Systems towards Sustainable Waste Management	2436
<i>A. Loukodimou, A. Vargas, C. Lovell, G. Theodosopoulos, K. Maniam, S. Paul</i>	
H ₂ S, CO ₂ and High Chloride Downhole Environment Modelling and Fitness for Purpose Testing of UNS S39274, UNS N08535 and UNS N06255 Corrosion Resistant Alloys.....	2443
<i>N. Co, B.-A. Hugaas, R. Krishnamurthy, R. Fredriksen, K. George, S. Hjelle</i>	
Fitness-for-Purpose Testing of UNS R30003, UNS R30035, UNS N07718 and UNS N09946 in Environment with H ₂ S, CO ₂ , and High-Chlorides	2455
<i>N. Co, B.-A. Hugaas, R. Krishnamurthy, R. Fredriksen, K. George, S. Hjelle</i>	
Multilayer Anticorrosion Systems for Offshore Wind Turbines	2465
<i>A. Loukodimou, D. Weston, D. Statharas, S. Paul</i>	
Effects of Corrosion and Wildfires on Galvanized Steel Towers: A Case Study with Wildfire and Corrosion Sensors.....	2476
<i>M. Zamanzadeh, A. Chikkam, G. Bayer, C. Char, C. Tome, F. Zolfaghari, N. Pace</i>	
Characterization of Stress-Corrosion-Cracking in Plutonium-Bearing Storage Containers	2489
<i>E. Perez, R. Fuentes, M. Martinez-Rodriguez, H. Ajo</i>	
Field Applicable PVDF Corrosion Protection Coating for Marine Assets	2501
<i>K. Chung, F. Lo, T. Pizanowski, A. Chung</i>	
Field Applicable PVDF Protection Coating for Corrosion and Carbonation Protection of Reinforced Concrete Structure	2516
<i>K. Chung, F. Lo, R. Gill, M. Leblon, T. Pizanowski, A. Chung</i>	
Advanced Crack Inspection Technology for Coke Drums	2532
<i>D. Serate, S. Yuen, G. Ho, Y. Behnamian</i>	
Critical Review of International Standards on Soluble Salts Measurement Methods	2543
<i>S. Zhu, B. Chang</i>	
Evaluation of Alloy 825 Performance in a Critical Sour Environment with Elemental Sulphur Deposition	2555
<i>R. Al Rusheidi, M. Ossama, A. Al Wahaibi, T. Al Nabhani, Z. Al Hajri</i>	

Effect of Shielding and Backing Gases on Mechanical and Corrosion Properties of Alloy N08935 Welds.....	2568
<i>D. Mukherjee, R. Vishnu, C. Liebsch, J. Jonsson, T. Hundgen, P. Janiak, B. Helmersson</i>	
High-Pressure SSC Testing of TMCP Large-Diameter Pipeline Steel	2583
<i>T. Haase, C. Bosch, R. Ruter</i>	
Effect of Temperature on Corrosion in Saturated Ammonium Chloride Solution.....	2598
<i>M. Regniere, R. Norling, C. Mendibide</i>	
Case Histories of Permian Area Scale Treatment Challenges and Chemical Program Optimization Strategies	2613
<i>H. Lu, W. Wei, W. Wang, C. Yan, R. Young, D. Nix</i>	
High Performance Alloy 955 for Hydrogen Charging Environments	2629
<i>L. Foroni, C. Malara</i>	
Corrosion Assessment and Repair for Aging Concrete Infrastructure	2640
<i>S. Foster, T. McGovern</i>	
Do's and Don'ts of Greenfield Pressure Systems Integrity Program Development	2655
<i>A. Haavisto</i>	
Quantifying Effect of Hydrogen and Sulfur in Mitigating Free Fatty Acid Corrosion in Renewable Diesel Applications.....	2660
<i>S. Srinivasan, W. Robbins, G. Buchheim</i>	
A New Method to Mitigate Halite Deposit by Using Non-Water-Soluble Quaternary Ammonium Corrosion Inhibitor	2673
<i>D. Shen, K.-P. Chao, J. Penkala</i>	
Process Development for Mechanistic Corrosion Models: Building, Validating, and Leveraging for Robust Outcomes	2687
<i>D. Fingas, S. McKelvey, K. Parker</i>	
On the Pitting Corrosion Resistance of Metallic Materials Used in Drilling and Reservoir Characterization Applications.....	2699
<i>H. Klapper, J. Ditmann, S. Jesse</i>	
Improvements in Direct Assessment with the Non-Contact Magnetic Gradient Tomography Method (MTM-G)	2714
<i>C. Onuoha, D. Nnamdi</i>	
Evaluation of Susceptibility of 316L to Stress Corrosion Cracking in Aqueous Ammonium Chloride Environments with Low Dissolved Oxygen.....	2721
<i>J. Sa, D. Abdeen, A. Saul, N. Laycock, M. Aljaradli, H. Farhat</i>	
Yeah, Examining the Impact of Overprotection on AC Corrosion: A Case Study Investigation.....	2731
<i>I. Magnifico</i>	
The Transient pH Distribution of the Electrolyte During Mg Galvanic Corrosion	2740
<i>R. Montoya, A. Ortiz-Ozuna, J. Genesca</i>	
New Coating Technologies for Long Lasting Corrosion Protection - A Newly Developed Epoxy Coating Tailormade for Moist and Rusted Surfaces	2749
<i>A. Solli, A. Skilbred</i>	

Unravelling Surfactant Partitioning: Part 1 - Fundamental Theory and Modelling of Single and Multi-component Surfactant Distribution Responses	2763
<i>R. Barker, J. Owen, R. Woollam, W. Durnie, M. Folena, A. Abdelmagid, H. Farhat</i>	
Unravelling Surfactant Partitioning: Part 2 - Experimental Study of Multi-Component Surfactant Partitioning Responses and Their Influence on Inhibition Performance	2779
<i>R. Barker, J. Owen, R. Bhamji, J. Williams, A. Sykes, Y. Hayatgheib, D. Shaikhah, R. Woollam, W. Durnie, M. Folena, A. Abdelmagid, H. Farhat</i>	
Development of Molecular Probe for Iron Reducing and Thiosulfate Reducing Bacteria	2795
<i>T. Fida, L. Austin, S. Leleika, T. Rambo, K. Crippen</i>	
Predictability of Computational Fluid Dynamics for Solid Particle Erosion of 90° Stainless-Steel Elbows in Various Erosive Environments	2806
<i>K. Alanazi, R. Mohan, S. Kolla, O. Shoham, A. Nassef</i>	
A Disposable Electrochemical Biofilm/MIC Test Kit to Detect MIC and to Assess Efficacy of Biocide Treatment of Biofilm.....	2821
<i>L. Xu, A. Khan, S. Kumseranee, S. Punpruk, P. Kijkla, A. Khan, T. Gu</i>	
Forensic Investigation of Corrosion under Insulation from Rust Scale Sample.....	2835
<i>A. Rana, S. Karim, S. Alachkar, T. Sohail, S. Bukhari, G. Brigham</i>	

VOLUME 5

Susceptibility Study of Common Regulator Alloys to Hydrogen Embrittlement.....	2846
<i>G. Gamboa, J. Griffin, A. Babakr, M. Young</i>	
Pitfalls in the Typical RBI Methodology for CUI Management Programs.....	2866
<i>A. Rana, J. Chapman, S. Bukhari, T. Sohail, G. Brigham</i>	
PHMSA Gas Pipeline Mega Rule.....	2877
<i>S. Hosein</i>	
On Defending against Calcium Carbonate and Asphaltene Deposits Using Dual-Action Diamond-Like Carbon and Polymer-Like Coatings	2886
<i>A. Zolfaghari, M. Marya, V. Singh</i>	
Remnant Life Prediction for Glass-Reinforced Plastic Piping	2896
<i>R. Bardia, V. Khokhlova, W. Hamer, H. Gower, N. Laycock</i>	
Corrosion Assessment of Carbon Steel Firewater Pipes after 20+ and 40+ Years in Offshore Operation.....	2909
<i>B. Graver, M. Søfferud, A. Egtvedt, K. Lønvik</i>	
Effect of Heat Treatment and Manufacturing Method on the Susceptibility to Hydrogen Induced Stress Cracking of UNS N06625.....	2917
<i>E. Thorstensen, R. Johnsen, A. Qvale, V. Andresen, P. Bratland</i>	
Understanding of Corrosion Inhibitor Behavior through Interaction between Stearic Acid and Alkane	2932
<i>S. Hirano, T. Sei, M. Kawasaki, A. Kobayashi</i>	
Autonomous Healing of Smart Coating Materials for Corrosion Protection of Oil and Gas Assets	2942
<i>N. Dolmat, M. Samsudin, A. Nor, R. Varley, J. Zhang</i>	

Probabilistic Techniques in Corrosion Modelling and Remnant Life Prediction	2952
<i>S. Navin, V. Valliappan, N. Laycock, A. Venugopal, W. Hamer</i>	
Corrosion Testing of Carbon Steel and 13Cr Casing Materials in Simulated Superhot Deep Geothermal Well Environment	2964
<i>S. Karlsdottir, E. Straume, G. Boakye, A. Þórhallsson, M. Þráinsdóttir</i>	
Mechanical Tests on a Vintage API 5L Grade X52 Linepipe Steel under Gaseous and Cathodic H ₂ Environment	2973
<i>M. Palombo, F. Recanzone, D. Morando, I. Milano, F. Catalano, M. De Marco</i>	
Grain Size Effect on the Creep Resistance of Alloy 800HT Pigtails	2985
<i>J. Dansbury, J. Taylor, V. Hamlin</i>	
Evaluation of Underdeposit Corrosion Beneath Sludge Solids	2994
<i>J. Boerstler, B. Wiersma, P. Shukla, R. Fuentes</i>	
Rehabilitation of Existing 49 CFR 195 Pipeline Using Steel-Reinforced Thermoplastic Pipe	3009
<i>D. Gregory, S. Poworoznik</i>	
Mechanical Properties and Thermal Stability of Metal Dusting Resistant Nickel-Base N06235 Alloy	3017
<i>L. Chen, M. Fahrman, J. Caron, V. Deodeshmukh</i>	
New Thermal Management Raw Materials Platform Gives Flexibility to Develop Next Generation Thermal Insulation Coatings (TIC) with Improved Performance	3031
<i>M. Nargiello, M. Hallack, H. Bhide, B. Lazar, N. Haberkorn, L. Kleeman</i>	
Insulation Driven Intergranular Stress Corrosion Cracking of Carbon Steel	3041
<i>M. Krantz, Y. Li</i>	
Surfactant Corrosion Inhibitor Adsorption and Desorption Kinetics in Aqueous CO ₂ -Containing Environments	3055
<i>R. Abou-Shakra, J. Owen, W. Durnie, R. Woollam, R. Barker</i>	
Cathodic Protection Optimization Using Integrated External Corrosion Management	3070
<i>K. Parker, T. Johnston, C. Baeté</i>	
Corrosion by Elemental Sulphur Deposition in Natural Gas Transmission Systems	3078
<i>I. Salgado</i>	
Post Weld Heat Treatment of Oilfield 13Cr Stainless Steels	3090
<i>S. Chimbli</i>	
Assessing Susceptibility of Insulation Materials to IGSCC under Hot and Wet Conditions: A Novel Test Method	3101
<i>Y. Li, M. Krantz, L. Sopkow, T. Lam, S. Yuen</i>	
Leveraging Physical and Virtual On-Aircraft Sensors to Inform Maintenance Practices	3116
<i>R. Marshall, F. Steele, S. Kunselman, D. Christy, F. Friedersdorf, M. Watson, R. Fish</i>	
Investigation of the Hydrogen Embrittlement of API 5L Natural Gas Pipeline Steels	3131
<i>L. Teeter, Z. Belarbi, K. Rozman, Ö. Dođan</i>	
Case Study on the Failure of Duplex Stainless Steel Heat Exchanger from Thermal Shock	3142
<i>I. Rohela, A. Rana, Y. Irshad, S. Bukhari</i>	

Evaluation of Crevice Corrosion Resistance of Super Austenitic (UNS N08935)	3152
<i>L. Esteves, S. Divi, K. Picker</i>	
Novel Composite Overlay for High Temperature Corrosive/Wear Applications.....	3160
<i>G. Fisher</i>	
Impact of Power System Design and Operating Conditions for AC Interference on Pipelines	3171
<i>M. Siahrang, D. Lewis, K. Bell</i>	
Expanding SCC Safe Use Limit of Alloy 718 for Sour HTHP Downhole Applications	3181
<i>L. Zhao, T. Dunne, J.X. Ren, J. Yue, P. Cheng, H. Liu</i>	
Application of the One Hundred Millivolt Cathodic Polarization Criterion by Means of Coupons: A New Point of View	3193
<i>I. Magnifico, L. Spisni</i>	
Compatibility of Dope Free Solution with Dense CO ₂ Streams	3206
<i>C. Millet, F. Thébault, P. Mauger, G. Néel</i>	
Atmospheric Corrosion Resistance of Stainless Steel: Results of a Field Exposure in Italy	3218
<i>S. Mameng, C. Tigerstrand, L. Wegrelius, M. Frigo</i>	
Casing Corrosion in Geothermal Environments Containing Sulfuric Acid	3231
<i>J. Thevakumar, R. Barker, J. Owen, E. Barmatov</i>	
Is the Standardized SSC Testing Approach Applicable for Dense Phase CO ₂ Applications?	3246
<i>K. Solberg, B. Leinum, R. Rizzo, G. Heiberg, K. Lønvik, E. Østby</i>	
Unsaturated Polyester Coatings Curing Kinetics. How to Ensure High Production Efficiency for Offshore Wind Foundation	3257
<i>J. Jin, A. Skilbred, S. Karvonen</i>	
Feasibility Journey - Feasibility of Repurposing Existing Natural Gas Network to Transport Hydrogen - Natural Gas Blends at the Distribution Level.....	3272
<i>S. Finneran, D. Cederløf, A. Cummings, S. Gersen</i>	
Optimization of UNS N08034 in the Cold Worked Condition for Use in the Oil and Gas Industry	3287
<i>P. Hübner, J. Botinha, B. Gehrmann, H. Alves</i>	
General Corrosion Mitigation of Carbon Steel Using Corrosion-Inhibiting Oil as Possible Solution for Hydrostatic Testing of Product Tanks	3300
<i>I. Stojanovic, I. Borsic, V. Alar, M. Kurtela, B. Miksic</i>	
Achieving Stable Hydrogen Deliveries from Renewable Sources in Pipelines.....	3308
<i>G. Li, R. Dinata</i>	
Independent Research on the Effectiveness of Polyethylene Encasement as a Corrosion Control Coating for Ductile Iron Water and Wastewater Piping.....	3318
<i>M. Szeliga</i>	
Real-Time Measurement of Electrocoat, Powder Coat, and Organic Coatings for Atmospheric Galvanic Protection	3325
<i>V. Avance, F. Friedersdorf</i>	
A Case Study on the Cause of Pipelines Leaks by Phone Line Damage	3340
<i>R. Flowers</i>	

Effect of H ₂ S Fugacity on Hydrogen Uptake in Carbon Steels for Upstream Applications	3349
<i>G. Joshi, J. Kittel, C. Mendibide</i>	
Corrosion Prediction in Perforated Polymer Lined Pipelines (PLP) Used for Oil & Gas Transportation.....	3362
<i>G. Joshi, J. Rai, R. Mingant, C. Taravel-Condut, J. Kittel</i>	
Study of Localized Crevice Corrosion of Super Martensitic and Duplex Stainless Steels Exposed to Typical Environments of Reinjection Water for Injection Wells	3376
<i>M. De Lima, L. Lima, R. Moreira, M. Bandeira, F. Guedes, A. Gomes, A. Lázaro</i>	
Sulfide Stress Cracking Resistance of Quenched and Tempered 41XX Low Alloy Steels with 26 HRC Max Hardness.....	3389
<i>K. Krishnan, C. Lum</i>	
Expected Service Life and Cost Considerations for Maintenance and New Construction Protective Coating Work.....	3401
<i>J. Helsel, R. Lanterman</i>	
Corrosion and Cracking Performance of Stainless Steels and Nickel Alloys in CCS Environments	3416
<i>K. Krishnan, C. Lum, A. Verma</i>	
Modifying Martensitic Steels to Reduce Susceptibility to Hydrogen Embrittlement by Heat Treatment and Mo Addition.....	3428
<i>M. Eškinja, G. Mori, G. Winter, J. Klarner, H. Schneideritsch, G. Mori, M. Moshtaghi</i>	
Effect of Elevated Temperatures (30-80°C) on CO ₂ Corrosion after Intermittent Oil/Water Wetting	3441
<i>N. Norooziasl, D. Young, B. Brown, M. Singer</i>	
The Effect of Extender Pigments on Corrosion Resistance and Gloss Retention of Topcoats	3454
<i>D. Lawson</i>	
Ammonia Stress Corrosion Cracking of Admiralty Brass Heat Exchanger Tubes in Refinery Cooling Water System	3460
<i>S. Soundararajan</i>	
Case Study of Hybrid Onshore-Offshore CP Life Extension Retrofit for East Texas Facility	3472
<i>Y. Duan, C. Brogna-Nichols</i>	
Issues with Correlation between Accelerated Test Methods and Field Performance.....	3486
<i>D. Yang, T. Best, V. Gelling, G. Dunér</i>	
The Evolution of Thermoplastics as a Solution to MIC and Oxidative Corrosion Issues	3499
<i>B. Hutton</i>	
Implementation of Pulsed Laser Ablation Technology in Surface Preparation Processes	3513
<i>M. Binsfield</i>	
On the Sea Water Corrosion Resistance of Alloy 825 CTP (UNS N08827), an Improved Version of Alloy 825 (UNS N08825)	3523
<i>J. Botinha, P. Huebner, K. Utens, D. Zander, H. Alves</i>	
PRCI Research Results: Continuous Real-Time Pipe Current Monitoring for Integrated External Corrosion Management	3534
<i>D. Lindemuth, K. Parker</i>	

Derivation of a Modified Stern-Geary Linear Polarization Equation. Application to Seawater Corrosion and Inhibitor Evaluation	3543
<i>J. Vera, K. Evans, C. Mendez</i>	

VOLUME 6

Physicochemical Description of Refinery High Temperature Naphthenic Acid Corrosion.....	3558
<i>I. Patel, G. Bota, D. Young</i>	
Fatigue Loading of Test Specimens with Galvanically Induced Corrosion Damage Provides New Insight to Guide Fracture Mechanics Modeling	3567
<i>T. Curtin, R. Adey, S. Mellings, J. Indeck, I. Karayan, E. Moore</i>	
Corrosion Management Improvements in Liquids-Rich Shale Play - Pipeline Internal Corrosion Mitigation Case Studies.....	3582
<i>M. Fernandez, R. Terry, C. Jeske, R. Carrera</i>	
Oxidation Assessment and Impact of Pre-oxidation on Hot Corrosion Behavior of Fe- and Ni-based Alloys	3591
<i>H. Sun, C. He, J. Liu</i>	
Optimized Hardness Measurements for Micrometric Coatings in Disc Brake Components.....	3600
<i>C. Carrubba, A. Bonfanti, N. Nocera, F. Bertasi, A. Mancini</i>	
Comparison of the Corrosion Performance of the As-Printed Surface of SLM 316L to Bulk Material and Wrought Counterpart.....	3611
<i>R. Goldsberry, B. Mansoor, R. Case, H. Castaneda</i>	
Investigating Oxygen Ingress in the Oil and Gas Industry	3621
<i>S. Deshmukh, B. Brown, D. Young</i>	
Investigating the Effect of Trace O ₂ Concentrations on CO ₂ Corrosion Mechanisms	3638
<i>S. Deshmukh, B. Brown, D. Young</i>	
Full Ring Test in Sour Environment - Importance of Testing Set-Up and Strain Monitoring	3646
<i>A. Aguilar, S. Cravero, F. Arroyo, J. Costa, P. Dent, P. Darcis</i>	
Development of Test Sites in Alaska to Study Atmospheric Corrosion Using Adjustable Test Racks	3661
<i>R. Srinivasan, J. Hunter</i>	
Impact of Corrosion Growth on Effective Flaw Dimensions	3676
<i>T. Bubenik, S. Polasik, B. Hanna</i>	
Study of Minimal Surface Preparation for Various Patch Repair Coating Products Applied under the Minimum Allowable Temperatures	3688
<i>S. Rao, D. Kuang, C. McManus</i>	
Effect of H ₂ S Concentration on the Passivation Behavior of Modified 13 Cr Martensitic Stainless Steels	3701
<i>A. Martinez, J. Bhadra, D. Narayanan, N. Al-Thani, R. Case, A. Abdullah, H. Castaneda, N. Al-Qahtani, A. Baghat, M. El Haddad</i>	
New Development in Thermal Insulation Coatings.....	3710
<i>N. Rakers</i>	

Internal Deposits: A Potential Threat to Pipeline Integrity	3719
<i>S. Chimbli</i>	
A Review of the Effect of High-Pressure Hydrogen on Crack Growth of Pipeline Steels and an Assessment of their Suitability for Hydrogen Transportation Purpose.....	3734
<i>S. Miyashita, S. Kataoka</i>	
Proposed Inclusion of UNS S82031 Into ASTM A1084	3749
<i>J. Jonsson, C. Tigerstrand, B. Helmersson, J. Oliver</i>	
Evaluation of UNS N08935 as CRA Material for Explosion Clad Plate.....	3758
<i>B. Helmersson, M. Shufran, C. Prothe, T. Delahanty, J. Jonsson, M. Lorén</i>	
CerMet Coatings for Brake Discs.....	3767
<i>A. Piglione, M. Rota, N. Nocera, M. Daga, S. Medici, S. Biondo, F. Carminati, A. Bonfanti, F. Bertasi, A. Mancini</i>	
Investigating the Trends in Coating Degradation During Long Term Accelerated Testing	3776
<i>A. Iyer, A. Skilbred, A. Løken</i>	
Dissimilar Tube-to-Tube Sheet Welding Challenges - A Case Study	3791
<i>P. Bala, K. Sivaraman</i>	
UV-Curable Organic Coating for Corrosion Protection of Inner Surfaces of Pipelines	3804
<i>A. Conдини, C. Trentalange, A. Giuliani, S. Rossi</i>	
Research Progress of Fouling Scale Control Technology in Low Permeability Oilfields	3818
<i>C. Li, M. Yang, Q. Li, N. Liu, P. Xu</i>	
Experimental Studies on the Stability of Highly Sour Corrosion Product Layers.....	3827
<i>J. Kvarekvål, M. Tjelta</i>	
Silica Solubility in High Enthalpy Water up to 440°C in the Presence of NaCl.....	3841
<i>M. Tjelta, S. Viig</i>	
Effect of Pre-pits on Localized Corrosion and Sulfide Stress Cracking Resistance of Duplex Stainless Steel UNS S32205 in Upstream Production Environments.....	3851
<i>G. Sundaraajan, V. Aruna, M. Wilms, N. Surendran</i>	
Choosing the Right Material for Hydraulic and Instrumentation Systems in Marine Environments - Results from Field Testing.....	3866
<i>B. Ghai, J. Howing</i>	
Influence of Pb and Cl in Waste Wood Fuel on Furnace Wall Corrosion of Low Alloyed Steel and Alloy 625.....	3876
<i>A. Talus, R. Norling, A. Nunez</i>	
Corrosion of Candidate BoP Alloys for the Hydrogen Side in Alkaline Water Electrolysis.....	3889
<i>M. Tjelta, J. Kvarekval</i>	
Coating Conductance Characterization Using Trenchless Crossing Data	3901
<i>D. Fingas</i>	
Utilizing Sustainability ScoreCards to Quantitatively Analyze the Sustainability Impact of Applied Linings Systems	3911
<i>M. Fletcher</i>	

Evaluation of Seawater Treatments to Mitigate the Corrosion Rate of Carbon Steels and CRAs Rigid Pipeline During Pre-Commissioning Operations and Long-Term Wet Storage.....	3923
<i>C. Leballeur, Q. Tran, K. Pelissier, N. Larche</i>	
Interference Study between a Solar Array Power Station and a Transmission Pipeline	3937
<i>A. Peratta, C. Peratta, J. Baynham, N. Pineros, D. Abril</i>	
Combatting Corrosion in Gas Sweetening Processes: Insight from Amine Treatment Case Studies	3949
<i>A. Alratoee, I. Albrahim, R. Costa, S. Raghunathan</i>	
Investigating the Application of the Effective Area Approach to Estimating Fatigue Life	3959
<i>S. Polasik, Z. Booth, B. Hanna</i>	
Case Studies on Application of Indirect Inspection Technology and Methodology in Municipal Water and Wastewater Systems	3967
<i>V. Shankar, E. Flounders</i>	
An Insight to the RBI of Corrosion under Insulation (CUI) and Corrosion under Fireproofing (CUF)	3982
<i>Y. Behnamian, D. Serate, G. Ho, A. Mcdonald, S. Yuen</i>	
Performance of Damaged Thermal Spray Coatings in Phase Change Materials (PCMs) Used in Geothermal Plants	3997
<i>S. Paul, C. Leahy</i>	
Material Selection for CCUS Injection Well: A Case Study in North Sea.....	4006
<i>L. Lima, C. Millet, D. Barreta, G. Neel, R. Conder, N. Fathi</i>	
Understanding Alkalinity for Use in Corrosion Prediction.....	4018
<i>B. Brown, Y. Zheng, J. Dreher, M. Singer</i>	
Asset Integrity Confidence Enhancement: A Case Study in Enhancing Facilities Integrity through the Management of Inherited Risk from the Manufacturing and Fabrication Phase of a Facility's Life Cycle.....	4036
<i>T. Anne, N. Mohamed, N. Alias, M. Bakeri</i>	
Performance of Thermally Sprayed Aluminium in 10MPa Supercritical CO2	4045
<i>S. Paul, C. Leahy</i>	
Case Studies - Learnings from CUI Failures and Inspection Challenges	4052
<i>J. Williams, A. Rana, G. Brigham</i>	
Comprehensive Corrosion under Insulation (CUI) Management for Cryogenic Service: A Facility-Specific Approach with Broad Industry Implications.....	4063
<i>A. Alratoee, R. Costa, M. Al-Bahli, F. Al-Mutahhar, M. Ahmed, R. Al-Hajri</i>	
Experimental Design Considerations for Exposure of Surrogate Fe in Assessing Atmospheric Corrosion in a Marine Environment	4074
<i>A. Johnson, C. Sanders, R. Santucci, S. Stanke</i>	
Fracture Toughness of 41XX Cr-Mo Steel, Super Martensitic Stainless Steel and Nickel Alloy in High Pressure Hydrogen Environment.....	4087
<i>K. Krishnan, S. Shukla, A. Verma</i>	
Faster Qualification Testing for SSPC Paint 47.....	4101
<i>S. Fowler, W. Tobin, D. Duecker, A. Francis</i>	

Investigations on Extrusion Conditions and Their Effects on Aesthetics and Long-Term Performance.....	4109
<i>C. Przeslawski</i>	
Two Coat Inorganic Coatings System for Corrosion Resistance and Long-Life.....	4120
<i>K. Blankenship, J. Lawson</i>	
Insulations Ageing & CUI Implications - A Comparison of Lab & Field Samples.....	4128
<i>A. Rana, S. Karim, S. Achkar, G. Brigham, S. Bukhari</i>	
Comparison of Two ASTM E1820 Standard Fracture Toughness Test Methods for LAS Material in Deaerated Saltwater under Cathodic Protection.....	4139
<i>A. Gavanluei, J. Wilhelmi, P. Bunch, M. Vaclavik, F. Oikonomidis, J. Martin</i>	
Myth-Busting Part 2: Comparing Accelerated Exposure Performance between Bio-Based and Petroleum-Based Hardeners.....	4150
<i>D. Wang</i>	
Fatigue and Fracture Resistance of Different Line Pipe Grade Steels in Gaseous H ₂ Environment.....	4164
<i>M. Agnani, C. Marchi, J. Ronevich</i>	
Corrosion Properties of UNS S83071 in Acid and Caustic Environments.....	4178
<i>O. Ohlin, D. Gullberg</i>	
SSC of TMCP Materials: Criticalities among the Methodologies for Load Definition.....	4188
<i>J. Costa, F. Arroyo, P. Darcis</i>	
Localized and Generalized Corrosion Evaluation of S13CR in Shale Oil & Gas Production Conditions.....	4194
<i>M. Bandeira, R. Moreira, F. Assuncao, O. Mattos, L. Silva, M. Guemes, L. Mangualde, L. Lima, P. Filguieras, K. Schleiss, J. Correas</i>	
Pitting Corrosion Damage Characterization of Stainless Steel Reinforced Concrete Beams.....	4208
<i>W. Bezerra, C. Alexander</i>	
Effect of Oxygen in Back Purging Gas on Corrosion Resistance of Super Duplex Welded Joints.....	4222
<i>T. Almeida, R. Moreira, M. Bandeira, O. Mattos, M. Motta, H. Miranda, F. Guedes, I. Baptista, P. Zumpano, R. Marinho, A. Gomes</i>	
Oxidation and Hydrogen Embrittlement Behavior of Several Additively Manufactured Ni-Based Superalloys.....	4232
<i>L. Teeter, C. Sudbrack, M. Detrois</i>	
The Corrosion of Electrocoated Steel Studied by a Combination of Accelerated Exposure and Electrochemical Methods.....	4246
<i>P. Dick, E. Brown-Tseng, B. Kannan, W. Tarr</i>	
The Cavitation Corrosion Behaviour of a Cobalt-Based Alloy in Seawater.....	4259
<i>A. Al-Hashem</i>	

VOLUME 7

Vintage Pipeline Enhanced Corrosion Management Analysis.....	4269
<i>K. Lawson, J. Land, A. Kowalski</i>	

The Irony of Creating a Lining Failure in the Process of Inspection.....	4284
<i>S. Liebhart</i>	
Assessment of Ammonium Chloride Corrosion in Refinery Crude Distillation Unit Overhead Conditions	4294
<i>H. Li, Y. Yoon, R. Kane</i>	
Effective Pipeline Corrosion Monitoring in Regions Impacted by External DC Polarization Factors.....	4308
<i>A. Kowalski, J. Land, W. Holtsbaum</i>	
ASH Testing to Confirm Mix Ratio by Volume of Plural Component Applied Material	4320
<i>S. Liebhart</i>	
Application of Mechanical Integrity for Facilities Regulated by 49 CFR 192 & 193	4331
<i>L. Jain, C. Cavallin, G. Olson, T. Arnold</i>	
Evaluation of Corrosion Inhibitor Gel Filler Retention in Shorted Casings: A Pressure Test Study	4340
<i>J. Olivo, A. Roytman, M. Ivanov, T. Natale, Y. Vaks</i>	
Effect of Sample Configuration on Autoclave Experiment in Dense Phase CO ₂ with Impurities	4347
<i>X. Wang, G. Wu, Y. Choi, S. Nesic</i>	
Assessing Structural Vulnerabilities: Analyzing the Effects of Wildfires on Power Industry Steel Infrastructure	4358
<i>M. Zamanzadeh, G. Bayer, A. Chikkam, P. Taheri, E. Larkin, C. Char</i>	
Material Testing and FFS Modelling for HTHA of Less-Common Alloys: C-0.3Mo	4373
<i>J. Penso, N. Sutton, B. Rollins</i>	
Nitrite-Based Oxidative Chemical Treatments for Polythionic Acid SCC Mitigation	4383
<i>N. Sutton, S. Sears</i>	
Effects of Renewable Natural Gas and Hydrogen on Microbially Influenced Corrosion and Souring in Underground Gas Storage	4395
<i>S. Leleika, T. Rambo, T. Fida</i>	
Remaining Life Assessment of 9Cr-1Mo Steel Radiant Heater Tube in Continuous Catalytic Reforming Unit.....	4410
<i>S. Soundararajan</i>	
Case Study - DC Potential Influence Investigation via Waveform Analysis	4426
<i>M. Blouin, D. Cornet</i>	
A Damage-Based Approach and Predictive Modeling of Corrosion in Substrate/Coating Systems Using Artificial Neural Networks.....	4434
<i>V. Ponce, W. Tarr, A. Mahood, S. Marjuban, H. Eich, H. Castaneda</i>	
Learning from Failure: The Key to Advancements in Metallurgy and Corrosion	4448
<i>A. Chikkam, A. Ulmer, E. Larkin, M. Zamanzadeh</i>	
SCC Susceptibility Potential Range for Carbon Steels Used in Nuclear Waste Tanks Determined with a Crack Growth Rate Technique.....	4462
<i>B. Rollins, S. Chawla, J. Gerst, J. Beavers, N. Sridhar, J. Page, C. Girardot, S. Campbell</i>	
Metal, Moisture, and Mystery: The Curious Case of the Corroding Phone Charger Pin	4477
<i>A. Chikkam, A. Ulmer, M. Zamanzadeh</i>	

Comparative Studies on Corrosion Performance of UNS R20033 under Batch-mode Hydrothermal Liquefaction (HTL) Conversion of Typical Model Compounds in Lignocellulosic Biomass	4490
<i>H. Wang, X. Han, M. Liu, Y. Zeng, C. Xu</i>	
Improvements to the Replica Tape Test Method (ASTM D4417C / NACE SP287 / ISO 8503-5)	4504
<i>M. Beamish</i>	
Material Efficiency through Modern Repair Coating Solutions for Offshore Corrosion Protection	4518
<i>J. Viertel, A. Petrikat</i>	
Corrosion of Additively Manufactured Stainless Steel 304L in Chloride Solution	4530
<i>L. Saberi, M. Amiri</i>	
Feasibility Assessment for Cathodic Protection of High Level Nuclear Waste Tanks.....	4540
<i>K. Lawson, B. Wiersma, B. Padgett, S. Chawla, J. Beavers</i>	
Effects of Silicon Carbide in Corrosion of A36 Gas Shielded Flux Core Welding	4552
<i>M. Rabea, H. Wang</i>	
An Overview of Significant Updates to High Voltage Holiday Detection Standards (NACE SP0188/SP0274/SP0490, ASTM D5612/G62, ISO 29601)	4562
<i>M. Beamish, L. Barrett</i>	
Predicting Long-Term Exposure Performance of Galvanized Rebar Based on Artificial Intelligence and Electrochemical Methods	4572
<i>D. Narayanan, Y. Lu, V. Ponce, H. Castaneda</i>	
Preliminary Study to Characterize Concrete Durability by Water Permeation and Electrochemical Impedance Spectroscopy	4584
<i>K. Lau, A. Awwad, S. Permeh, A. Azizinamini</i>	
Carbonation-Induced Corrosion Assessment for Reinforced Concrete Structures	4596
<i>K. Lau, S. Permeh, S. Faridmarandi, M. Ghahfarokhi, A. Azizinamini</i>	
Corrosion Monitoring System in the Port of Miami Tunnel.....	4607
<i>A. Steele, S. Permeh, K. Lau</i>	
Investigation on the Mechanism of Corrosion Inhibitors by Contact Angle and Surface Tension	4621
<i>R. Jia, D. Nguyen, B. Laurent, J. Moloney</i>	
Comparison of the Life Cycle Cost of Carbon Steel, Duplex Stainless Steels, Super Austenitic, and Nickel-Based Alloys for Crude Unit Overhead Condensers	4632
<i>K. Picker, L. Esteves</i>	
External Chloride Stress Corrosion Cracking (CI-SCC) of Valve Bonnet 304 Austenitic Stainless Steel Stud Bolts	4644
<i>I. Al-Buraiki, Y. AlRabie, M. Alsaud</i>	
Electrochemical Investigation of the Integrity of Cathodic Protection MMO Anodes in the Presence of Vapor Corrosion Inhibitors.....	4656
<i>J. Olivo, T. Natale, S. Math</i>	
Detection of H ₂ S in Oilfield Chemicals	4663
<i>T. Jackson, K. Chao, Y. Liu</i>	
Line Pipe DC-ERW Long Seam Weld Anomaly Investigation.....	4678
<i>L. Jain, L. Vest, R. Gonzales, A. Hudgins, R. Stamps</i>	

Case Study of the Premature Coating Failure on the Boiler Tubes	4693
<i>A. Rana, G. Jarjoura, S. Karim, S. Bukhari</i>	
Cost-effective Optimization of Midstream Pipeline Corrosion Management with Advanced Technologies.....	4703
<i>P. Tandon</i>	
Comparative Study of the Effect of Sulfate-Reducing Bacteria on Cathodic Protection under Simulated Blisters.....	4712
<i>L. Ocando, O. Rincon, M. Romero, A. Turrís</i>	
Demonstration of Electro-Osmotic Pulse (EOP) Technology to Mitigate Alkali-Silica Reaction in Concrete Pavement.....	4722
<i>V. Hock, M. McInerney, J. Pierce, H. Creason</i>	
Corrosion Studies of Novel Nickel-Base Alloys in Molten Chloride Salts	4737
<i>H. Singh, D. Ochoa, M. Kloesel, V. Ravi, B. Donkor, S. Ravikumar, G. Muralidharan, N. Nagaraja, V. Vasudevan</i>	
Effects of Environmental Exposure on Mechanical and Barrier Properties of an Aircraft Coating System	4746
<i>A. Arcari, S. Policastro, R. Anderson, C. Hangarter, E. Iezzi</i>	
Internal Corrosion of Flare Header - A Case Study	4761
<i>A. Alabdullatif, L. Teh, H. Mehrnaz, A. Ali</i>	
Enabling Decarbonization through Conversion of Natural Gas Pipelines to Blended Hydrogen Service through a Nanocomposite Surface Treatment.....	4769
<i>G. Arumugam, S. Thapa, V. Kamavaram, A. Mansfeld, R. Maldonado, M. Nakatsuka</i>	
Corrosion Challenges in Processing Crude Oils: Influence of Active Sulfur Species and Corrosion Rates of Various Alloys	4781
<i>Y. Yoon, H. Li, R. Kane</i>	
New Coatings in Research vs Military Specified Coatings Used for Steel Structures	4795
<i>C. Ortiz, D. Miller, R. Wilson, B. Divan</i>	
Deposit-Induced Corrosion of Ni-Cr Alloys in Calcium-Based Salt Mixtures.....	4805
<i>M. Kloesel, N. Ury, S. Maldonado, H. Singh, D. Ochoa, E. Jimenez, R. Reyes, A. Chen, J. Chen, V. Ravi</i>	
Silicate Resins for Sustainable Heavy Duty Coatings	4815
<i>K. Blankenship</i>	
Long Distance, Long Duration Case Study of Successful Inhibitor Application on a Very Light Hydrocarbon Pipeline.....	4825
<i>T. Place, T. Markowski, J. Sargent, H. Bagaria</i>	
Characterization of Oxide Scales Formed on Fe-20Cr-(20-25)Ni Alloys in Supercritical CO ₂	4835
<i>B. Pint, Y. Su, R. Pillai</i>	
How Informative is Your Annual CP Survey Potential Data? - A Statistical Analysis	4845
<i>T. Hayden, L. Krissa, K. Parker, C. Osmond</i>	
Influence of High CO ₂ Partial Pressure on Top-of-the-Line Corrosion	4852
<i>M. Eslami, B. Santos, D. Young, M. Serenario, S. Gjertsen, M. Singer</i>	

Effect of Critical Alloying Elements and Impact of Various Corrodants on Steels and Alloys in Catalytic Hydrothermal Liquefaction Biorefining Conditions	4867
<i>M. Liu, Y. Zeng</i>	
Implementation of Strong Acid and CO ₂ Corrosion in CFD Software	4878
<i>A. Cutright, P. Sharifi, S. Nesic, B. Brown, M. Sami</i>	
Understanding the Corrosion Performance and Mechanism of Stainless and Carbon Steels in Different Storage and Transportation of Pyrolysis Oil Environments	4892
<i>M. Liu, X. Han, Y. Zeng</i>	
Impact of Vapor Phase Corrosion Inhibitors (VPCI) to Mitigate Corrosion in Refinery Overhead Systems.....	4901
<i>A. Nagarajan, H. Bagaria, T. Barbosa, S. Mcdonagh, M. Carcamo, E. Flores</i>	
Monitoring Oxygen Induced Corrosion in Deaerated Water Injection Systems Using Corrosion Coupons and Galvanic Probes.....	4915
<i>M. Islam</i>	
Effect of Operating Parameters on the Corrosion of Candidate Heat Exchanger Alloys in Advanced Thermal Power Plants.....	4923
<i>M. Liu, Y. Zeng</i>	
Inhibiting Nucleation Corrosion in Liquid Hydrocarbons.....	4932
<i>M. Adewale, H. Bagaria, N. Patel, T. Barbosa, O. Cancino, M. Droppelmann, L. Galarce, J. Sargent, T. Place</i>	
The 2021 US Gas Gathering Final Rule and the New Challenges to Pipeline Integrity.....	4941
<i>B. Cuervo</i>	
Understanding the Influence of Surface Condition on the Fatigue and Corrosion Fatigue Behavior of SLM718	4950
<i>H. Klapper, N. Holzapfel, W. Chen, J. Flores</i>	
Swarm S2 - A Wireless, Multi-Channel Ultrasonic Corrosion and Erosion Monitoring Tool	4957
<i>A. Fatemi</i>	
Influence of Operating Temperature on the Corrosion of Alloy UNS S50200 under Catalytic Hydrodeoxygenation of Pyrolysis Oil by Supercritical Ethanol with In-situ Hydrogen Source	4965
<i>M. Zhang, H. Wang, Y. Zeng, C. Xu, M. Liu</i>	
Analysis and Monitoring of Welded Carbon Steel Corrosion in Aqueous Solutions Using Electrochemical Noise and Wavelet Analysis.....	4975
<i>M. Abdulmutaali, K. Lepkova, C. Aldrich</i>	

Author Index