

PROCEEDINGS OF SPIE

# ***Ground-based and Airborne Instrumentation for Astronomy X***

**Julia J. Bryant**  
**Kentaro Motohara**  
**Joël R. Vernet**  
*Editors*

**16–21 June 2024**  
**Yokohama, Japan**

*Sponsored by*  
SPIE

*Cosponsored by*  
NAOJ—National Astronomical Observatory of Japan (Japan)  
NICT—National Institute of Information and Communications Technology (Japan)  
JNTO—Japan National Tourism Organization (Japan)  
City of Yokohama (Japan)

*Cooperating Organization*  
Optronics Co., Ltd. (Japan)

*Published by*  
SPIE

**Volume 13096**

**Part One of Four Parts**

Proceedings of SPIE 0277-786X, V. 13096

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at [SPIDigitalLibrary.org](http://SPIDigitalLibrary.org).

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Ground-based and Airborne Instrumentation for Astronomy X*, edited by Julia J. Bryant, Kentaro Motohara, Joël R. Vernet, Proc. of SPIE 13096, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510675155

ISBN: 9781510675162 (electronic)

Published by

**SPIE**

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

[SPIE.org](http://SPIE.org)

Copyright © 2024 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL  
LIBRARY**

[SPIDigitalLibrary.org](http://SPIDigitalLibrary.org)

---

**Paper Numbering:** A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

xxi Conference Committee

## Part One

### INSTRUMENTS OVERVIEW OF EXISTING LARGE FACILITIES I

---

13096 03 **The paranal instrumentation programme (Invited Paper)** [13096-3]

### INSTRUMENTS OVERVIEW OF EXISTING LARGE FACILITIES II

---

13096 04 **The instrumentation program at the Large Binocular Telescope Observatory in 2024 (Invited Paper)** [13096-4]

13096 05 **Prime Focus Spectrograph (PFS) for Subaru Telescope: progressing final steps to science operation (Invited Paper)** [13096-17]

13096 06 **Innovations and advances in instrumentation at the W. M. Keck Observatory, vol. III (Invited Paper)** [13096-6]

13096 07 **Southern African Large Telescope (SALT) instrumentation update (Invited Paper)** [13096-7]

### HIGH-DISPERSION SPECTROGRAPHS I

---

13096 08 **IGRINS-2 for Gemini Telescope: development and early performance (Invited Paper)** [13096-8]

13096 09 **System design of the Keck Planet Finder** [13096-9]

13096 0C **NIRPS first light and early science: breaking the 1 m/s RV precision barrier at infrared wavelengths** [13096-12]

### IFS I

---

13096 0D **Hector: performance of the new integral field spectrograph instrument for the Anglo-Australian Telescope (Invited Paper)** [13096-13]

13096 0E **VIRUS: assessing batch component and on-sky performance for a massively multiplexed instrument** [13096-14]

- 13096 OF **VIRUS2: a next generation replicated integral field spectrograph with wide field and broad wavelength coverage** [13096-15]
- 13096 OG **Liger at W.M. Keck Observatory: overall design and science drivers** [13096-16]

---

#### **MULTI OBJECT SPECTROGRAPHS I**

---

- 13096 OH **The instrumentation plan of the 10.4m GTC telescope (Invited Paper)** [13096-5]
- 13096 OI **The initial design of Ocotillo: a multiobject integral field spectrograph for the ARC 3.5m**  
[13096-18]
- 13096 OK **The final design of the Gemini Infrared Multi-Object Spectrograph: Gemini's new adaptive optics facility instrument** [13096-20]

---

#### **INSTRUMENTS WITH NEW CONCEPT/TECHNOLOGIES I**

---

- 13096 OL **Preliminary results of the Potsdam Arrayed Waveguide Spectrograph** [13096-24]
- 13096 OM **ORCAS Keck mission and instrument development (Invited Paper)** [13096-21]
- 13096 ON **WST: Widefield Spectroscopic Telescope: addressing the instrumentation challenges of a new 12m class telescope dedicated to widefield multi-object and integral field spectroscopy (Invited Paper)** [13096-22]
- 13096 OP **Visible photonic lantern integration, characterization, and on-sky testing on Subaru/SCEAO**  
[13096-25]
- 13096 OQ **Photonic quantum-inspired sub-diffraction imager** [13096-26]

---

#### **MULTI OBJECT SPECTROGRAPHS II**

---

- 13096 OS **On-sky performance of SAMOS: a DMD-based multi-object spectrograph and imager for the SOAR 4.1-meter telescope** [13096-28]
- 13096 OT **The Magellan Infrared Multiobject Spectrograph project: 2024 update** [13096-29]
- 13096 OU **Current and future instrumentation at Gemini Observatory (Invited Paper)** [13096-1]

---

#### **INSTRUMENTS FOR EXTREMELY LARGE TELESCOPES I**

---

- 13096 OV **The First-Light Instrument Suite at TMT: capabilities and status update (Invited Paper)**  
[13096-31]

- 13096 0W **Fiber-fed high-resolution infrared spectroscopy at the diffraction limit with Keck-HISPEC and TMT-MODHIS: status update** [13096-32]
- 13096 0X **Science instruments for the Giant Magellan Telescope (Invited Paper)** [13096-33]
- 13096 0Y **High-contrast imaging at first-light of the GMT: the preliminary design of GMagAO-X** [13096-34]

---

#### **INSTRUMENTS FOR EXTREMELY LARGE TELESCOPES II**

---

- 13096 0Z **Innovations in the design and construction of the GMT-Consortium Large Earth Finder (G-CLEF), a first-light instrument for the Giant Magellan Telescope (GMT)** [13096-35]
- 13096 10 **Enhancing astronomical exploration with the GMT/MANIFEST** [13096-36]
- 13096 11 **The MICADO first light imager for the ELT: overview and current status** [13096-37]
- 13096 12 **Final design and status of the Mid-IR ELT Imager and Spectrograph, METIS** [13096-38]
- 13096 13 **ANDES, the high resolution spectrograph for the ELT: science goals, project overview, and future developments** [13096-39]
- 13096 14 **HARMONI at ELT: project status and instrument overview** [13096-40]
- 13096 15 **MOSAIC at the ELT: a unique instrument for the largest ground-based telescope** [13096-41]

---

#### **SOLAR INSTRUMENTS**

---

- 13096 17 **Building large Fabry-Pérot etalons for the Visible Tunable Filter** [13096-43]
- 13096 18 **ngGONG: future ground-based facilities for research in heliophysics and space weather operational forecast** [13096-44]

---

#### **AO INSTRUMENT I**

---

- 13096 19 **SCALES status report** [13096-45]
- 13096 1A **Project overview and update on ULTIMATE-Subaru: the next-generation wide-field AO instrument for the Subaru telescope** [13096-46]
- 13096 1B **MAVIS: imager and spectrograph** [13096-47]

- 13096 1C **Completed optical design and performance analysis of the evanescent wave coronagraph prototype for the Thai National Telescope** [13096-48]
- 13096 1D **First light with ORKID, a pathfinder diffraction-limited visible-light camera at the WM Keck Observatory** [13096-49]

---

#### HIGH-DISPERSION SPECTROGRAPHS II

---

- 13096 1G **Mitigating differential limb coupling as an RV error term in diffraction-limited spectrographs on large telescopes** [13096-52]
- 13096 1H **MARVEL: development and strategies of the calibration system** [13096-53]
- 13096 1I **RISTRETTO: reflected-light exoplanet spectroscopy at the diffraction limit of the VLT** [13096-54]

---

#### INSTRUMENTS WITH NEW CONCEPT/TECHNOLOGIES II

---

- 13096 1K **An ultra-compact optical spectrograph utilizing waveguide spectral lenses** [13096-56]
- 13096 1L **Design, testing, and construction of Henrietta: a new exoatmosphere spectrograph for Las Campanas Observatory** [13096-57]
- 13096 1M **The programmable liquid-crystal active coronagraphic imager for the DAG telescope (PLACID) instrument: on-site status update ahead of first light** [13096-58]
- 13096 1N **Development of novel high-efficiency and wideband medium-dispersion grisms for MOIRCS at Subaru Telescope** [13096-59]

---

#### WIDE FIELD IMAGER

---

- 13096 1O **Integrating the LSST camera (Invited Paper)** [13096-60]
- 13096 1P **The Keck Wide Field Imager and deployable secondary mirror** [13096-61]
- 13096 1Q **First scientific operation of JPCam, the 1.2 Gpixel camera for the Javalambre-Physics of the Accelerating Universe Astrophysical Survey (J-PAS)** [13096-62]
- 13096 1R **Photometric performance of an Antarctic astronomical optical observational array prototype in the first year** [13096-63]
- 13096 1S **LSST camera verification testing and characterization** [13096-90]

---

## WIDE-BAND SPECTROGRAPHS

---

- 13096 1T **Walking with SOXS towards the transient sky** [13096-65]
- 13096 1U **A new spectrograph of bi-channel with ultrawide band and high flux for MOST (SCUTUM) telescope** [13096-66]
- 13096 1V **Development of ProtoPol: a medium resolution echelle spectro-polarimeter for PRL 1.2m and 2.5m telescopes, Mt. Abu, India** [13096-67]

---

## AO INSTRUMENT II

---

- 13096 1W **SHARK-NIR commissioning and early science runs** [13096-68]
- 13096 1X **The high-contrast performance of the Keck Planet Imager and Characterizer** [13096-69]
- 13096 1Y **FRIDA: diffraction-limited imaging and integral-field spectroscopy for the GTC** [13096-70]

---

## IFS II

---

- 13096 1Z **The SDSS-V Local Volume Mapper Instrument (Invited Paper)** [13096-71]
- 13096 20 **TARSIS, the 8 arcmin<sup>2</sup> IFU for the Calar Alto 3.5m telescope** [13096-72]
- 13096 22 **The Blue Multi Unit Spectroscopic Explorer (BlueMUSE) on the VLT: science drivers and overview of instrument design** [13096-74]

## Part Two

---

### POSTERS SESSION: PERFORMANCE AND RESULTS FROM RECENTLY COMMISSIONED INSTRUMENTS

---

- 13096 23 **Preliminary characterization and verification of 4MOST in Europe** [13096-75]
- 13096 26 **Implementation of the 36  $\mu$ m machined image slicer integral field unit for DKIST/DL-NIRSP** [13096-79]
- 13096 27 **Detector upgrade in EMIR@GTC: on-sky performances** [13096-80]
- 13096 28 **Roadmap of GHOST@Gemini's precision radial velocity mode** [13096-81]
- 13096 29 **GNIRS integral field spectroscopy modes on-sky performance** [13096-82]

- 13096 2B **Six-year progress of the InfraRed Doppler (IRD) instrument for the Subaru Telescope**  
[13096-84]
- 13096 2C **Assessing Earth's atmospheric impact on near-infrared radial velocity measurements with IRD/Subaru** [13096-85]
- 13096 2D **Recent upgrades to the Keck Planet Imager and Characterizer** [13096-86]
- 13096 2E **Fringing analysis and forward modeling of Keck Planet Imager and Characterizer (KPIC) spectra** [13096-87]
- 13096 2F **Validation of the LOFAR2 timing distribution system** [13096-88]
- 13096 2G **The LOFAR2.0 upgrade: validation results of the qualification model** [13096-89]
- 13096 2K **Prime Focus Spectrograph (PFS) for Subaru Telescope: recovery of the VPHG efficiency**  
[13096-94]
- 13096 2L **Prime Focus Spectrograph (PFS) for Subaru Telescope: integration and test of the last spectrograph modules** [13096-95]
- 13096 2M **Sky-subtraction for the Subaru Prime Focus Spectrograph** [13096-96]
- 13096 2N **Prime Focus Spectrograph (PFS) for Subaru Telescope: the optimization of convergence for Cobra positioners** [13096-97]
- 13096 2O **Prime Focus Spectrograph (PFS) for Subaru Telescope: performance verification of the science-grade fiber optics cable** [13096-98]
- 13096 2P **Prime Focus Spectrograph (PFS) for Subaru Telescope: spectrograph system final integration and performance at LAM and Subaru** [13096-99]
- 13096 2Q **Investigating the pupil dependence of the polarimetric sensitivity on SALT** [13096-100]
- 13096 2R **Early commissioning results of slit mask integral field units on the Southern African Large Telescope** [13096-101]
- 13096 2T **SOXS NIR: optomechanical integration and alignment, optical performance verification before full instrument assembly** [13096-104]
- 13096 2U **Characterisation and assessment of the SOXS Spectrograph UV-VIS detector system**  
[13096-105]
- 13096 2V **The status of the NIR arm of the SOXS Instrument toward the PAE** [13096-106]
- 13096 2W **The integration of the SOXS control electronics towards the PAE** [13096-107]
- 13096 2X **Improving SPIRou sensitivity by reducing thermal background** [13096-108]



- 13096 2Y **The performance of the Mosaic CMOS Wide Field Camera for Transneptunian Automatic Occultation Survey (TAOS II)** [13096-109]
- 13096 2Z **Visible-light high-contrast imaging polarimetry at Subaru** [13096-110]
- 13096 30 **Developing an instrumental polarization characterization routine for SCEXAO VAMPIRES** [13096-111]
- 13096 31 **WINERED fully commissioned at the Magellan Clay Telescope** [13096-112]
- 13096 33 **The Multi Frequency Instrument 2 (MFI2): mechanical design, manufacture, integration, and commissioning of the MFI2 for the QUIJOTE facility in Tenerife (Canary Islands)** [13096-114]
- 13096 34 **MORISOT: enabling fully robotic spectroscopy at the MONET/South Telescope** [13096-115]
- 13096 35 **OPASpec: a double spectrograph for the Original PolyOculus Array** [13096-116]
- 13096 36 **The future of polarimetry at the NOIRLab Gemini North Observatory facility** [13096-117]
- 13096 37 **Half-wave plate characterizations for the Keck NIRC2 polarimetry mode** [13096-118]
- 13096 39 **Upgrading the submillimeter array: wSMA and beyond** [13096-122]
- 13096 3A **Improving polarimetric accuracy of RoboPol to < 0.05 % using a half-wave plate calibrator system** [13096-123]
- 13096 3D **The DDRAGO wide-field imager for the COLIBRÍ telescope** [13096-127]
- 13096 3E **Future exoplanet direct imaging instruments: simulating spatial light modulator-based pixelated focal-plane coronagraphy** [13096-128]
- 13096 3F **Discovery space and science with the PLACID stellar coronagraph** [13096-129]
- 13096 3G **A high throughput imager at near-ultraviolet wavelengths for a ground-based telescope** [13096-130]
- 13096 3H **An upgraded 0.4-meter telescope fleet for Las Cumbres Observatory's educational and science programs** [13096-131]
- 13096 3I **kSIRIUS: a simultaneous JHKs camera for the Kagoshima University 1m telescope using newly developed Japanese InGaAs array detectors** [13096-132]
- 13096 3J **WINTER commissioning and early performance: a new time-domain near-IR facility** [13096-133]
- 13096 3M **Cryoscope Pathfinder: wide-field optical performance validation in the lab** [13096-136]

- 13096 3P **Integration and testing of a cryogenic receiver for the Exoplanet Climate Infrared Telescope (EXCITE)** [13096-140]
- 13096 3R **REMIR cryogenics: back to the future** [13096-142]
- 13096 3T **Unravelling the performance of the SHARK-NIR Four Quadrant Phase Mask in a controlled environment** [13096-145]
- 13096 3U **Narrow-band filters for the optical multiband imagers MuSCAT3&4** [13096-146]
- 13096 3V **Design of the electronics for the WFST camera** [13096-147]
- 13096 3W **StarDICE: a photometric calibration experiment to anchor standard stars on the NIST flux scale at the milli-magnitude level** [13096-148]
- 13096 3X **Infrared photometry with InGaAs detectors: first light with SPECULOOS** [13096-149]
- 13096 41 **A Shack-Hartmann wavefront sensor for the New Robotic Telescope** [13096-153]
- 13096 42 **Blue notes of CHaS: an OIII/H $\beta$  channel for the Circumgalactic Ha Spectrograph + other instrument upgrades** [13096-154]
- 13096 43 **Stacks, maps, and all that CHaS: refined image processing methods to map the nearby universe with the Circumgalactic H-alpha Spectrograph** [13096-156]
- 13096 44 **GAOES-RV: a high-dispersion echelle spectrograph for radial velocimetry with the 3.8 m Seimei Telescope** [13096-157]
- 13096 45 **Upgrade of the Veloce high-resolution spectrograph at the Anglo-Australian Telescope** [13096-158]
- 13096 46 **NIRPS near-infrared spectrograph: AITV phase at ESO3.6m/La Silla** [13096-159]
- 13096 47 **The Keck Cosmic Reionization Mapper project: adding red spectroscopy to the Keck Cosmic Web Imager Integral Field Spectrograph** [13096-160]
- 13096 48 **Investigating the polarimetric capabilities for the Giant Magellan Telescope** [13096-161]
- 13096 49 **SPIP @TBL: integration and tests of the near-infrared spectrograph unit and synergy with SPIRou@CFHT** [13096-234]

---

**POSTER SESSION: INSTRUMENTATION FOR EXTREMELY LARGE TELESCOPES**

- 13096 4A **ANDES, the high-resolution spectrograph for the ELT: UVB spectrograph preliminary design** [13096-162]

- 13096 4C **ANDES, the high-resolution spectrograph for the ELT: the front-end and its seeing limited arms** [13096-164]
- 13096 4D **ANDES, the high-resolution spectrograph for the ELT: system architecture design of Phase-B-one** [13096-165]
- 13096 4E **ANDES, the high-resolution spectrograph for the ELT: extending to the K-band** [13096-166]
- 13096 4F **ANDES, the high-resolution spectrograph for the ELT: RIZ spectrograph preliminary optical design** [13096-167]
- 13096 4G **ANDES, the high-resolution spectrograph for the ELT: the exposure time calculator** [13096-168]
- 13096 4H **ANDES, the high-resolution spectrograph for the ELT: opto-mechanical design of the cameras for the YJH spectrograph** [13096-169]
- 13096 4I **ANDES, the high-resolution spectrograph for the ELT: evolution of the fiber-link subsystem after the system architecture review** [13096-170]
- 13096 4J **ANDES, the high-resolution spectrograph for the ELT: RIZ spectrograph preliminary design** [13096-171]
- 13096 4K **ANDES, the high-resolution spectrograph for the ELT: RIZ & UVB spectrographs' preliminary design, analysis, and integration of the vacuum vessel and thermal enclosure** [13096-172]
- 13096 4L **ANDES, the high-resolution spectrograph for the ELT: the integral field unit module** [13096-173]
- 13096 4M **Off-axis Hartmann wavefront sensing for the GMT-Consortium Large Earth Finder (G-CLEF) red camera optics** [13096-174]
- 13096 4N **G@M: coupling the G-CLEF spectrograph to the Magellan Telescope** [13096-175]
- 13096 4O **Design and fabrication of composite structures in the GMT-Consortium Large Earth Finder (G-CLEF)** [13096-176]
- 13096 4P **Assembly, integration, and verification of the GMT-Consortium Large Earth Finder (G-CLEF) red channel camera optics** [13096-177]
- 13096 4Q **Design, assembly, and test of G-CLEF's exposure meter II: optical design and prototype test** [13096-178]
- 13096 4S **GMTIFS internal flexure budget and cold stop stability** [13096-180]
- 13096 4T **GMTNIRS: preliminary optical design for the calibration system of a near-infrared spectrograph** [13096-182]

- 13096 4U **HARMONI & ELT: prototyping and testing the spectrograph TMA collimator alignment procedure** [13096-183]
- 13096 4V **HARMONI at ELT: calibration module functional and design description** [13096-184]
- 13096 4W **HARMONI at ELT: tolerance analysis and expected as-build imaging performance of the infrared spectrograph** [13096-185]

### **Part Three**

- 13096 4X **HARMONI at ELT: electronic cabinets design** [13096-187]
- 13096 4Z **HARMONI at ELT: HIPOTEC electronics and control system** [13096-189]
- 13096 51 **The Infrared Imaging Spectrograph (IRIS) for TMT: new imager optical design with H4RG-15 detectors** [13096-191]
- 13096 52 **METIS high-contrast imaging: from final design to manufacturing and testing** [13096-192]
- 13096 53 **The METIS imager: final opto-mechanics design and manufacturing** [13096-193]
- 13096 54 **The design and performance of the wheel systems in the common foreoptics of the ELT METIS** [13096-194]
- 13096 55 **Progress of the Warm Calibration Unit (WCU) subsystem of METIS towards the full subsystem integration: an overview of the post-FDR status** [13096-195]
- 13096 56 **Final optical design of relay optics and alignment optics of the Warm Calibration Unit in METIS/ELT: analysis, performances, and the procurement of the optics** [13096-196]
- 13096 57 **AIT support equipment design for METIS** [13096-197]
- 13096 58 **Challenges to the manufacturing of the warm support structure for the METIS instrument at the ESO/ELT telescope** [13096-198]
- 13096 59 **METIS: the imager: from design to verification** [13096-199]
- 13096 5B **A look into alternative mechanical designs for the MORFEO-MICADO thermal duct mechanical: developments and alternatives** [13096-201]
- 13096 5C **The MICADO first light imager for the ELT: proof of concept and performance testing of the relay optics alignment procedure** [13096-202]
- 13096 5D **The MICADO first light imager for the ELT: sparse aperture masks, design, and simulations** [13096-203]
- 13096 5E **The MICADO first light imager for the ELT: starting manufacturing of the relay optics** [13096-204]

- 13096 5F **The MICADO first light imager for the ELT: through the MAIT phase of the cryogenic main selection mechanism** [13096-205]
- 13096 5G **The MICADO first light imager for the ELT: USM big test cryostat: design, performances, and test activities** [13096-206]
- 13096 5I **SHARP: a near-IR multi-mode spectrograph conceived for MORFEO@ELT** [13096-208]
- 13096 5J **MORFEO@ELT: testing of the kinematics connection for the optomechanical elements** [13096-209]
- 13096 5K **MORFEO LGSO optical design** [13096-210]
- 13096 5L **Main structure general overview: mechanical design update from PDR towards the final design phase** [13096-211]
- 13096 5M **General overview of MORFEO instrument control hardware during the final design phase** [13096-212]
- 13096 5N **MORFEO@ELT: Thermal Control System design and prototyping toward FDR** [13096-213]
- 13096 5P **MOSAIC@ELT: the optical design of the NIR spectrograph** [13096-215]
- 13096 5Q **MOSAIC@ELT: towards final design and AIT development of an athermal camera prototype for the NIR-spectrograph** [13096-216]
- 13096 5R **MOSAIC on the ELT: front-end and instrument AITV planification** [13096-218]
- 13096 5S **Atmosphyre: modelling atmospheric chromatic dispersion for multi-object spectrographs** [13096-219]
- 13096 5T **IFU for wide field optical spectrograph (WFOS) on TMT** [13096-220]
- 13096 5V **The Large Fiber Array Spectroscopic Telescope: fiber feed fabrication and characterization** [13096-223]
- 13096 5W **Sensitivity and performance of LBTI/NOMIC spectroscopy: prospects for 10- and 30-meter class mid-IR exoplanet science** [13096-224]
- 13096 5X **Design of the configurable slit unit for the Wide Field Optical Spectrometer (WFOS)** [13096-225]
- 13096 5Y **Integrated FEA modeling technique: a study on embedded models for the ELT class of instrumentation** [13096-226]
- 13096 5Z **FE model evolution of the main support structure interfaces to the ELT Nasmyth Platform from PDR to FDR** [13096-227]

- 13096 60 **Optical design of multi-field integral field unit spectrograph for the ORCAS Keck Instrument Development II (ORKID II) instrument** [13096-228]
- 13096 61 **A multi-functional fiber positioning system for extremely large telescopes** [13096-229]
- 13096 63 **Detection limits of thermal-infrared observations with adaptive optics** [13096-406]

---

**POSTER SESSION: GROUND-BASED INSTRUMENTATION IN SUPPORT OF SPACE MISSIONS**

---

- 13096 64 **Final mechanical design of the Gemini Infrared Multi-Object Spectrograph (GIRMOS) cryostat** [13096-231]
- 13096 65 **GIRMOS image slicer: test plan and characterization** [13096-233]
- 13096 66 **SPIP, a velocimeter/spectropolarimeter for Pic du Midi, Teledyne H4RG detector failure** [13096-235]
- 13096 67 **Simulation and parameter optimization of high-resolution spatial heterodyne spectrographs** [13096-236]
- 13096 68 **Light scrambling and focal ratio degradation of thin multimode fibers with different core geometries** [13096-237]
- 13096 69 **The South Africa Near-Infrared Doppler (SAND) instrument: design and fabrications** [13096-238]

---

**POSTER SESSION: DESIGN/PROTOTYPING OF INSTRUMENTATION FOR CURRENT OBSERVATORIES**

---

- 13096 6C **4MOST low-resolution spectrographs AIT at AIP** [13096-241]
- 13096 6D **FEA of the MUSE opto-mechanical model and comparison with on-site measurements** [13096-242]
- 13096 6G **Final design and opto-mechanical analysis of the GIRMOS calibration system and field lens assembly** [13096-245]
- 13096 6H **Overview of the mechanical design for the GIRMOS imager subsystem** [13096-246]
- 13096 6I **Overview and status of the fiber delivery subsystem (FIB) of Keck/HISPEC, the diffraction-limited y-K band spectrograph for exoplanet characterization** [13096-247]
- 13096 6K **Calibration unit design for Keck/High-Resolution Infrared Spectrograph for Exoplanet Characterization (HISPEC)** [13096-249]
- 13096 6L **Overview and status of the front-end instrument (FEI) Keck/HISPEC, the diffraction-limited y-K band spectrograph for exoplanet characterization** [13096-250]

- 13096 6N **Design of the antenna processing subrack, a new beamformer for LOFAR** [13096-252]
- 13096 6Q **Visible natural guide star wavefront sensor linear stage encoder verification study**  
[13096-255]
- 13096 6R **Compensation of defective pixels by mechanical shift of an NIR array detector used in the NINJA echelle spectrograph** [13096-256]
- 13096 6S **Exo-NINJA at Subaru: fiber-fed spectro-imaging of exoplanets and circumstellar disks at R~4000** [13096-257]
- 13096 6T **Prime focus spectrograph (PFS) for Subaru Telescope: the algorithm to optimize pointing centers for open-use programs** [13096-258]
- 13096 6W **Performance analysis of SCALES final optical design: end to end modeling** [13096-261]
- 13096 70 **Static optic mount design and fabrication for infrared astronomy on SCALES instrument**  
[13096-265]
- 13096 72 **Final alignment and image quality test for the acquisition and guiding system of SOXS**  
[13096-267]
- 13096 73 **What is your favorite transient event? SOXS is almost ready to observe!** [13096-268]
- 13096 74 **PoET, the Paranal solar ESPRESSO Telescope: a spatially resolved Sun in a high resolution spectrograph** [13096-270]
- 13096 75 **Final design of Cerberus, a three-headed instrument for the OARPAF telescope** [13096-271]
- 13096 77 **IBIS 2.0 interferometric bidimensional spectrometer 2.0: overview and current status**  
[13096-273]
- 13096 78 **A novel application of spectroscopy: the Dark Matter Quest Spectrograph** [13096-274]
- 13096 79 **Airglow and the Subaru Night Sky Spectrograph (SuNSS)** [13096-275]
- 13096 7A **Progress on FORS-Up: the first instrument using ELT technologies** [13096-276]
- 13096 7B **Liger at W.M. Keck Observatory: imager structural analysis, fabrication, and characterization plan** [13096-277]
- 13096 7E **Heimdallr and Solarstein: alignment, calibration, and correction in the Asgard suite at the VLT**  
[13096-281]
- 13096 7F **Navigating instruments operational challenges and extending traditional maintenance frontiers** [13096-282]

- 13096 7G **RISTRETTO: manufacturing of a single-mode visible high resolution spectrograph** [13096-283]
- 13096 7I **Liger at W.M. Keck Observatory: assembly, integration, and testing** [13096-285]
- 13096 7J **Development of a new near-infrared spectrometer for the IRSF telescope** [13096-286]
- 13096 7K **Current progress of the new sub-millimeter survey instrument at JCMT: an upgrade to SCUBA-2/POL-2 with 7272 MKIDs detectors at 850  $\mu\text{m}$**  [13096-287]
- 13096 7L **VSTPOL: making the VST a large survey telescope for optical polarimetry** [13096-288]
- 13096 7M **VSTPOL: the control electronics design for the new polarimetric mode of the VST** [13096-289]

## **Part Four**

- 13096 7N **Conceptual design of a new echelle spectrograph for the ARC 3.5-m telescope at APO** [13096-290]
- 13096 7O **The Near-Infrared Gatherer of Helium Transits (NIGHT)** [13096-291]
- 13096 7P **Systems design, assembly, integration, and lab testing of WALOP-South Polarimeter** [13096-292]
- 13096 7Q **SDSS-V BOSS spectrograph modifications for Las Campanas Observatory** [13096-293]
- 13096 7R **A subminiature integrated optical fiber positioning device** [13096-294]
- 13096 7S **Design and status update of the AMASE-P project** [13096-295]
- 13096 7T **CUBES, the Cassegrain U-Band Efficient Spectrograph: towards final design review** [13096-296]
- 13096 7U **Development of near-infrared scanning Fabry-Perot spectrometer for 3D spectroscopy: design concept and basic performance evaluation** [13096-297]
- 13096 7V **The simplest magnetograph: a novel approach for a compact instrument for measuring solar magnetic fields** [13096-298]
- 13096 7W **VROOMM: a new high-resolution echelle spectrograph for Observatoire du Mont Mégantic** [13096-299]
- 13096 7X **R=200,000 NIR cross-dispersed echelle spectrograph realized by germanium immersion grating and all-cordierite reflective optical system** [13096-300]
- 13096 82 **Design of a 1x3 mosaic infrared camera in the K-band based on HgCdTe detectors** [13096-305]



- 13096 83 **Implementation of a seeing measurement device for the PoET solar telescope** [13096-306]
- 13096 85 **KOSMOS II: updating a spectrograph for the Apache Point Observatory ARC 3.5m telescope** [13096-308]
- 13096 87 **Calibration unit design for the Multi-Aperture Spectroscopic Telescope (MAST)** [13096-310]
- 13096 88 **Differential high-precision photometry with narrowband filters using HIRAX: instrument overview** [13096-311]
- 13096 89 **MOSES: the MONET star and exoplanet spectrograph** [13096-313]
- 13096 8A **Second-generation Fabry-Pérot unit for CARMENES** [13096-314]
- 13096 8B **Development of a full-disk solar spectropolarimeter for TauSol** [13096-316]
- 13096 8C **The polarimetric performance of HARPS3 and its impact on the Terra Hunting Experiment scheduling** [13096-317]
- 13096 8D **Polarimetric observations of the Sun in He I 1083 nm line with LiNbO<sub>3</sub> Fabry-Perot filtergraph and rotating waveplate** [13096-319]
- 13096 8E **Development and design of Second Earth Initiative Spectrograph (2ES)** [13096-320]
- 13096 8F **A novel freeform slicer IFU for the Magellan Infrared Multi-Object Spectrograph (MIRMOS)** [13096-321]
- 13096 8H **Development and initial testing of a fiber-fed Fourier transform spectrograph for solar spectroscopy** [13096-404]
- 13096 8I **Theoretical analysis of fiber arrangements for improved coupling efficiency in the VBT high-resolution echelle spectrograph** [13096-405]

---

**POSTER SESSION: RAPID-RESPONSE INSTRUMENTS**

- 13096 8J **Assembly, integration, and verification phase of the SCORPIO instrument for Gemini South** [13096-323]
- 13096 8K **Instrumentation at the SAAO for autonomous rapid-response observing** [13096-324]
- 13096 8M **A low-resolution high-throughput spectrograph for the New Robotic Telescope** [13096-326]

---

POSTER SESSION: DESIGN/PROTOTYPING OF INSTRUMENTATION FOR CURRENT OBSERVATORIES

---

- 13096 8P **Mechanical design of the pick-up arm prototype for TIFR-ARIES Multi-Object Optical to Near Infrared Spectrometer (TA-MOONS)** [13096-329]
- 13096 8Q **A simulation and test system for CCD detector system of Wide Field Survey Telescope** [13096-330]
- 13096 8R **Application of FPGA-based high-speed fiber position detection in LAMOST** [13096-331]
- 13096 8S **Front optics design of TIFR-ARIES Multi-Object Optical to Near Infrared Spectrometer (TA-MOONS)** [13096-332]
- 13096 8T **Customizing a filter around 1.4  $\mu\text{m}$  water-vapor-absorption window for Dome A, Antarctica** [13096-333]
- 13096 8V **HighSpec: a high-resolution spectrograph for the MAST telescope array** [13096-335]
- 13096 8W **Upgrading the AZT24 telescope at the Campo Imperatore high-altitude observatory: design and installation of a new, seeing-enhanced NIR imager** [13096-336]
- 13096 8X **MAVIS: mechanical design and prototyping of the adaptive optics module toward the FDR** [13096-337]
- 13096 8Y **MAVIS: control electronics design of the adaptive optics module** [13096-338]
- 13096 8Z **Next generation low resolution Wide Field Multi-Object Optical Spectrometer for W.M. Keck Observatory** [13096-340]
- 13096 92 **ÉBANO: an angular-scanning wide-field spectrograph** [13096-343]
- 13096 94 **Optical design of FALCON: a wide-field spectrograph and imager for the Magellan Baade 6.5-meter telescope** [13096-345]
- 13096 95 **MAAT: an IFU for GTC optimized using spectrograph wavefront measurements and superoptimization** [13096-346]

---

POSTER SESSION: INSTRUMENTS DESIGNED WITH ADAPTIVE OPTICS INCORPORATED IN THE OVERALL SYSTEM

---

- 13096 96 **Transport, handling, and integration of the adaptive optics system for GTC: from the laboratory to the telescope** [13096-347]
- 13096 97 **FRIDA integral field unit laboratory acceptance tests** [13096-348]
- 13096 98 **Overview of the final design of the imaging system for the Gemini Infrared Multi-Object Spectrograph** [13096-349]

- 13096 99 **GPI 2.0: upgrade status of the Gemini Planet Imager** [13096-351]
- 13096 9A **Infrastructure upgrade of Antu, Kueyen, and Melipal for the implementation of laser guide stars for the GRAVITY+ project** [13096-352]
- 13096 9D **Upgrading SPHERE with the second stage AO system SAXO+: non-common path aberrations estimation and correction** [13096-357]
- 13096 9E **The RISTRETTO simulator: exoplanet reflected spectra** [13096-358]
- 13096 9F **NirvanaVIS: exploiting ground-layer AO correction for speckle holography at visible wavelengths** [13096-359]
- 13096 9G **Experimental investigation on the tilt angle performance of 4 K two-stage pulse tube cryocoolers for cosmic microwave background (CMB) telescopes** [13096-360]
- 13096 9I **ALTAIR, Gemini North SCAO: challenges and performance review** [13096-362]
- 13096 9J **Sixth order segmented vector vortex phase masks and shaped pupils for future telescopes** [13096-363]
- 13096 9K **ULTIMATE-Subaru: sensitivity performance of the NIR wide-field imaging camera with ground layer adaptive optics** [13096-364]
- 13096 9L **Optical wavefront error assessed via phase diversity and a spatial light modulator** [13096-366]
- 13096 9M **GeMS + Flamings-2 at Gemini South: near-infrared spectroscopy with multiconjugate adaptive optics** [13096-368]

---

**POSTER SESSION: MULTIMESSENGER ASTRONOMICAL INSTRUMENTS**

- 13096 9N **Status of the dual-beam spectrograph upgrade project for transient follow-up with SALT** [13096-369]
- 13096 9P **Conceptual design of an integral field unit for the Canada France Hawaii telescope** [13096-371]

---

**POSTER SESSION: NEW TECHNOLOGIES WHICH MAY BE TRANSFORMATIVE IN FUTURE INSTRUMENT DESIGN**

- 13096 9R **Prime focus spectrograph (PFS) for Subaru Telescope: modeling of the 2D point spread function using commissioning data** [13096-373]
- 13096 9T **Structural design analysis of wind screen for Antarctic 2m-class optical telescope** [13096-375]

- 13096 9U **FiberPol-6D: spectropolarimetric integral field mode for SAAO 1.9m telescope using fibers**  
[13096-376]
- 13096 9V **Investigations on assembly and coverage for modular focal planes of multiplexed telescopes**  
[13096-377]
- 13096 9X **Developing a low-cost, compact radio-over-fiber (RToF) linkage for radio telescope arrays**  
[13096-380]
- 13096 9Z **Optical performance prediction of the AMASE-P system** [13096-382]
- 13096 A1 **Photonic lantern testing on Lick Observatory's 3m Shane Telescope** [13096-384]
- 13096 A2 **Skipper CCD mosaic on the SOAR integral field spectrograph** [13096-386]
- 13096 A5 **Design and testing of a low-resolution NIR spectrograph for the Exoplanet Climate Infrared Telescope** [13096-390]
- 13096 A7 **FlyEye ground-based telescope: unveiling new frontiers in astronomical science**  
[13096-392]
- 13096 A8 **Additive manufacturing, reverse engineering, and metrology to support mechanical design: future developments among the INAF facilities** [13096-393]
- 13096 AA **In-situ evaluation of DMD contrast ratio using SAMOS: a DMD-based multi-object spectrograph and imager** [13096-395]
- 13096 AB **Arrayed waveguide grating-based photonic spectrograph for the astronomical J band**  
[13096-396]
- 13096 AC **Spectrum-flattened micro-resonator-based frequency comb for precision astronomical spectroscopy** [13096-397]
- 13096 AD **Preliminary prototypes of solid telescopes for cubesat** [13096-398]
- 13096 AE **GATES: a network for synoptic space weather observations** [13096-399]
- 13096 AG **Identifying instrumental optical aberrations directly from focal plane speckle data**  
[13096-401]

---

#### DIGITAL POSTER SESSION

- 13096 AI **The Infrared Imaging Spectrograph (IRIS): project status report** [13096-222]
- 13096 AJ **MAVIS: enabling high-precision ground-based astrometry in the visible spectrum**  
[13096-339]