

2024 IEEE 65th Annual Symposium on Foundations of Computer Science (FOCS 2024)

**Chicago, Illinois, USA
27-30 October 2024**

Pages 1-805



**IEEE Catalog Number: CFP24053-POD
ISBN: 979-8-3315-1675-8**

**Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP24053-POD
ISBN (Print-On-Demand):	979-8-3315-1675-8
ISBN (Online):	979-8-3315-1674-1
ISSN:	1523-8288

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2024 IEEE 65th Annual Symposium on Foundations of Computer Science (FOCS) **FOCS 2024**

Table of Contents

Welcome Message	xix
Program Committee	xx
Reviewers	xxi

Session 1A

Cycles of Well-Linked Sets and an Elementary Bound for the Directed Grid Theorem	1
<i>Meike Hatzel (Institute for Basic Science, South Korea), Stephan Kreutzer (Technische Universität, Germany), Marcelo Garlet Milani (National Institute of Informatics, Japan), and Irene Muzi (Universität Hamburg, Germany)</i>	
First-Order Model Checking on Monadically Stable Graph Classes	21
<i>Jan Dreier (TU Wien), Ioannis Eleftheriadis (University of Cambridge), Nikolas Mählmann (University of Bremen), Rose McCarty (Georgia Institute of Technology), Michał Pilipczuk (University of Warsaw), and Szymon Toruńczyk (University of Warsaw)</i>	
Obstructions to Erdős-Pósa Dualities for Minors	31
<i>Christophe Paul (Univ Montpellier, France), Evangelos Protopapas (Univ Montpellier, France), Dimitrios M. Thilikos (Univ Montpellier, France), and Sebastian Wiederrecht (Institute for Basic Science, South Korea)</i>	
Minor Containment and Disjoint Paths in Almost-Linear Time	53
<i>Tuukka Korhonen (University of Copenhagen, Denmark), Michał Pilipczuk (University of Warsaw, Poland), and Giannos Stamoulis (University of Warsaw, Poland)</i>	
Computing the 3-Edge-Connected Components of Directed Graphs in Linear Time	62
<i>Loukas Georgiadis (University of Ioannina, Greece), Giuseppe F. Italiano (LUISS University, Italy), and Evangelos Kosinas (ISTA, Austria)</i>	
Three-Edge-Coloring Projective Planar Cubic Graphs: A Generalization of the Four Color Theorem	86
<i>Yuta Inoue (The University of Tokyo, Japan), Ken-ichi Kawarabayashi (The University of Tokyo, Japan), Atsuyuki Miyashita (The University of Tokyo, Japan), Bojan Mohar (Simon Fraser University, Canada), and Tomohiro Sonobe (The University of Tokyo, Japan)</i>	

Session 1B

O(1) Insertion for Random Walk d-ary Cuckoo Hashing up to the Load Threshold	106
<i>Tolson Bell (Carnegie Mellon University, USA) and Alan Frieze (Carnegie Mellon University, USA)</i>	
Fast Mixing in Sparse Random Ising Models	120
<i>Kuikui Liu (MIT, USA), Sidhanth Mohanty (MIT, USA), Amit Rajaraman (MIT, USA), and David X. Wu (UC Berkeley, USA)</i>	
A Sampling Lovász Local Lemma for Large Domain Sizes	129
<i>Chunyang Wang (Nanjing University, China) and Yitong Yin (Nanjing University, China)</i>	
Sampling, Counting, and Large Deviations for Triangle-free Graphs Near the Critical Density	151
<i>Matthew Jenssen (Department of Mathematics, King's College London, UK), Will Perkins (School of Computer Science, Georgia Tech, USA), Aditya Potukuchi (York University, Canada), and Michael Simkin (Department of Mathematics, MIT, USA)</i>	
Computational Dynamical Systems	166
<i>Jordan Cotler (Harvard University, USA) and Semon Rezchikov (Princeton University, USA)</i>	
Locally Stationary Distributions: A Framework for Analyzing Slow-Mixing Markov Chains	203
<i>Kuikui Liu (MIT, USA), Sidhanth Mohanty (MIT, USA), Prasad Raghavendra (UC Berkeley, USA), Amit Rajaraman (MIT, USA), and David X. Wu (UC Berkeley, USA)</i>	

Session 1C

Fully Dynamic k-Clustering with Fast Update Time and Small Recourse	216
<i>Sayan Bhattacharya (University of Warwick, United Kingdom), Martin Costa (University of Warwick, United Kingdom), Naveen Garg (IIT Delhi, India), Silvio Lattanzi (Google Research, Switzerland), and Nikos Parotsidis (Google Research, Switzerland)</i>	
On Approximate Fully-Dynamic Matching and Online Matrix-Vector Multiplication	228
<i>Yang P. Liu (Institute for Advanced Study)</i>	
Predict to Minimize Swap Regret for All Payoff-Bounded Tasks	244
<i>Lunjia Hu (Harvard University, United States) and Yifan Wu (Northwestern University, United States)</i>	
A Lossless Deamortization for Dynamic Greedy Set Cover	264
<i>Shay Solomon (Tel Aviv University, Israel), Amitai Uzrad (Tel Aviv University, Israel), and Tianyi Zhang (Tel Aviv University, Israel)</i>	
The Online Submodular Assignment Problem	291
<i>Daniel Hathcock (Carnegie Mellon University, USA), Billy Jin (University of Chicago, USA), Kalen Patton (School of Mathematics, Georgia Tech, USA), Sherry Sarkar (Carnegie Mellon University, USA), and Michael Zlatin (Carnegie Mellon University, USA)</i>	

Fully Dynamic Matching and Ordered Ruzsa-Szemerédi Graphs	314
<i>Soheil Behnezhad (Northeastern University, USA) and Alma Ghafari (Northeastern University, USA)</i>	

Session 2A

Fast List Decoding of Univariate Multiplicity and Folded Reed-Solomon Codes	328
<i>Rohan Goyal (Massachusetts Institute of Technology, USA), Prahladh Harsha (Tata Institute of Fundamental Research, India), Mrinal Kumar (Tata Institute of Fundamental Research, India), and Ashutosh Shankar (Tata Institute of Fundamental Research, India)</i>	
Decoding Quasi-Cyclic Quantum LDPC Codes	344
<i>Louis Golowich (UC Berkeley, USA) and Venkatesan Guruswami (UC Berkeley, USA)</i>	
Optimal Coding for Randomized Kolmogorov Complexity and Its Applications	369
<i>Shuichi Hirahara (National Institute of Informatics, Japan), Zhenjian Lu (University of Warwick, UK), and Mikito Nanashima (Tokyo Institute of Technology, Japan)</i>	
Expansion of High-Dimensional Cubical Complexes with Application to Quantum Locally Testable Codes	379
<i>Irit Dinur (Weizmann Institute of Science, Israel), Ting-Chun Lin (University of California at San Diego, USA; Hon Hai Research Institute, Taiwan), and Thomas Vidick (Weizmann Institute of Science, Israel)</i>	

Session 2B

Communication Separations for Truthful Auctions: Breaking the Two-Player Barrier	386
<i>Shiri Ron (Weizmann Institute of Science, Israel), Clayton Thomas (Microsoft Research, USA), S. Matthew Weinberg (Princeton University, USA), and Qianfan Zhang (Princeton University, USA)</i>	
On Pigeonhole Principles and Ramsey in TFNP	406
<i>Siddhartha Jain (The University of Texas at Austin, USA), Jiawei Li (The University of Texas at Austin, USA), Robert Robere (McGill University, Canada), and Zhiyang Xun (The University of Texas at Austin, USA)</i>	
An XOR Lemma for Deterministic Communication Complexity	429
<i>Siddharth Iyer (University of Washington, USA) and Anup Rao (University of Washington, USA)</i>	
The Communication Complexity of Approximating Matrix Rank	433
<i>Alexander A. Sherstov (University of California, USA) and Andrey A. Storozhenko (University of California, USA)</i>	

Session 2C

Efficient Approximate Unitary Designs from Random Pauli Rotations	463
<i>Jeongwan Haah (Microsoft Quantum, USA), Yunchao Liu (University of California, USA), and Xinyu Tan (Department of Mathematics, Massachusetts Institute of Technology, USA)</i>	
Efficient Unitary Designs from Random Sums and Permutations	476
<i>Chi-Fang Chen (California Institute of Technology, USA), Jordan Docter (Stanford University, USA), Michelle Xu (Stanford University, USA), Adam Bouland (Stanford University, USA), Fernando G.S.L. Brandão (California Institute of Technology, USA), and Patrick Hayden (Stanford University, USA)</i>	
Simple Constructions of Linear-Depth t -Designs and Pseudorandom Unitaries	485
<i>Tony Metger (ETH Zurich, Switzerland), Alexander Poremba (MIT, USA), Makrand Sinha (University of Illinois, USA), and Henry Yuen (Columbia University, USA)</i>	
Gapped Clique Homology on Weighted Graphs is QMA1-Hard and Contained in QMA	493
<i>Robbie King (Department of Computing and Mathematical Sciences, Caltech, USA) and Tamara Kohler (Stanford University, USA)</i>	

Session 3A

Reverse Mathematics of Complexity Lower Bounds	505
<i>Lijie Chen (UC Berkeley, USA), Jiayu Li (MIT, USA), and Igor Carboni Oliveira (University of Warwick, UK)</i>	
Interactive Proofs for General Distribution Properties	528
<i>Tal Herman (Weizmann Institute of Science, Israel) and Guy Rothblum (Apple)</i>	
Trading Determinism for Noncommutativity in Edmonds' Problem	539
<i>V. Arvind (Institute of Mathematical Sciences, Chennai Mathematical Institute, India), Abhranil Chatterjee (Indian Statistical Institute, India), and Partha Mukhopadhyay (Chennai Mathematical Institute, India)</i>	
Π_2^P vs PSpace Dichotomy for the Quantified Constraint Satisfaction Problem	560
<i>Dmitriy Zhuk (Charles University, Czech Republic)</i>	
Jump Operators, Interactive Proofs and Proof Complexity Generators	573
<i>Erfan Khaniki (University of Oxford, United Kingdom)</i>	

Session 3B

Optimal Bounds for Open Addressing Without Reordering	594
<i>Martin Farach-Colton (New York University, USA), Andrew Krapivin (Cambridge University, UK), and William Kuszmaul (Carnegie Mellon University, USA)</i>	
Tight Analyses of Ordered and Unordered Linear Probing	606
<i>Mark Braverman (Princeton University, USA) and William Kuszmaul (Carnegie Mellon University, USA)</i>	

Tight Bounds for Classical Open Addressing	636
<i>Michael A. Bender (Stony Brook University and RelationalAI, USA), William Kuszmaul (Carnegie Mellon University, USA), and Renfei Zhou (Carnegie Mellon University, USA)</i>	
Instance-Optimality in I/O-Efficient Sampling and Sequential Estimation	658
<i>Shyam Narayanan (MIT), Václav Rozhoň (University of Sofia "St. Kliment Ohridski"), Jakub Tětek (University of Sofia "St. Kliment Ohridski"), and Mikkel Thorup (University of Copenhagen)</i>	
An Optimal Algorithm for Sorting Pattern-Avoiding Sequences	689
<i>Michal Opler (Czech Technical University in Prague, Czechia)</i>	

Session 3C

Deterministic Algorithm and Faster Algorithm for Submodular Maximization Subject to a Matroid Constraint	700
<i>Niv Buchbinder (Tel-Aviv University, Israel) and Moran Feldman (University of Haifa, Israel)</i>	
On Approximating Cutwidth and Pathwidth	713
<i>Nikhil Bansal (University of Michigan, USA), Dor Katzelnick (Technion - Israel Institute of Technology, Israel), and Roy Schwartz (Technion - Israel Institute of Technology, Israel)</i>	
The Bidirected Cut Relaxation for Steiner Tree has Integrality Gap Smaller than 2	730
<i>Jarosław Byrka (University of Wrocław, Poland), Fabrizio Grandoni (USI-SUPSI, Switzerland), and Vera Traub (University of Bonn, Germany)</i>	
Efficient Approximation of Fractional Hypertree Width	754
<i>Viktoria Korchemna (TU Wien, Austria), Daniel Lokshantov (University of California Santa Barbara, USA), Saket Saurabh (University of Bergen, Norway; Institute of Mathematical Sciences, India), Vaishali Surianarayanan (University of California Santa Barbara, USA), and Jie Xue (New York University Shanghai, China)</i>	
Canonical Forms for Matrix Tuples in Polynomial Time	780
<i>Youming Qiao (University of Technology Sydney, Australia) and Xiaorui Sun (University of Illinois at Chicago, USA)</i>	

Session 4A

Polynomial Calculus Sizes Over the Boolean and Fourier Bases are Incomparable	790
<i>Sasank Mouli (Department of Computer Science and Engineering, Indian Institute of Technology Indore, India)</i>	
A Dense Model Theorem for the Boolean Slice	797
<i>Gil Kalai (Hebrew University of Jerusalem and Reichman University, Israel), Noam Lifshitz (Hebrew University of Jerusalem, Israel), Dor Minzer (Massachusetts Institute of Technology, USA), and Tamar Ziegler (Hebrew University of Jerusalem, Israel)</i>	

Dot-Product Proofs and Their Applications	806
<i>Nir Bitansky (New York University, USA; Tel Aviv University, Israel), Prahladh Harsha (Tata Institute of Fundamental Research, India), Yuval Ishai (Technion, Israel), Ron D. Rothblum (Technion, Israel), and David J. Wu (University of Texas at Austin)</i>	
Low Acceptance Agreement Tests via Bounded-Degree Symplectic HDXs	826
<i>Yotam Dikstein (Computer Science and Discrete Mathematics, Institute for Advanced Study, USA), Irit Dinur (Dept. of Applied Math and Computer Science, The Weizmann Institute of Science, Israel), and Alexander Lubotzky (Department of Mathematics, The Weizmann Institute of Science, Israel)</i>	
Constant Degree Direct Product Testers with Small Soundness	862
<i>Mitali Bafna (MIT, USA), Noam Lifshitz (Hebrew University, Israel), and Dor Minzer (MIT, USA)</i>	
Chernoff Bounds and Reverse Hypercontractivity on HDX	870
<i>Yotam Dikstein (Computer Science and Discrete Mathematics, Institute for Advanced Study, USA) and Max Hopkins (Princeton University, USA)</i>	
Approximation Algorithms for Noncommutative CSPs	920
<i>Eric Culf (University of Waterloo, Canada), Hamoon Mousavi (University of California, USA), and Taro Spirig (University of Copenhagen, Denmark)</i>	

Session 4B

Certifying Euclidean Sections and Finding Planted Sparse Vectors Beyond the Sqrt(n) Dimension Threshold	930
<i>Venkatesan Guruswami (Department of EECS, UC Berkeley, USA), Jun-Ting Hsieh (Carnegie Mellon University, USA), and Prasad Raghavendra (Department of EECS, UC Berkeley, USA)</i>	
Sum-of-Squares Lower Bounds for Non-Gaussian Component Analysis	949
<i>Ilias Diakonikolas (University of Wisconsin-Madison, United States), Sushrut Karmalkar (University of Wisconsin-Madison, United States), Shuo Pang (University of Copenhagen, Denmark), and Aaron Potechin (University of Chicago, United States)</i>	
Semirandom Planted Clique and the Restricted Isometry Property	959
<i>Jarosław Błasiok (ETH Zurich, Switzerland), Rares-Darius Buhai (ETH Zurich, Switzerland), Pravesh K. Kothari (IAS & Princeton University, USA), and David Steurer (ETH Zurich, Switzerland)</i>	
Efficient Certificates of Anti-Concentration Beyond Gaussians	970
<i>Ainesh Bakshi (MIT, USA), Pravesh K. Kothari (IAS, USA), Goutham Rajendran (CMU, USA), Madhur Tulsiani (TTIC, USA), and Aravindan Vijayaraghavan (Northwestern, USA)</i>	
Efficient Statistics With Unknown Truncation, Polynomial Time Algorithms, Beyond Gaussians....	988
<i>Jane H. Lee (Yale University, U.S.A.), Anay Mehrotra (Yale University, U.S.A.), and Manolis Zampetakis (Yale University, U.S.A.)</i>	

Tensor Cumulants for Statistical Inference on Invariant Distributions	1007
<i>Dmitriy Kunisky (Johns Hopkins University, USA), Cristopher Moore (Santa Fe Institute, USA), and Alexander S. Wein (University of California, Davis, USA)</i>	

Session 4C

High-Temperature Gibbs States are Unentangled and Efficiently Preparable	1027
<i>Ainesh Bakshi (MIT, USA), Allen Liu (MIT, USA), Ankur Moitra (MIT, USA), and Ewin Tang (UC Berkeley, USA)</i>	
Structure Learning of Hamiltonians from Real-Time Evolution	1037
<i>Ainesh Bakshi (MIT, USA), Allen Liu (MIT, USA), Ankur Moitra (MIT, USA), and Ewin Tang (UC Berkeley, USA)</i>	
Quantum Eigenvalue Processing	1051
<i>Guang Hao Low (Microsoft, USA) and Yuan Su (Microsoft, USA)</i>	
Quantum Computational Advantage with Constant-Temperature Gibbs Sampling	1063
<i>Thiago Bergamaschi (University of California, Berkeley, USA), Chi-Fang Chen (California Institute of Technology, USA), and Yunchao Liu (University of California, Berkeley, USA)</i>	
Optimal Tradeoffs for Estimating Pauli Observables	1086
<i>Sitan Chen (Harvard University, USA), Weiyuan Gong (Harvard University, USA), and Qi Ye (Tsinghua University, China)</i>	
A Computational Test of Contextuality and Even Simpler Proofs of Quantumness	1106
<i>Atul Singh Arora (University of Maryland, USA; Caltech, USA), Kishor Bharti (Agency for Science, Technology and Research (A*STAR), Singapore), Alexandru Cojocaru (University of Edinburgh, UK; University of Maryland, USA), and Andrea Coladangelo (University of Washington, USA)</i>	

Session 5: Best Student Papers

Capacity Threshold for the Ising Perceptron	1126
<i>Brice Huang (Massachusetts Institute of Technology, MA)</i>	
Optimal Quantile Estimation: Beyond the Comparison Model	1137
<i>Meghal Gupta (University of California, Berkeley, US), Mihir Singhal (University of California, Berkeley, US), and Hongxun Wu (University of California, Berkeley, US)</i>	

Session 6A

Proofs of Space with Maximal Hardness	1159
<i>Leonid Reyzin (Boston University, USA)</i>	
Commitments are equivalent to Statistically-Verifiable One-way State Generators	1178
<i>Rishabh Batra (National University of Singapore, Singapore) and Rahul Jain (National University of Singapore, Singapore)</i>	

Succinct Arguments for QMA from Standard Assumptions via Compiled Nonlocal Games	1193
<i>Tony Metger (ETH Zurich, Switzerland), Anand Natarajan (MIT, USA), and Tina Zhang (MIT, USA)</i>	
Certifying Almost all Quantum States with Few Single-Qubit Measurements	1202
<i>Hsin-Yuan Huang (Google Quantum AI, USA; California Institute of Technology, USA; Massachusetts Institute of Technology, USA), John Preskill (California Institute of Technology, USA; AWS Center for Quantum Computing, USA), and Mehdi Soleimanifar (California Institute of Technology, USA)</i>	
How to Simulate Random Oracles with Auxiliary Input	1207
<i>Yevgeniy Dodis (New York University), Aayush Jain (Carnegie Mellon University), Huijia Lin (University of Washington), Ji Luo (University of Washington), and Daniel Wichs (Northeastern University and NTT Research)</i>	

Session 6B

Online Combinatorial Allocations and Auctions with Few Samples	1231
<i>Paul Dütting (Google Research, Switzerland), Thomas Kesselheim (University of Bonn, Germany), Brendan Lucier (Microsoft Research New England, USA), Rebecca Reiffenhäuser (University of Amsterdam, The Netherlands), and Sahil Singla (Georgia Tech, USA)</i>	
Benchmark-Tight Approximation Ratio of Simple Mechanism for a Unit-Demand Buyer	1251
<i>Yaonan Jin (Huawei TCS Lab, China) and Pinyan Lu (Shanghai University of Finance and Economic, China)</i>	
Semi-Bandit Learning for Monotone Stochastic Optimization	1260
<i>Arpit Agarwal (Indian Institute of Technology, Bombay, India), Rohan Ghuge (Georgia Institute of Technology, USA), and Viswanath Nagarajan (University of Michigan, USA)</i>	
On Robustness to k-Wise Independence of Optimal Bayesian Mechanisms	1275
<i>Nick Gravin (Shanghai University of Finance and Economics, China) and Zhiqi Wang (Shanghai University of Finance and Economics, China)</i>	
Hardness of Approximate Sperner and Applications to Envy-Free Cake Cutting	1294
<i>Ruiquan Gao (Stanford University, USA), Mohammad Roghani (Stanford University, USA), Aviad Rubinfeld (Stanford University, USA), and Amin Saberi (Stanford University, USA)</i>	

Session 6C

The Tractability Border of Reachability in Simple Vector Addition Systems with States	1332
<i>Dmitry Chistikov (University of Warwick, United Kingdom), Wojciech Czerwiński (University of Warsaw, Poland), Filip Mazowiecki (University of Warsaw, Poland), Łukasz Orlikowski (University of Warsaw, Poland), Henry Sinclair-Banks (University of Warwick, United Kingdom), and Karol Węgrzycki (Saarland University and MPI for Informatics, Germany)</i>	

Hardness of Packing, Covering and Partitioning Simple Polygons with Unit Squares	1355
<i>Mikkel Abrahamsen (University of Copenhagen, Denmark) and Jack Stade (University of Copenhagen, Denmark)</i>	
The Orthogonal Vectors Conjecture and Non-Uniform Circuit Lower Bounds	1372
<i>Ryan Williams (Massachusetts Institute of Technology, MA)</i>	
Strong vs. Weak Range Avoidance and the Linear Ordering Principle	1388
<i>Oliver Kortén (Columbia University, USA) and Tonnian Pitassi (Columbia University, USA)</i>	
Faster Isomorphism Testing of p-Groups of Frattini Class 2	1408
<i>Gábor Ivanyos (Hungarian Research Network, Hungary), Euan J. Mendoza (University of Technology Sydney, Australia), Youming Qiao (University of Technology Sydney, Australia), Xiaorui Sun (University of Illinois Chicago, USA), and Chuanqi Zhang (University of Technology Sydney, Australia)</i>	

Session 7A

Boosting Uniformity in Quasirandom Groups: Fast and Simple	1425
<i>Harm Derksen (Northeastern University), Chin Ho Lee (North Carolina State University), and Emanuele Viola (Northeastern University)</i>	
The Sample Complexity of Smooth Boosting and the Tightness of the Hardcore Theorem	1431
<i>Guy Blanc (Stanford University, USA), Alexandre Hayderi (Stanford University, USA), Caleb Koch (Stanford University, USA), and Li-Yang Tan (Stanford University, USA)</i>	
On the Existence of Seedless Condensers: Exploring the Terrain	1451
<i>Eshan Chattopadhyay (Cornell University, USA), Mohit Gurumukhani (Cornell University, USA), and Noam Ringach (Cornell University, USA)</i>	
Tight Bounds for the Zig-Zag Product	1470
<i>Gil Cohen (Tel Aviv University, Israel), Itay Cohen (Tel Aviv University, Israel), and Gal Maor (Tel Aviv University, Israel)</i>	
Distinguishing, Predicting, and Certifying: On the Long Reach of Partial Notions of Pseudorandomness	1500
<i>Jiatu Li (CSAIL, MIT, USA), Edward Pyne (CSAIL, MIT, USA), and Roei Tell (University of Toronto, Canada)</i>	
Improved Condensers for Chor-Goldreich Sources	1513
<i>Jesse Goodman (The University of Texas at Austin, USA), Xin Li (Johns Hopkins University, MD), and David Zuckerman (The University of Texas at Austin, USA)</i>	

Session 7B

Improved Distance (Sensitivity) Oracles with Subquadratic Space	1550
<i>Davide Bilò (University of L'Aquila), Shiri Chechik (Tel Aviv University), Keerti Choudhary (Dep. of CS and Engineering, Indian Institute of Technology Delhi), Sarel Cohen (School of Computer Science, The Academic College of Tel Aviv-Yaffo), Tobias Friedrich (University of Potsdam), and Martin Schirneck (University of Vienna)</i>	

Sparse Graph Counting and Kelley-Meka Bounds for Binary Systems	1559
<i>Yuval Filmus (Technion, Israel), Hamed Hatami (McGill University, Canada), Kaave Hosseini (University of Rochester, USA), and Esty Kelman (Boston University and MIT, USA)</i>	
Towards Instance-Optimal Euclidean Spanners	1579
<i>Hung Le (University of Massachusetts Amherst, USA), Shay Solomon (Tel Aviv University, Israel), Cuong Than (University of Massachusetts Amherst, USA), Csaba Tóth (California State University Northridge, USA), and Tianyi Zhang (Tel Aviv University, Israel)</i>	
Sensitivity, Proximity and FPT Algorithms for Exact Matroid Problems	1610
<i>Friedrich Eisenbrand (EPFL, Switzerland), Lars Rohwedder (Maastricht University, Netherlands), and Karol Węgrzycki (Saarland University and MPI for Informatics, Germany)</i>	
Computational Hardness of Detecting Graph Lifts and Certifying Lift-Monotone Properties of Random Regular Graphs	1621
<i>Dmitriy Kunisky (Johns Hopkins University, USA) and Xifan Yu (Yale University, USA)</i>	
New Structures and Algorithms for Length-Constrained Expander Decompositions	1634
<i>Bernhard Haeupler (Univ. of Sofia "St. Kliment Ohridski" & ETH Zurich, Switzerland), D Ellis Hershkowitz (Brown University, USA), and Zihan Tan (Rutgers University, USA)</i>	

Session 7C

Replicability in High Dimensional Statistics	1646
<i>Max Hopkins (University of California, USA), Russell Impagliazzo (University of California, USA), Daniel Kane (University of California, USA), Sihan Liu (University of California, USA), and Christopher Ye (University of California, USA)</i>	
Computing Approximate Centerpoints in Polynomial Time	1654
<i>Yeshwanth Cherapanamjeri (Computer Science and Artificial Intelligence Laboratory (CSAIL), Massachusetts Institute of Technology, USA)</i>	
Near-Optimal Size Linear Sketches for Hypergraph Cut Sparsifiers	1669
<i>Sanjeev Khanna (University of Pennsylvania, USA), Aaron Putterman (Harvard University, USA), and Madhu Sudan (Harvard University, USA)</i>	
Sensitivity Sampling for k-Means: Worst Case and Stability Optimal Coreset Bounds	1707
<i>Nikhil Bansal (University of Michigan, USA), Vincent Cohen-Addad (Google Research, France), Milind Prabhhu (University of Michigan, USA), David Saulpic (Université Paris Cité, France), and Chris Schwiegelshohn (Aarhus University, Denmark)</i>	
Novel Properties of Hierarchical Probabilistic Partitions and Their Algorithmic Applications	1724
<i>Sandip Banerjee (IDSIA USI-SUPSI, Switzerland), Yair Bartal (The Hebrew University of Jerusalem, Israel), Lee-Ad Gottlieb (Ariel University, Israel), and Alon Hovav (The Hebrew University of Jerusalem, Israel)</i>	

Spectral Guarantees for Adversarial Streaming PCA	1768
<i>Eric Price (University of Texas at Austin, USA) and Zhiyang Xun (University of Texas at Austin, USA)</i>	

Session 8A

A Stronger Bound for Linear 3-LCC	1786
<i>Tal Yankovitz (Tel Aviv University, Israel)</i>	
Exponential Lower Bounds for Smooth 3-LCCs and Sharp Bounds for Designs	1802
<i>Pravesh K Kothari (Princeton University and the IAS, USA) and Peter Manohar (Carnegie Mellon University, USA)</i>	
Random Gabidulin Codes Achieve List Decoding Capacity in the Rank Metric	1846
<i>Zeyu Guo (The Ohio State University, USA), Chaoping Xing (Shanghai Jiao Tong University, China), Chen Yuan (Shanghai Jiao Tong University, China), and Zihan Zhang (The Ohio State University, USA)</i>	
Near-Tight Bounds for 3-Query Locally Correctable Binary Linear Codes via Rainbow Cycles	1874
<i>Omar Alrabiah (University of California, Berkeley, USA) and Venkatesan Guruswami (University of California, Berkeley, USA)</i>	
An Improved Line-Point Low-Degree Test	1883
<i>Prahladh Harsha (Tata Institute of Fundamental Research, India), Mrinal Kumar (Tata Institute of Fundamental Research, India), Ramprasad Satharishi (Tata Institute of Fundamental Research, India), and Madhu Sudan (Harvard University, USA)</i>	
Fast Decision Tree Learning Solves Hard Coding-Theoretic Problems	1893
<i>Caleb Koch (Stanford University, United States), Carmen Strassle (Stanford University, United States), and Li-Yang Tan (Stanford University, United States)</i>	

Session 8B

Gaussian Approximation of Convex Sets by Intersections of Halfspaces	1911
<i>Anindya De (University of Pennsylvania, USA), Shivam Nadimpalli (Department of Mathematics, Massachusetts Institute of Technology, USA), and Rocco Servedio (Columbia University, USA)</i>	
Agnostically Learning Multi-Index Models with Queries	1931
<i>Ilias Diakonikolas (UW Madison, USA), Daniel M. Kane (UCSD, USA), Vasilis Kontonis (UT Austin, USA), Christos Tzamos (UW Madison & University of Athens, Greece), and Nikos Zarifis (UW-Madison, USA)</i>	
Exploration is Harder than Prediction: Cryptographically Separating Reinforcement Learning from Supervised Learning	1953
<i>Noah Golowich (MIT, USA), Ankur Moitra (MIT, USA), and Dhruv Rohatgi (MIT, USA)</i>	
Revisiting Agnostic PAC Learning	1968
<i>Steve Hanneke (Purdue University, USA), Kasper Green Larsen (Aarhus University, Denmark), and Nikita Zhivotovskiy (UC Berkeley, USA)</i>	

Ramsey Theorems for Trees and a General 'Private Learning Implies Online Learning' Theorem... 1983
Simone Fioravanti (Department of Computer Science, Gran Sasso Science Institute (GSSI), Italy), Steve Hanneke (Purdue University, USA), Shay Moran (Departments of Mathematics, Computer Science & Data and Decision Sciences, Technion Google Research, Israel), Hilla Scheffler (Department of Mathematics, Technion, Israel), and Iska Tsubari (Department of Mathematics, Technion, Israel)

Session 8C

Almost-Linear Time Algorithms for Decremental Graphs: Min-Cost Flow and More via Duality ..	2010
<i>Jan van den Brand (Georgia Tech, USA), Li Chen (Carnegie Mellon University, USA), Rasmus Kyng (ETH Zurich, Switzerland), Yang P. Liu (Institute for Advanced Study, USA), Simon Meierhans (ETH Zurich, Switzerland), Maximilian Probst Gutenberg (ETH Zurich, Switzerland), and Sushant Sachdeva (University of Toronto, Canada)</i>	
Dynamic Deterministic Constant-Approximate Distance Oracles with $n^{\{\epsilon\}}$ Worst-Case Update Time	2033
<i>Bernhard Haeupler (University of Sofia "St. Kliment Ohridski" & ETH Zurich), Yaowei Long (University of Michigan), and Thatchaphol Saranurak (University of Michigan)</i>	
Lempel–Ziv (LZ77) Factorization in Sublinear Time	2045
<i>Dominik Kempa (Stony Brook University, USA) and Tomasz Kociumaka (Max Planck Institute for Informatics, Germany)</i>	
Maximum Flow by Augmenting Paths in $n^{\{2+o(1)\}}$ Time	2056
<i>Aaron Bernstein (New York University, USA), Joakim Blikstad (KTH Royal Institute of Technology, Sweden; Max Planck Institute for Informatics, Germany), Thatchaphol Saranurak (University of Michigan, USA), and Ta-Wei Tu (Stanford University, USA)</i>	
Near-Optimal $(1 + \epsilon)$ -Approximate Fully-Dynamic All-Pairs Shortest Paths in Planar Graphs	2078
<i>Arnold Filtser (Bar-Ilan University, Israel), Gramoz Goranci (University of Vienna, Austria), Neel Patel (University of Southern California, USA), and Maximilian Probst Gutenberg (ETH Zurich, Switzerland)</i>	

Session 9: Best Papers

Universal Optimality of Dijkstra via Beyond-Worst-Case Heaps	2099
<i>Bernhard Haeupler (ETH Zurich, Switzerland; University of Sofia, Bulgaria), Richard Hladik (ETH Zurich, Switzerland; University of Sofia, Bulgaria), Václav Rozhoň (University of Sofia, Bulgaria), Robert E. Tarjan (Princeton University, United States), and Jakub Tětek (University of Sofia, Bulgaria)</i>	

Session 10A

Verifying Groups in Linear Time	2131
<i>Shai Evra (The Hebrew University of Jerusalem, Israel), Shay Gadot (The Hebrew University of Jerusalem, Israel), Ohad Klein (The Hebrew University of Jerusalem, Israel), and Ilan Komargodski (The Hebrew University of Jerusalem, Israel)</i>	
Near-Optimal Deterministic Network Decomposition and Ruling Set, and Improved MIS	2148
<i>Mohsen Ghaffari (Massachusetts Institute of Technology) and Christoph Grunau (ETH Zurich)</i>	
Power Series Composition in Near-Linear Time	2180
<i>Yasunori Kinoshita (Tokyo Institute of Technology, Japan) and Baitian Li (Tsinghua University, China)</i>	
Faster $(\Delta + 1)$ -Edge Coloring: Breaking the $m \sqrt{n}$ Time Barrier	2186
<i>Sayan Bhattacharya (Warwick University, United Kingdom), Din Carmon (Tel Aviv University, Israel), Martin Costa (Warwick University, United Kingdom), Shay Solomon (Tel Aviv University, Israel), and Tianyi Zhang (Tel Aviv University, Israel)</i>	
An Improved Pseudopolynomial Time Algorithm for Subset Sum	2202
<i>Lin Chen (Zhejiang University, China), Jiayi Lian (Zhejiang University, China), Yuchen Mao (Zhejiang University, China), and Guochuan Zhang (Zhejiang University, China)</i>	
Naively Sorting Evolving Data is Optimal and Robust	2217
<i>George Giakkoupis (Univ Rennes, France), Marcos Kiwi (Universidad de Chile, Chile), and Dimitrios Los (Univ Rennes, France)</i>	
Tight Bounds for Sorting Under Partial Information	2243
<i>Ivor van der Hoog (Technical University of Denmark, Denmark) and Daniel Rutschmann (Technical University of Denmark, Denmark)</i>	

Session 10B

Nearly Optimal List Labeling	2253
<i>Michael A Bender (Stony Brook University and RelationalAI, USA), Alex Conway (Cornell Tech, USA), Martín Farach-Colton (New York University, USA), Hanna Komlos (New York University, USA), Michal Koucky (Charles University, Czech Republic), William Kuszmaul (Carnegie Mellon University, USA), and Michael Saks (Rutgers University, USA)</i>	
Stochastic Online Correlated Selection	2275
<i>Ziyun Chen (University of Washington, USA), Zhiyi Huang (University of Hong Kong, China), and Enze Sun (University of Hong Kong, China)</i>	
Directed Isoperimetry and Monotonicity Testing: A Dynamical Approach	2295
<i>Renato Ferreira Pinto (University of Waterloo, Canada)</i>	
Efficient and Near-Optimal Noise Generation for Streaming Differential Privacy	2306
<i>Krishnamurthy Dvijotham (Google DeepMind), H. Brendan McMahan (Google Research), Krishna Pillutla (IIT Madras), Thomas Steinke (Google DeepMind), and Abhradeep Thakurta (Google DeepMind)</i>	

A Strong Separation for Adversarially Robust ℓ_0 Estimation for Linear Sketches	2318
<i>Elena Gribelyuk (Princeton University, USA), Honghao Lin (Carnegie Mellon University, USA), David P. Woodruff (Carnegie Mellon University, USA), Huacheng Yu (Princeton University, USA), and Samson Zhou (Texas A&M University, USA)</i>	

Session 10C

The ESPRIT Algorithm Under High Noise: Optimal Error Scaling and Noisy Super-Resolution	2344
<i>Zhiyan Ding (UC Berkeley), Ethan Epperly (Caltech), Lin Lin (UC Berkeley and Lawrence Berkeley National Laboratory), and Ruizhe Zhang (Simons Institute)</i>	
Constant-Depth Arithmetic Circuits for Linear Algebra Problems	2367
<i>Robert Andrews (University of Waterloo, Canada) and Avi Wigderson (School of Mathematics, Institute for Advanced Study, United States)</i>	
Gradient Descent for Unbounded Convex Functions on Hadamard Manifolds and its Applications to Scaling Problems	2387
<i>Hiroshi Hirai (Nagoya University, Japan) and Keiya Sakabe (The University of Tokyo, Japan)</i>	
On the Complexity of Avoiding Heavy Elements	2403
<i>Zhenjian Lu (University of Warwick, UK), Igor Carboni Oliveira (University of Warwick, UK), Hanlin Ren (University of Oxford, UK), and Rahul Santhanam (University of Oxford, UK)</i>	
Gradient Descent is Pareto-Optimal in the Oracle Complexity and Memory Tradeoff for Feasibility Problems	2413
<i>Moïse Blanchard (Massachusetts Institute of Technology, USA)</i>	

Author Index