

2024 Twelfth International Symposium on Computing and Networking (CANDAR 2024)

**Naha, Japan
26-29 November 2024**



**IEEE Catalog Number: CFP2419X-POD
ISBN: 979-8-3315-2837-9**

**Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP2419X-POD
ISBN (Print-On-Demand):	979-8-3315-2837-9
ISBN (Online):	979-8-3315-2836-2
ISSN:	2379-1888

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2024 Twelfth International Symposium on Computing and Networking (CANDAR) CANDAR 2024

Table of Contents

Message from the Organizers	x
Conference Organizers	xi
Program Committee	xiii
Reviewers	xvii

Long Papers

Group Signatures with Designated Traceability over Openers' Attributes from Lattices	1
<i>Hiroaki Anada (Meiji Gakuin University, Japan), Masayuki Fukumitsu (University of Nagasaki, Japan), and Shingo Hasegawa (Fukushima University, Japan)</i>	
Reasoning and Justification System for Domestic Hazardous Behaviors Based on Knowledge	
Graph of Daily Activities and Retrieval-Augmented Generation	11
<i>Fumikatsu Anaguchi (Aoyama Gakuin University, Japan; National Institute of Advanced Industrial Science and Technology (AIST), Japan), Sudesna Chakraborty (Aoyama Gakuin University, Japan), Takeshi Morita (Aoyama Gakuin University, Japan; National Institute of Advanced Industrial Science and Technology (AIST), Japan), Shusaku Egami (National Institute of Advanced Industrial Science and Technology (AIST), Japan), Takanori Ugai (Fujitsu Limited, Japan; National Institute of Advanced Industrial Science and Technology (AIST), Japan), and Ken Fukuda (National Institute of Advanced Industrial Science and Technology (AIST), Japan)</i>	
DRAS-OD: A Reinforcement Learning Based Job Scheduler for On-Demand Job Scheduling in High-Performance Computing Systems	21
<i>Hang Cui (Tohoku University, Japan), Keichi Takahashi (Tohoku University, Japan), and Hiroyuki Takizawa (Tohoku University, Japan)</i>	
CodoMo: Python Model Checking to Integrate Agile Verification Process of Computer Vision Systems	30
<i>Yojiro Harie (Kanazawa Gakuin University, Japan), Yuto Ogata (Kanazawa Gakuin University, Japan), Bishnu Prasad Gautam (Kanazawa Gakuin University, Japan), and Katasumi Wasaki (Shinshu University, Japan)</i>	
Message and Order Flexible Pairing Based Multisignature	39
<i>Kodai Hayashida (Osaka University, Japan) and Atsuko Miyaji (Osaka University, Japan)</i>	

An Analysis of Relationship Between Social Bots and Echo Chambers on X in Modern Japan	49
<i>Shuhei Ippa (Institute of Information Security, Japan), Takao Okubo (Institute of Information Security, Japan), and Masaki Hashimoto (Kagawa University, Japan)</i>	
Real-Time Phase Retrieval Using On-the-Fly Training of Sample-Specific Surrogate Models	59
<i>Ryota Koda (Tohoku University, Japan), Keichi Takahashi (Tohoku University, Japan), Hiroyuki Takizawa (Tohoku University, Japan), Nozomu Ishiguro (Tohoku University, Japan), and Yukio Takahashi (Tohoku University, Japan)</i>	
A Transparent Zero-Knowledge Dual Membership Set Commitment Based on Perfect Hash Function..	67
<i>Keyang Liu (The University of Tokyo) and Tsuyoshi Takagi (The University of Tokyo)</i>	
Effective Candidate Invariant Generation Using GPGPUs and Optimisations	77
<i>Ben-Lloyd Roberts (Swansea University, United Kingdom), Filippos Pantekis (Swansea University, United Kingdom), Phillip James (Swansea University, United Kingdom), Liam O'Reilly (Swansea University, United Kingdom), and Michael Edwards (Swansea University, United Kingdom)</i>	
Adaptive Parallelization Based on Frame-Level and Tile-Level Parallelisms for VVC Encoding	87
<i>Karin Onouchi (Tohoku University, Japan), Masayuki Sato (Tohoku University, Japan), Hiroe Iwasaki (Tokyo University of Agriculture and Technology, Tokyo), Kazuhiko Komatsu (Tohoku University, Japan), and Hiroaki Kobayashi (Tohoku University, Japan)</i>	
A Hierarchical Heuristic for Clustered Steiner Trees in the Plane with Obstacles	96
<i>Victor Parque (Hiroshima University, Japan)</i>	
A Machine Learning Based Method for Rating Adversarial Board Games	106
<i>Ryosei Shimanuki (Hosei University, Japan) and Hiroshi Hosobe (Hosei University, Japan)</i>	
GPU Acceleration of Head-Gordon-Pople Algorithm	115
<i>Kanta Suzuki (Hiroshima University, JAPAN), Yasuaki Ito (Hiroshima University, JAPAN), Haruto Fujii (Hiroshima University, JAPAN), Nobuya Yokogawa (Hiroshima University, JAPAN), Satoki Tsuji (Hiroshima University, JAPAN; Fujitsu Limited, JAPAN), Koji Nakano (Hiroshima University, JAPAN), and Akihiko Kasagi (Fujitsu Limited, JAPAN)</i>	
FPGA-Oriented Two-Phase Bundled-Data Circular Self-Timed Pipeline	125
<i>Senri Yoshikawa (University of Tsukuba, Japan), Shuji Sannomiya (University of Tsukuba, Japan), Makoto Iwata (Kochi University of Technology, Japan), and Hiroaki Nishikawa (University of Tsukuba, Japan)</i>	

Regular Papers

Evaluating Differential Privacy in Federated Continual Learning: A Catastrophic Forgetting-Performance Tradeoff Analysis	135
<i>Chunlu Chen (Kyushu University, Japan), Zhuotao Lian (Kyushu University, Japan), Chunhua Su (The University of Aizu, Japan), and Kouichi Sakurai (Kyushu University, Japan)</i>	

Random Number Generation Based on Cryptocurrency Prices and Linear Feedback Shift Register. 142 <i>Ayumu Chiba (Toyohashi University of Technology, Japan) and Shuichi Ichikawa (Toyohashi University of Technology, Japan)</i>	
Hardware Mechanism for Detecting Malicious Communication in IoT Devices by using Time-Series Processor Information 149 <i>Kyohei Fujiwara (Kogakuin University, Japan), Ryotaro Kobayashi (Kogakuin University, Japan), and Masahiko Kato (Juntendo University, Japan)</i>	
Depth-First Search Algorithms for Algebraic Connectivity Maximizing Regular Graphs 156 <i>Masashi Kurahashi (Okayama University, Japan), Najd Salaani (Sorbonne University, France), Tsuyoshi Migita (Okayama University, Japan), and Norikazu Takahashi (Okayama University, Japan)</i>	
CaT: A Category-Oriented Transformer for Text and Sentiment Analysis in Japanese Hotel Overall Ratings Prediction 162 <i>Zaku Kusunoki (Hiroshima University, Japan), Shuai Jiang (Hiroshima University, Japan), Shengzhe Hou (Shandong University of Science and Technology, China), Sayaka Kamei (Hiroshima University, Japan), and Yasuhiko Morimoto (Hiroshima University, Japan)</i>	
Serval: A Wait-Free Multi-Version Deterministic Concurrency Control Scheme 169 <i>Haowen Li (Keio University, Japan), Rina Onishi (Keio University, Japan), and Hideyuki Kawashima (Keio University, Japan)</i>	
Analysis of API Calls with 'A' and 'W' Suffixes used in Parent and Child Processes for Ransomware Detection 176 <i>Yoshiki Matsuda (Tottori University, Japan), Kenichi Takahashi (Tottori University, Japan), Masayuki Higashino (Tottori University, Japan), and Takao Kawamura (Tottori University)</i>	
A System Call Moving Target Defense for Binary Injections 183 <i>Yuta Minato (Kyushu Univ., Japan), Takeshi Masumoto (Kyushu Univ., Japan; NEC Corporation, Japan), and Hiroshi Koide (Kyushu Univ., Japan)</i>	
DC-PaDiM: Fast Anomaly Detection Based on Effective Feature Dimension-Compression 190 <i>Naoki Murakami (Chukyo University, Japan), Naoto Hiramatsu (Chukyo University, Japan), Hiroki Kobayashi (Chukyo University, Japan), Shuichi Akizuki (Chukyo University, Japan), and Manabu Hashimoto (Chukyo University, Japan)</i>	
How to Efficiently Determine the Lattice Scale for Fuzzy Extractors and Fuzzy Signatures 196 <i>Wataru Nakamura (Hitachi, Ltd., Japan) and Kenta Takahashi (Hitachi, Ltd., Japan)</i>	
Decentralized Attribute-Based Credentials with Short Attribute Proofs from DualRing 203 <i>Toru Nakanishi (Hiroshima University, Japan), Masanori Tani (Hiroshima University, Japan), and Teruaki Kitasuka (Hiroshima University, Japan)</i>	
A Hybrid Evolutionary Approach for Multi Robot Coordinated Planning at Intersections 210 <i>Victor Parque (Hiroshima University, Japan)</i>	
Toward Collision-Free LoRaWAN Communication Under the Coexistence with Wi-Fi Networks .. 217 <i>Chenglong Shao (Kyushu Institute of Technology, Japan), Tongyang Xu (Newcastle University, UK), and Qinghe Du (Xi'an Jiaotong University, China)</i>	

Exploiting N:M Sparsity in Quantized-Folded ResNets: Signed Multicoat Supermasks and Iterative Pruning-Quantization	224
<i>Akihiro Shioda (Institute of Science Tokyo, Japan), Angel López García-Arias (NTT Corporation, Japan), Hikari Otsuka (Institute of Science Tokyo, Japan), Yuki Ichikawa (Institute of Science Tokyo, Japan), Yasuyuki Okoshi (Institute of Science Tokyo, Japan), Kazushi Kawamura (Institute of Science Tokyo, Japan), Thiem Van Chu (Institute of Science Tokyo, Japan), Daichi Fujiki (Institute of Science Tokyo, Japan), and Masato Motomura (Institute of Science Tokyo, Japan)</i>	
PESA: Power-Efficient SPHINCS+ Accelerator for Multi-Domain Security Applications on FPGA SoC	231
<i>Vu Trung Duong Le (Nara Institute of Science and Technology, Japan), Anh Kiet Pham (University of Information Technology - VNUHCM, Vietnam), Hoai Luan Pham (Nara Institute of Science and Technology, Japan), Tuan Hai Vu (Nara Institute of Science and Technology, Japan), and Yasuhiko Nakashima (Nara Institute of Science and Technology, Japan)</i>	
Benchmarking Classical and Quantum Optimizers for Quantum Simulator	238
<i>Vu Tuan Hai (Nara Institute of Science and Technology, Japan), Le Vu Trung Duong (Nara Institute of Science and Technology, Japan), Pham Hoai Luan (Nara Institute of Science and Technology, Japan), and Yasuhiko Nakashima (Nara Institute of Science and Technology, Japan)</i>	
Ransomware Detection Using Write Data Obtained from I/O Request Packets	245
<i>Yuki Ueki (Hitachi, Ltd., Japan), Katsuya Nishijima (Hitachi, Ltd., Japan), Nobutaka Kawaguchi (Hitachi, Ltd., Japan), Tomohiro Shigemoto (Hitachi, Ltd., Japan), and Tateki Harada (Hitachi Solution, Ltd., Japan)</i>	
Implementation and Evaluation of LLM on a CGLA	252
<i>Hitoaki Uetani (Nara Institute of Science and Technology, Japan) and Yasuhiko Nakashima (Nara Institute of Science and Technology, Japan)</i>	
Multithreaded Edge-Assisted Visual SLAM with Keyframe Backup Mechanism	259
<i>Chenzhang Xia (Kyushu University, Japan), Yuan Wang (Kyushu University, Japan), and Koji Inoue (Kyushu University, Japan)</i>	
An FPGA-Oriented Quantization Approach for Vision Transformer with LUT-Friendly Operations.....	266
<i>Cheng Xu (Nara Institute of Science and Technology, Japan), Yirong Kan (Nara Institute of Science and Technology, Japan), Renyuan Zhang (Nara Institute of Science and Technology, Japan), and Yasuhiko Nakashima (Nara Institute of Science and Technology, Japan)</i>	
Context Cache for Multicore RISC-V Processor	272
<i>Akira Yamazawa (Keio University, Japan), Tsutomu Itou (Axell Corporation, Japan), Kazutoshi Suito (Axell Corporation, Japan), and Nobuyuki Yamasaki (Keio University, Japan)</i>	
Retrieving Similar Partial Trajectories in Soccer Games Considering Surrounding Player Movements	279
<i>Tomonari Yoshida (Nihon University, Japan) and Tomonobu Ozaki (Nihon University, Japan)</i>	

Author Index 285