
Polymer Electrolyte Fuel Cells and Water Electrolyzers 24 (PEFC&WE 24)

Editors:

K. Swider-Lyons	U. I. Kramm	C. Gittleman
E. Kjeang	K. Kakinuma	J. W. Han
A. Z. Weber	D-H. Ha	M. Chatenet
J. Jankovic	W. E. Mustain	M. Hickner
B. Lakshmanan	R. A. Mantz	J. Eller
C. Rice	D. R. Dekel	M. Secanell
A. Kusoglu	B. Pivovar	S. Jang
D. Jones	H. Xu	H-I. Joh
P. N. Pintauro	C. B. Capuano	S. H. Joo
H. Uchida	S. Mitsushima	Y. Gonzalez-Garcia
P. Strasser	Y. Orikasa	
Y-T. Kim	I. Zenyuk	

Sponsoring Divisions:



Energy Technology



Battery



Corrosion



Industrial Electrochemistry and
Electrochemical Engineering

ECSJ PEFC

KECS Fuel Cells and Electrolyzers



Published by
The Electrochemical Society
65 South Main Street, Building D
Pennington, NJ 08534-2839, USA
tel 609 737 1902
fax 609 737 2743
www.electrochem.org

ECStransactions™

Vol. 114, No. 5

Copyright 2024 by The Electrochemical Society.
All rights reserved.

This book has been registered with Copyright Clearance Center.
For further information, please contact the Copyright Clearance Center,
Salem, Massachusetts.

Published by:

The Electrochemical Society
65 South Main Street
Pennington, New Jersey 08534-2839, USA

Telephone 609.737.1902
Fax 609.737.2743
e-mail: ecs@electrochem.org
Web: www.electrochem.org

ISSN 1938-6737 (online)

ISBN 978-1-62332-659-3 (PDF)

Printed in the United States of America.

Table of Contents

Preface *iii*

Chapter 1 Fuel Cell Electrocatalyst Activity and Durability

Durability of Highly Active PGM Catalyst MEA Tested Via Nitrogen and Air AST Cycling Under HDV Condition <i>G. Zhu, Q. Zhang, H. Yu, D. A. Cullen, S. Jeon, E. Ortiz, E. A. Stach, O. C. Marina, Z. H. Li, J. Xie</i>	3
Effect of Annealing Time on Various PtNi/C Binary Alloy Catalysts for ORR in PEFCs <i>K. Yamaguchi, B. Garavdorj, H. Wakita, K. Ui, T. Takeguchi</i>	13
Relationship Between Synthesis Conditions and ORR Activity of PtCo Nanowire/C Catalysts for PEFC Cathodes <i>K. Shibata, T. Takeguchi, H. Wakita, K. Ui, B. Garavdorj</i>	21
The Performance of PEFC with Marimo-like Carbon Considering Relative Humidity <i>K. Takamura, S. Hosokawa, H. Gunji, M. Eguchi</i>	29
The Effects of Contact By the Catalyst Layer and the Gas Diffusion Layer Interface on the Performance of a PEFC with Marimo-like Carbon <i>K. Takamura, M. Sano, H. Gunji, M. Eguchi</i>	39
PEFC Electrocatalysts using Highly-Graphitized Mesoporous Carbon Supports <i>K. Kubo, K. Sanami, T. Suzuki, Z. Noda, M. Yasutake, J. Matsuda, S. M. Lyth, M. Nishihara, K. Sasaki</i>	47
The Development of Uniform-Sized Pt-Based Binary Alloy Electrocatalysts for ORR in Polymer Electrolyte Fuel Cells <i>B. Garavdorj, O. Galindev, H. Wakita, K. Ui, T. Takeguchi</i>	57

Highly Porous Nitrogen and Phosphorus Dual-Doped Carbon with Increased Phosphorus Content As an Efficient Oxygen Reduction Electrocatalyst <i>N. Tachibana, H. Namiki, S. Somekawa</i>	65
Pt Ternary Alloy with Rare Earth Metal - Pt ₅ Ce-Co Intermetallic Nanoparticles as Highly Active Catalyst for Oxygen Reduction Reaction in PEMFCs <i>Q. Zhang, S. Jeon, B. E. Vander Pas, J. Bai, H. Zhang, G. Zhu, M. Behzadnia, G. M. Filippelli, F. WANG, P. Liu, E. A. Stach, J. Xie</i>	75
A Tantalum-Rich Pt-Ta-Co Electrocatalyst for Polymer Electrolyte Fuel Cells <i>K. Sanami, K. Kubo, R. Miyamoto, M. Yasutake, Z. Noda, S. M. Lyth, J. Matsuda, K. Sasaki</i>	85

Chapter 2

Electrolyzer Electrocatalyst Activity and Durability

Investigation of the Durability of a Water Electrolysis Cell with Iridium Fiber Anode Against Voltage Fluctuations Simulating Wind Power <i>S. Nagatomo, Y. A. Hutapea, K. Ito, A. Hayashi</i>	95
Activity and Stability of Iridium-Based Alloy Catalysts for PEM Electrolyzer <i>S. Mariappan, J. F. Drillet</i>	107

Chapter 3

Ionomers, Membranes and Separators for Fuel Cells and Electrolyzers

Fitting Scattering Profiles of Perfluorinated Sulfonic Acid Ionomer Dispersions <i>E. Jeong, S. Litster</i>	117
Effects of Ionomer Film Thickness and Water Content on Oxygen Permeation Properties of PEFC Cathode Catalyst <i>K. Hikida, H. Suzuki, T. Tokumasu</i>	127
Transport Mechanism of Hydroxide Ions Focused on the Vehicle Mechanism Near the Cation Sites in Anion Exchange Membranes <i>R. Ono, H. Suzuki, K. Miyatake, T. Tokumasu</i>	133

Analysis of Transport Characteristics of Protons in Polymer Electrolyte Membranes in PEFC below Freezing Temperatures <i>H. Nishizawa, T. Tokumasu</i>	141
Coarse-Grained Molecular Dynamics Simulation of Ionomer-Mediated Carbon Cluster Bonding in Polymer Electrolyte Fuel Cell Catalyst Layers <i>R. Liu, S. Wang, Y. Guo, S. F. Huang, T. Tokumasu</i>	151
Advanced Free Radical Scavenger for Proton Exchange Membrane Fuel Cells <i>L. Wang, H. Jia</i>	161
Development of a Superior Anion Exchange Membrane with Hyperbranched Polymer for Anion Exchange Membrane Water Electrolysis <i>T. Palanivel, S. Kalanur, V. Rajangam, B. G. Pollet</i>	169
Stepwise Crystallization and Mass Transport Limitations in Annealed SPEEK Thin Films <i>X. GAO, K. Guo, H. Cui, C. Huang, Y. Niu, Y. Chen, N. Ohta, W. Yi</i>	179
Effect of Contamination in the Carbon Catalyst Support on Chemical Degradation of Polymer Electrolyte Membranes in Fuel Cells <i>S. Nakamura, K. Sanami, Z. Gautama, Z. Noda, M. Yasutake, S. M. Lyth, M. Nishihara, K. Sasaki</i>	183
Evaluating Effects of Cerium Concentration and Water Content on Diffusivity of Cerium Ions in PEFC Using Molecular Dynamics Simulations <i>H. Suzuki, T. Tokumasu</i>	191

Chapter 4 **Fuel Cell Electrodes, MEAs and Diagnostics**

Understanding of Water Transport through Membrane Electrode Assembly in PEFC <i>M. Kageyama, K. Nakamichi, M. Tominaga, M. Kawase</i>	203
High Current Density Operation of Proton Exchange Membrane Fuel Cells at a Constant Relative Humidity <i>W. Liu, Z. Zhong, V. Liso, T. Berning</i>	221

A Platinum Degradation Reaction Model for the High-Speed Computation in the Integrated Fuel Cell System Simulator and its Validation by the Accelerated Stress Test Data of the Commercial Fuel Cells <i>S. Hasegawa, S. Kim, M. Kageyama, M. Kawase</i>	233
Modeling The Hydrogen Crossover Through Membrane With And Without Catalyst Layers <i>B. B. Polat, K. Nakamichi, Y. Ma, M. Kageyama, B. Polat</i>	255
Electrochemical Characteristics of Polymer Electrolyte Fuel Cells Using Pt-Ta-Co Electrocatalysts <i>R. Miyamoto, K. Sanami, T. Suzuki, K. Kubo, M. Yasutake, Z. Noda, M. Nishihara, J. Matsuda, S. M. Lyth, K. Sasaki</i>	277
Improvement of Mesoporous Carbon Supports for PEFC <i>H. Doi, Y. A. Hutapea, A. Hayashi</i>	289
Microstructural Design of PEFC Electrocatalyst Layer Using Mesoporous Carbon <i>T. Suzuki, R. Miyamoto, M. Yasutake, Z. Noda, S. M. Lyth, M. Nishihara, J. Matsuda, K. Sasaki</i>	301
Bimodal Behavior of Catalyst Layers Prepared By Electrospray: High Water Uptake and Superhydrophobicity <i>P. A. Garcia-Salaberri, S. Merino, G. de Diego, L. Duque, H. Shahzad, E. Diaz-Alvarez, M. A. Folgado, A. M. Chaparro</i>	309
Diagnosis Method of Failure in PEMFC Using Magnetic Fields <i>M. Shibata, Y. Akimoto, K. Okajima, T. Nishi, S. Tanaka</i>	317
From Catalyst Ink to PEM Fuel Cell Stack: First Full-Size Screen Printed Catalyst Layers Tested within a Generic Stack <i>L. Ney, D. Herbst, N. Wengenmeyr, Z. Kiaee, N. P. Thombra, F. Häußler, L. Joerissen, U. Groos</i>	329
Effect of Non-ionic Surfactant on Fe-N-C Catalyst Layers under HT-PEMFC Conditions <i>T. Zierdt, J. Knake, J. Müller-Hülstede, D. Schonvogel, P. Wagner, M. Wark, K. A. Friedrich</i>	339

In-Depth Analysis of the Impact of Ionomer Content on PEMFC Degradation By Combining Electrochemical Characterization Techniques and Transmission Line Modeling <i>S. Raab, P. Y. A. Chuang, A. Weber</i>	351
Effect of GDL Structure and Operating Conditions on PEMFC Performance and Liquid Water Removal <i>S. Tateyama, T. Suzuki, M. Nasu, N. Hirayama, M. Watanabe, M. Uchida, A. Iiyama, S. Tsushima</i>	367
Water Permeability and Oxygen Transport Resistance of Hydrophilic and Hydrophobic Composite Microporous Layer Coated Gas Diffusion Layer <i>P. Wang, H. Nakajima, T. Kitahara</i>	377
Self-Supporting Microporous Layer for Polymer Electrolyte Fuel Cells Using Thin Carbon Mesh Gas Diffusion Layer <i>M. Yoshikawa, Z. Noda, M. Yasutake, T. Kitahara, S. M. Lyth, J. Matsuda, M. Nishihara, K. Sasaki</i>	391
Effect of Formic Acid on Fuel Cell Performance for Automobile Applications <i>Y. Matsuda, T. Shimizu, D. Imamura</i>	403
Understanding the Impact of Gas Diffusion Layer Degradation on Water Inventory in Low Temperature PEM Fuel Cells for Heavy Duty Vehicles Application: Operando X-Ray and Neutron Imaging Study <i>S. Saadat, T. Arlt, F. Wilhelm, N. Kardjilov, L. Hopfer, O. Sans-Planell, F. Regnet, L. Helfen, H. Markötter, F. Wilde, I. Manke, J. Scholta, M. Hölzle</i>	415
Spatially Resolved Analysis of the Influence of Three-Dimensional Flow Field Structures on Loss Processes in PEMFCs <i>P. Oppek, S. Raab, A. Weber</i>	427
Relative Humidity Distribution along the Gas Flow Channel in a Wide Temperature Range <i>B. B. Polat, K. Nakamichi, Y. Ma, M. Kageyama, M. Kawase</i>	437
Influence of the Clamping Force and the Formation of Liquid Water Along the Channel on the Local Diffusion Processes in PEMFCs <i>Y. Fischer, P. Oppek, P. Y. A. Chuang, A. Weber</i>	455

Modeling the Effect of Cell Orientation on the Performance of an Air-Breathing Polymer Electrolyte Fuel Cell with a Columnar Cathode Plate	465
<i>P. A. Garcia-Salaberri, H. Shahzad, L. Duque, M. A. Folgado, E. Diaz-Álvarez, A. M. Chaparro</i>	

Chapter 5 **Electrolyzer Electrodes, MEAs and Diagnostics**

Deciphering Anion Exchange Membrane Water Electrolysis: A Distribution of Relaxation Times Approach	483
<i>M. Ranz, B. Grabner, B. Schweighofer, H. Wegleiter, A. Trattner</i>	
Electrochemical Impedance Spectra Measurements and Analysis of Polymer Electrolyte Membrane Electrolysis on Short Stack	493
<i>M. Liebert, L. Joerissen, J. Scholta</i>	
Niobium Interlayer Coating: Is it a Practical Approach to Tune the Protective Pt Loading in PEM Water Electrolyzers?	513
<i>H. Kalhori, M. Johar, L. Moradizadeh, S. Shahgaldi</i>	
Investigation of the Effect of Initial Anode Structures on the Durability of Water Electrolysis Cells	529
<i>T. Hoshii, Y. A. Hutapea, K. Ito, A. Hayashi</i>	
Development of Mesoporous Carbon Fibers As Catalyst Supports for PEFC	537
<i>Y. Morinaka, Y. A. Hutapea, A. Hayashi</i>	
Nanostructured NiMoO ₄ as an Efficient Electrocatalyst for Oxygen Evolution Reaction	545
<i>V. Rajangam, S. Kalanur, B. G. Pollet</i>	
<i>(Invited)</i> Development of Novel Coatings on Stainless Steel based Bipolar Plates for Proton Exchange Membrane (PEM) Water Electrolyzer Application	553
<i>A. Singh, S. Shahgaldi</i>	
Enabling Low Iridium Loadings and Reduced Catalyst Material Cost for PEM Water Electrolyzers Via Composite Anode Design with Conductive Additive	563
<i>K. J. Ferner, S. Litster</i>	

Chapter 6
Cells, Stacks and Systems for Fuel Cells and Electrolyzers

Numerical Investigation on Two-Phase Flow Pressure Drop in Cathode Channels of Proton Exchange Membrane Fuel Cells <i>D. Yang, H. Garg, M. Andersson</i>	577
Numerical Modeling of a Polymer Electrolyte Membrane Fuel Cell for Electric Aircraft Propulsion <i>H. Oka, Y. Katsuki, H. Nakajima, C. Inoue</i>	589
A Thermodynamic Analysis of a Proton Exchange Membrane Electrolyzer <i>E. Vlachaki, K. Lekatsas, T. Berning</i>	595
Performance Characteristics of a Free-Breathing Polymer Electrolyte Fuel Cell with Various Channel Shapes <i>K. Nakashima, M. Yoshida, Y. Kondo</i>	605
Modeling Electrical Conductivity of Injection-Molded Polymer Composite Bipolar Plates <i>J. K. Trimpey, M. T. Myers, D. B. Beevers, C. E. Bakis, A. S. Hollinger</i>	615
3D Printing Conductive Filament for Fuel Cell Bipolar Plates <i>Z. E. Vandervort, N. J. Lockhart, A. S. Hollinger</i>	625
Experimental Investigation on the Backpressure Effect on the Performance of a High Temperature Proton Exchange Membrane Fuel Cell Stack <i>N. Li, M. Zhou, S. L. Sahlin, S. S. Araya, V. Liso</i>	635
Big Brother Is Watching You: Leveraging Artificial Intelligence for Automated Fuel Cell Monitoring (Technical Report) <i>L. Klass, L. Holz, L. Koenig, A. Kabza, F. Sehnke, K. Strecker, M. Hölzle</i>	645
Improved Understanding of PEMFC Stack Durability Testing through Comprehensive In-Situ and Ex-Situ Characterization Techniques <i>M. SchÄttloff, C. Wachtel, F. Wilhelm, J. Scholta, M. Hölzle</i>	655
Advances in Fuel Cell Performance Using Simulation Analysis in Toshiba Energy Systems & Solutions Corporation <i>H. Takamata, S. Shimotori, S. Hidai, K. Yamashita</i>	671

Assessing the Performance of a Proton Exchange Membrane Green Hydrogen Generation System through Stack and Balance of Plant Modeling <i>D. Almpantis, H. Davidsson, M. Andersson</i>	681
Numerical Modeling of Water Transport in a Microporous Layer-Coated Porous Transport Layer for a Polymer Electrolyte Membrane Water Electrolyzer with an Interdigitated Flow Field for Internal Gas-Liquid Separation <i>H. Nakajima, L. Bolay, H. Ekström, A. Shima, G. Lindbergh, Y. Sone</i>	703
Applied Metal Hydride System Optimization to Improve Hydrogen Fuel Cell System Performance in Mobile Heavy-Duty Applications <i>M. Kordel, D. Radler</i>	713
Computational Fluid Dynamics Analysis of Gas Crossover in an Alkaline Electrolyzer Using a Multifluid Model <i>D. L. Martinho, M. Abdollahzadehsangroudi, T. Berning</i>	727
Author Index	741