

# PROCEEDINGS OF SPIE

## *Fourth Seminar on Novel Optoelectronic Detection Technology and Application*

Jin Guofan  
Zhang Guangjun  
*Editors*

24-26 October 2017, Nanjing, China

*Organized by*

Chinese Society for Optical Engineering (CSOE) (China)  
Photoelectronic Technology Committee, Chinese Society of Astronautics (CSA) (China)

*Sponsored by*

Division of Information and Electronic Engineering of CAE (Chinese Academy of Engineering)  
(China)  
Chinese Society for Optical Engineering (CSOE) (China)  
Science and Technology on Low-light-level Night Vision Laboratory (China)  
North Night Vision Technology Co., LTD Corporation (China)

*Published by*

SPIE

**Part One of Two Parts**

Volume 10697

Proceedings of SPIE 0277-786X, V. 10697

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at [SPIDigitalLibrary.org](http://SPIDigitalLibrary.org).

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Fourth Seminar on Novel Optoelectronic Detection Technology and Application*, edited by Weiqi Jin, Ye Li, Proceedings of SPIE Vol. 10697 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510619470

ISBN: 9781510619487 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) Fax +1 360 647 1445

[SPIE.org](http://SPIE.org)

Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America Vm7 i ffUb '5gg: WJUH' g' bW'zi bXYf' JW bgY' Z'ca 'GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL LIBRARY**

[SPIDigitalLibrary.org](http://SPIDigitalLibrary.org)

---

Paper Numbering: *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

xiii	<i>Authors</i>
xvii	<i>Conference Committee</i>
xxi	<i>Introduction</i>

---

## SESSION 1 OPTOELECTRONIC DETECTION

---

10697 02	Matching algorithm of missile tail flame based on back-propagation neural network [10697-1]
10697 03	The design of high precision temperature control system for InGaAs short-wave infrared detector [10697-2]
10697 04	Micro-scanning x-ray imaging system super-resolution reconstruction algorithm [10697-4]
10697 05	The analysis of transient noise of PCB P/G network based on PI/SI co-simulation [10697-6]
10697 06	A novel double fine guide sensor design on space telescope [10697-7]
10697 07	2D fluorescence spectra measurement of six kinds of bioagents simulants by short range Lidar [10697-10]
10697 08	Infrared image background modeling based on improved Susan filtering [10697-11]
10697 09	Non-uniform refractive index field measurement based on light field imaging technique [10697-13]
10697 0A	The simulation of laser diffraction effect in optoelectric imaging systems [10697-14]
10697 0B	Design and test of a simulation system for autonomous optic-navigated planetary landing [10697-15]
10697 0C	Observability analysis method for multi-station orbit estimation system based on condition numbers [10697-16]
10697 0D	Ground mobile target detection based on bottom-up and top-down saliency combination [10697-19]
10697 0E	High definition image real-time mosaic design based on FPGA [10697-24]
10697 0F	Investigation of packaging technology for high-speed photodetector modules [10697-26]
10697 0G	Implementation of biological tissue Mueller matrix for polarization-sensitive optical coherence tomography based on LabVIEW [10697-27]

- 10697 0H The design of composite monitoring scheme for multilevel information in crop early diseases [10697-28]
- 10697 0I 1550nm all-fiber coherent wind lidar [10697-30]
- 10697 0J The MEMS process of a micro friction sensor [10697-31]
- 10697 0K Method for detecting coherence of multiple optical axes [10697-85]
- 10697 0L Infrared thermography for inspecting of pipeline specimen [10697-89]
- 10697 0M **Analysis and application of key technologies to faint laser signal's detection** [10697-92]
- 10697 0N Development and test of photon counting lidar [10697-93]
- 10697 0O Study on the relationship between PM2.5 concentration and visibility in Beijing based on light scattering theory [10697-94]
- 10697 0P A method of radar target recognition based on polarization invariant feature [10697-95]
- 10697 0Q Non-uniform temperature measurement of flat flames using TDLAS [10697-101]
- 10697 0R Target 3-D reconstruction of streak tube imaging lidar based on Gaussian fitting [10697-104]
- 10697 0S The study of VOPc thin film transistors on modified substrates [10697-107]
- 10697 0T Testing system of multiplying electron gain for electron bombarded semiconductor [10697-110]
- 10697 0U High performance organic ultraviolet photodetectors based on m-MTDATA [10697-111]
- 10697 0V Precision analysis of atmospheric transmittance based on multiple linear regression [10697-115]
- 10697 0W Broadband external cavity quantum cascade laser based sensor for gasoline detection [10697-116]
- 10697 0Y Silicon macroporous arrays with high aspect ratio prepared by ICP etching [10697-123]
- 10697 0Z Dual-band quantum well infrared photodetector with metallic structure [10697-124]
- 10697 10 Hyperspectral image anomaly detecting based on kernel independent component analysis [10697-126]
- 10697 11 The challenge of sCMOS image sensor technology to EMCCD [10697-127]
- 10697 12 Bias thermal stability of interferometer fiber optic gyroscope using a polarization-maintaining photonic crystal fiber [10697-129]
- 10697 13 The design and application of a multi-band IR imager [10697-130]

- 10697 14 Optimal design of a high accuracy photoelectric auto-collimator based on position sensitive detector [10697-131]
- 10697 15 Study on off-axis detection of pulsed laser in atmosphere [10697-141]
- 10697 16 Research on simulation technology of full-path infrared tail flame tracking of photoelectric theodolite in complicated environment [10697-143]
- 10697 17 Study on operational characteristics of Electron-Bombarded Silicon Avalanche Diode (EBSAD) hybrid photodetector [10697-145]
- 10697 18 Coaxial digital holography measures particular matter in cloud and ambient atmosphere [10697-146]
- 10697 19 Binocular optical axis parallelism detection precision analysis based on Monte Carlo method [10697-148]
- 10697 1C Design and application of an array extended blackbody [10697-157]
- 10697 1D Retrieval method of aerosol extinction coefficient profile by an integral lidar system and case study [10697-159]
- 10697 1E Ranging error analysis of single photon satellite laser altimetry under different terrain conditions [10697-160]
- 10697 1F Influence of detector noise and background noise on detection-system [10697-161]
- 10697 1G A new approach for electronic image stabilization based on block matching [10697-164]
- 10697 1H Pulse shaping system research of CdZnTe radiation detector for high energy x-ray diagnostic [10697-167]
- 10697 1I Research on cloud background infrared radiation simulation based on fractal and statistical data [10697-170]
- 10697 1J Total ionizing dose effect and damage mechanism on saturation output voltage of charge coupled device [10697-174]
- 10697 1K Experimental research on infrared radiation measurement of typical natural background [10697-176]
- 10697 1L The design of visible system for improving the measurement accuracy of imaging points [10697-177]
- 10697 1M Raman spectroscopy of large-area graphene by wet transfer method [10697-179]
- 10697 1N Measurement of the aerosol absorption coefficient with the nonequilibrium process [10697-184]
- 10697 1O Design of a long focal length mid-wavelength infrared optical system [10697-189]

- 10697 1P A 9.61-W, b-cut Tm,Ho:YAP laser in Q-switched mode operation [10697-198]
- 10697 1R Encoder fault analysis system based on Moire fringe error signal [10697-202]
- 10697 1S Photo-counting detector for ionosphere far ultraviolet night airglow remote sensing [10697-205]
- 10697 1T Optical registration of spaceborne low light remote sensing camera [10697-208]
- 10697 1U Application of near-infrared spectroscopy in the detection of fat-soluble vitamins in premix feed [10697-209]
- 10697 1V Analysis of off-axis holographic system based on improved Jamin interferometer [10697-213]
- 10697 1W A projector calibration method for monocular structured light system based on digital image correlation [10697-214]
- 10697 1X Feasibility analysis of EDXRF method to detect heavy metal pollution in ecological environment [10697-219]
- 10697 1Z Researching on single photon detection in airborne laser ranging [10697-221]
- 10697 20 Study on the effects of ion barrier film on photon reflectance of microchannel plate input surface [10697-222]
- 10697 21 A high-sensitive system of linear temperature sensing based on Raman scattering with an error correction method [10697-224]
- 10697 22 The Lissajous figure of solitons in two-dimensional Bose-Einstein condensate [10697-229]
- 10697 23 Development of 10×10 Matrix-anode MCP-PMT [10697-232]
- 10697 24 A method for testing the spectral transmittance of infrared smoke interference [10697-247]
- 10697 25 Research on real-time scene simulation based on multi-resolution texture mapping [10697-250]
- 10697 26 A visual tracking method based on deep learning without online model updating [10697-255]
- 10697 27 An omnidirectional measurement technology of CPT magnetometer based on coupling of the dark state [10697-256]
- 10697 28 Study on the propagation properties of laser in aerosol based on Monte Carlo simulation [10697-257]
- 10697 29 Analysis of the infrared detection system operating range based on polarization degree [10697-259]
- 10697 2A Finite element modal analysis of a vehicle-borne lidar cabin [10697-262]

- 10697 2B Analysis and design of the medium wave infrared polarization co-aperture optical system [10697-264]
- 10697 2C Research on denoising method based on guided bilateral filter for reconstructed Image in terahertz holography [10697-270]
- 10697 2D Image recognition on raw and processed potato detection: a review [10697-277]
- 10697 2E Design and realization of temperature measurement system based on optical fiber temperature sensor for wireless power transfer [10697-285]
- 10697 2F Real-time pseudo-color processing of infrared images based on FPGA [10697-288]
- 10697 2G Study on the convex dual-blazed grating [10697-289]
- 10697 2H Effect of total dose irradiation on Si and InGaAs detectors [10697-290]
- 10697 2I Preliminary exploration of application based on mid-wave infrared hyperspectral polarization characteristic [10697-291]
- 10697 2J Infrared image detail enhancement approach based on improved joint bilateral filter [10697-297]
- 10697 2K Analysis of MTF based on MCP-CMOS [10697-306]
- 10697 2L Test of contrast of object and background based on ICCD [10697-307]
- 10697 2M Ultra-violet avalanche photodiode based on AlN/GaN periodically-stacked-structure [10697-310]
- 10697 2N Improved detection probability of low level light and infrared image fusion system [10697-315]

---

SESSION 2 ATMOSPHERE OPTICS

- 10697 2O Fractal properties of optical turbulence profiles [10697-21]
- 10697 2Q Numerical simulation of the impact of subsonic hemispherical/cylindrical wake on adaptive optics [10697-25]
- 10697 2R Time-of-flight absolute distance measurement with dual-comb [10697-43]
- 10697 2S Analysis of temperature field in typical parts of motor vehicles [10697-57]
- 10697 2T The elimination of colour blocks in remote sensing images in VR [10697-61]
- 10697 2U Using deep learning in image hyper spectral segmentation, classification, and detection [10697-63]
- 10697 2V Simulation of target scene based on equivalence of MTF of a turbid medium [10697-71]

- 10697 2X Average polarizability of quantization Bessel-Gaussian Schell-model beams in anisotropic non-Kolmogorov turbulence [10697-102]
- 10697 2Y Research on atmospheric transmission distortion of Gauss laser using multiple phase screen method [10697-109]
- 10697 2Z Orbital angular momentum mode of Gaussian beam induced by atmospheric turbulence [10697-113]
- 10697 30 Using Raman lidar to detect the atmospheric boundary layer, temperature in suburb of Beijing [10697-133]
- 10697 31 Synchronous atmospheric radiation correction of GF-2 satellite multispectral image [10697-142]
- 10697 32 Optical simulation of flying targets using physically based renderer [10697-163]
- 10697 33 Design of PM2.5 and PM10 concentration optical fiber detectors based on Mie scattering [10697-180]
- 10697 34 Structure and mechanical design for a large-aperture telescope [10697-181]
- 10697 36 Research progress of free space coherent optical communication [10697-186]
- 10697 37 Research advances in reflectance spectra of plant leaves [10697-196]
- 10697 38 Measurement of phase function of aerosol at different altitudes by CCD Lidar [10697-201]
- 10697 39 Research and implementation of SATA protocol link layer based on FPGA [10697-206]
- 10697 3A Design of optical axis jitter control system for multi beam lasers based on FPGA [10697-207]
- 10697 3B A new version of Stochastic-parallel-gradient-descent algorithm (SPGD) for phase correction of a distorted orbital angular momentum (OAM) beam [10697-210]
- 10697 3C The air quality analysis of Dalian based on the data of AQI [10697-212]
- 10697 3D Charactering lidar optical subsystem using four quadrants method [10697-218]
- 10697 3E Analysis of influence and improvement measures on laser weapons induced by laser atmospheric transmission [10697-226]
- 10697 3G A precise method for adjusting the optical system of laser sub-aperture [10697-237]
- 10697 3J The analysis of the impact of star sensor calibration precision about single star simulator pin hole size specification [10697-246]
- 10697 3K Satellite-based technologies used in the detection of aerosol [10697-249]
- 10697 3L Automatic precise alignment of Sagnac interferometer [10697-258]



- 10697 3M Research on the peculiarity of optical parameters of atmospheric aerosol in Guangzhou coastal areas [10697-260]
- 10697 3N Spectral purity study for IPDA lidar measurement of CO<sub>2</sub> [10697-261]
- 10697 3O A fitting formula for the effective error of angular anisoplanatism in adaptive optics [10697-269]
- 10697 3P Photonic crystal fiber sensing characteristics research based on alcohol asymmetry filling [10697-271]
- 10697 3Q Simulation of retrieving the aerosol size distribution from the multi-wavelength optical parameters [10697-273]
- 10697 3R Influence of relative humidity on optical properties of atmospheric aerosol particles [10697-274]
- 10697 3T Impact of different BRDF models on the inversion of desert surface emissivities [10697-281]
- 10697 3U Channel selection of high-spectral resolution interferometer sounder for use in temperature retrieval [10697-282]
- 10697 3W Design and simulation of 532nm Rayleigh-Mie Doppler wind Lidar system [10697-293]
- 10697 3X Design and analysis of Fabry-Perot interferometer filter for high spectral resolution Lidar [10697-294]
- 10697 3Y Design and realization of adaptive optical principle system without wavefront sensing [10697-295]
- 10697 3Z Research on the adaptive optical control technology based on DSP [10697-296]
- 10697 40 Analysis of rocket flight stability based on optical image measurement [10697-300]
- 10697 41 Study on characteristics of the aperture-averaging factor of atmospheric scintillation in terrestrial optical wireless communication [10697-301]
- 10697 42 Optimum parameters of image preprocessing method for Shack-Hartmann wavefront sensor in different SNR condition [10697-302]
- 10697 43 Research on the Moon as an exoatmospheric longwave infrared reference [10697-305]
- 10697 44 Current status of development of low temperature deformable mirrors [10697-308]
- 10697 45 Nanosecond-laser induced crosstalk of CMOS image sensor [10697-230]

---

SESSION 3 MICRO- AND NANO-OPTICS

- 10697 46 Analysis of Tyman green detection system based on polarization interference [10697-41]

- 10697 47 Research on correction algorithm of laser positioning system based on four quadrant detector [10697-44]
- 10697 48 Polarization state of light in transformation media [10697-45]
- 10697 49 The theory modeling analysis of photonic laser propulsion based on oscillation in external cavity [10697-48]
- 10697 4A Accurate reconstruction in digital holographic microscopy using Fresnel dual-tree complex wavelet transform [10697-49]
- 10697 4B Influence of longitudinal mode lock by external grating on filamentation and catastrophic optical mirror damage (COMD) of 970 nm broad area single emitters [10697-50]
- 10697 4C Reduce the efficiency droop by p-doped quantum well barriers in InGaN multiple quantum well [10697-52]
- 10697 4D The effect of defocusing on spot diameter when ablate the silicon surface by femtosecond laser [10697-54]
- 10697 4E Fabrication technology of Si face and m face on 4H-SiC (0001) epi-layer based on molten KOH etching [10697-58]
- 10697 4F Space-based infrared sensors of space target imaging effect analysis [10697-69]
- 10697 4G A new fiber sensor based on graphene coating technique for wearable equipment [10697-72]
- 10697 4H Simulation study on the enhancement of HgCdTe infrared detector with multi-level-profile photonic crystal [10697-73]
- 10697 4I Research progress in integrated polarization infrared detector and image processing [10697-74]
- 10697 4J Slow light effect analysis excited by plasmon-induced transparency in metal-dielectric-metal waveguide [10697-78]
- 10697 4K Quantum gyroscope based on Berry phase of spins in diamond [10697-88]
- 10697 4L Design and analysis of logic NOR and XNOR gates based on interference effect [10697-91]
- 10697 4M Optical programmable metamaterials [10697-112]
- 10697 4N Simulation of high performance GaN/InGaN heterojunction phototransistor [10697-119]
- 10697 4O Light field imaging based on electrically tunable nematic liquid crystal micro lens array [10697-125]
- 10697 4P The spurious response of microwave photonic mixer [10697-144]
- 10697 4Q Long-period fiber grating fabricated by 800 nm femtosecond laser pulses [10697-150]

- 10697 4R Ion beam figuring of highly steep mirrors with a 5-axis hybrid machine tool [10697-155]
- 10697 4S Study on the feasibility of ion beam figuring on DKDP crystal [10697-162]
- 10697 4T Optoelectronic oscillator utilizing high-Q active ring resonator [10697-169]
- 10697 4U Tunable SERS signals of Rhodamine B molecules on Fe<sub>3</sub>O<sub>4</sub>@Au nanocomposite substrates controlled by magnetic field [10697-173]
- 10697 4V Refractive index sensing property of metallic rectangular slit arrays with two transmission peaks [10697-211]
- 106974W A new kind of tunable multi-channel wavelength demultiplexer based on multilayer MIM plasmonic nanodisk resonators [10697-217]
- 10697 4X Fabrication of the blazed grating for near-infrared spectroscopy [10697-235]
- 106974Y High-brightness tapered laser diodes with photonic crystal structures [10697-272]
- 10697 4Z Mechanisms of resistance change under pressure for AgNP-based conducting wires [10697-275]
- 10697 50 Laser-assisted electrochemical micromachining of mould cavity on the stainless steel surface [10697-287]

---

SESSION 4 SPACE OPTICAL TRANSMISSION AND NETWORKS

- 10697 51 FPGA implementation of full parallel LDPC encoder [10697-32]
- 10697 52 Design of spatial oval plane mirror and its support structure [10697-33]
- 10697 53 A precise time synchronization method for 5G based on radio-over-fiber network with SDN controller [10697-35]
- 10697 54 Investigation on the effect of beam spreading on the bit error rate of space optical chaos communication system under different detector mismatches [10697-36]
- 10697 55 Simulation analysis of impulse characteristics of space debris irradiated by multi-pulse laser [10697-37]
- 10697 56 Spectrum and power allocation in cognitive multi-beam satellite communications with flexible satellite payloads [10697-38]
- 10697 57 A joint equalization algorithm in high speed communication systems [10697-39]
- 10697 58 Emitter signal separation method based on multi-level digital channelization [10697-42]
- 10697 59 MEMS and micro sensor [10697-46]
- 10697 5A Research of the key technology in satellite communication networks [10697-53]

- 10697 5B Proportional fair scheduling algorithm based on traffic in satellite communication system [10697-55]
- 10697 5C Simulation platform of LEO satellite communication system based on OPNET [10697-59]
- 10697 5D Quantum controlled teleportation when only the sender knows the partially entangled state [10697-62]
- 10697 5E Research on vibration signal analysis and extraction method of gear local fault [10697-66]
- 10697 5F Investigation of CSRZ code in FSO communication [10697-70]
- 10697 5G Fast optimization of glide vehicle reentry trajectory based on genetic algorithm [10697-80]
- 10697 5H Multiband DSB-SC modulated radio over IsOWC link with coherent homodyne detection [10697-81]
- 10697 5I Low-cost PMD monitoring by calculating energy difference for PM-QPSK systems [10697-86]
- 10697 5J The slot synchronization on space-ground integration data-link [10697-90]
- 10697 5K Simulation design of space target tracking system based on radial motion principle [10697-105]
- 10697 5L Design and realization of a new algorithm of calculating the absolute position angle based on the incremental encoder [10697-117]
- 10697 5M The effect of temperature distribution on reflectors in satellite optical terminals [10697-121]
- 10697 5N Simulation and analysis of atmospheric transmission performance in airborne Terahertz communication [10697-128]
- 10697 5O Performance investigation of stochastic parallel gradient descent algorithm based wave-front sensor-less adaptive optics for atmosphere turbulence compensation [10697-135]
- 10697 5P Experimental investigation of Turbo-LDPC for high sensitivity coherent optical communications [10697-139]
- 10697 5Q Optical burst switching based satellite backbone network [10697-140]
- 10697 5S Study of opto-acoustic communication between air and underwater carrier [10697-266]