

2022 IEEE 38th International Conference on Data Engineering (ICDE 2022)

**Virtual Conference
9-12 May 2022**

Pages 1-698



**IEEE Catalog Number: CFP22026-POD
ISBN: 978-1-6654-0884-4**

**Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP22026-POD
ISBN (Print-On-Demand):	978-1-6654-0884-4
ISBN (Online):	978-1-6654-0883-7
ISSN:	1063-6382

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2022 IEEE 38th International Conference on Data Engineering (ICDE) **ICDE 2022**

Table of Contents

Message from the Chairs	xliv
Organizing Committee	xlvi
Program Committee	xlviii

Research Track

Online Cardinality Estimation by Self-Morphing Bitmaps	1
<i>Haibo Wang (University of Florida, USA), Chaoyi Ma (University of Florida, USA), Shigang Chen (University of Florida, USA), and Yuanda Wang (University of Florida, USA)</i>	
BinarizedAttack: Structural Poisoning Attacks to Graph-Based Anomaly Detection	14
<i>Yulin Zhu (The Hong Kong Polytechnic University), Yuni Lai (The Hong Kong Polytechnic University), Kaifa Zhao (The Hong Kong Polytechnic University), Xiapu Luo (The Hong Kong Polytechnic University), Mingquan Yuan (Sam's Club Innovation Center, USA), Jian Ren (Michigan State University, USA), and Kai Zhou (The Hong Kong Polytechnic University)</i>	
MDZ: An Efficient Error-Bounded Lossy Compressor for Molecular Dynamics	27
<i>Kai Zhao (University of California, Riverside, USA), Sheng Di (Argonne National Laboratory, USA), Danny Perez (Los Alamos National Laboratory, USA), Xin Liang (Missouri University of Science and Technology, USA), Zizhong Chen (University of California Riverside, USA), and Franck Cappello (Argonne National Laboratory, USA; University of Illinois at Urbana-Champaign, USA)</i>	
Streaming Algorithms for Diversity Maximization with Fairness Constraints	41
<i>Yanhao Wang (East China Normal University, China), Francesco Fabbri (Universitat Pompeu Fabra, Spain; Eurecat – Centre Tecnològic de Catalunya, Spain), and Michael Mathioudakis (University of Helsinki, Finland)</i>	
SaPHyRa: A Learning Theory Approach to Ranking Nodes in Large Networks	54
<i>Phuc Thai (Virginia Commonwealth University), My T. Thai (University of Florida), Tam Vu (Oxford University), and Thang Dinh (Virginia Commonwealth University)</i>	

Discovering Representative Attribute-Stars via Minimum Description Length	68
<i>Jiahong Liu (Harbin Institute of Technology, China), Min Zhou (Huawei Noah's Ark Lab, China), Philippe Fournier-Viger (Shenzhen University, China), Menglin Yang (The Chinese University of Hong Kong, China), Lujia Pan (Huawei Noah's Ark Lab, China), and Mourad Nouioua (University of Bordj Bou Arreridj, Algeria)</i>	
Distributed Influence Maximization for Large-Scale Online Social Networks	81
<i>Jing Tang (The Hong Kong University of Science and Technology), Yuqing Zhu (Nanyang Technological University), Xueyan Tang (Nanyang Technological University), and Kai Han (University of Science and Technology of China)</i>	
PeriodicSketch: Finding Periodic Items in Data Streams	96
<i>Zhuochen Fan (Peking University, China), Yinda Zhang (Peking University, China), Tong Yang (Peking University, China; Peng Cheng Laboratory, China), Mingyi Yan (Peking University, China), Gang Wen (Peking University, China), Yuhan Wu (Peking University, China), Hongze Li (Peking University, China), and Bin Cui (Peking University, China)</i>	
Accurate and Scalable Graph Neural Networks for Billion-Scale Graphs	110
<i>Juxiang Zeng (Xi'an Jiaotong University, P. R. China), Pinghui Wang (Xi'an Jiaotong University, P. R. China), Lin Lan (Xi'an Jiaotong University, P. R. China), Junzhou Zhao (Xi'an Jiaotong University, P. R. China), Feiyang Sun (Xi'an Jiaotong University, P. R. China), Jing Tao (Xi'an Jiaotong University, P. R. China), Junlan Feng (China Mobile Research, P. R. China), Min Hu (China Mobile Research, P. R. China), and Xiaohong Guan (Xi'an Jiaotong University, P. R. China; Tsinghua University, P. R. China)</i>	
PAW: Data Partitioning Meets Workload Variance	123
<i>Zhe Li (Hong Kong Polytechnic University), Man Lung Yiu (Hong Kong Polytechnic University), and Tsz Nam Chan (Hong Kong Baptist University)</i>	
Enhancing Federated Learning with In-Cloud Unlabeled Data	136
<i>Lun Wang (University of Science and Technology of China), Yang Xu (University of Science and Technology of China), Hongli Xu (University of Science and Technology of China), Jianchun Liu (University of Science and Technology of China), Zhiyuan Wang (University of Science and Technology of China), and Liusheng Huang (University of Science and Technology of China)</i>	
GECCO: Constraint-Driven Abstraction of Low-Level Event Logs	150
<i>Adrian Rebmann (University of Mannheim, Germany), Matthias Weidlich (Humboldt-Universität zu Berlin, Germany), and Han van der Aa (University of Mannheim, Germany)</i>	
The Stair Sketch: Bringing More Clarity to Memorize Recent Events	164
<i>Yikai Zhao (Peking University, China), Yubo Zhang (Peking University, China), Pu Yi (Peking University, China), Tong Yang (Peking University, China; Peng Cheng Laboratory, China), Bin Cui (Peking University, China), and Steve Uhlig (Queen Mary University of London, China)</i>	

Effective Few-Shot Named Entity Linking by Meta-Learning	178
<i>Xiuxing Li (Tsinghua University, China), Zhenyu Li (Tsinghua University, China), Zhengyan Zhang (Tsinghua University, China), Ning Liu (Shandong University, China), Haitao Yuan (Tsinghua University, China), Wei Zhang (East China Normal University, China), Zhiyuan Liu (Tsinghua University, China), and Jianyong Wang (Tsinghua University, China)</i>	
MPC: Minimum Property-Cut RDF Graph Partitioning	192
<i>Peng Peng (Hunan University, China), M. Tamer Özsu (University of Waterloo, Canada), Lei Zou (Peking University, China; Beijing Academy of Artificial Intelligence, China), Cen Yan (Hunan University, China), and Chengjun Liu (Hunan University, China)</i>	
Time-Sensitive POI Recommendation by Tensor Completion with Side Information	205
<i>Bo Hui (Auburn University), Da Yan (University of Alabama at Birmingham), Haiquan Chen (California State University, Sacramento), and Wei-Shinn Ku (Auburn University)</i>	
Nucleus Decomposition in Probabilistic Graphs: Hardness and Algorithms	218
<i>Fatemeh Esfahani (University of Victoria, Canada), Venkatesh Srinivasan (University of Victoria, Canada), Alex Thomo (University of Victoria, Canada), and Kui Wu (University of Victoria, Canada)</i>	
Highly Efficient String Similarity Search and Join over Compressed Indexes	232
<i>Guorui Xiao (University of California, Los Angeles), Jin Wang (University of California, Los Angeles), Chunbin Lin (Amazon AWS), and Carlo Zaniolo (University of California, Los Angeles)</i>	
Reinforcement Learning Based Query Vertex Ordering Model for Subgraph Matching	245
<i>Hanchen Wang (Zhejiang Gongshang University, China; University of New South Wales, Australia), Ying Zhang (Zhejiang Gongshang University, China; University of Technology Sydney, Australia), Lu Qin (University of Technology Sydney, Australia), Wei Wang (The Hong Kong University of Science and Technology (Guangzhou)), Wenjie Zhang (University of New South Wales, Australia), and Xuemin Lin (University of New South Wales, Australia)</i>	
Fairness-Aware Maximal Clique Enumeration	259
<i>Minjia Pan (Beijing Institute of Technology, China), Ronghua Li (Beijing Institute of Technology, China), Qi Zhang (Beijing Institute of Technology, China), Yongheng Dai (Diankeyun Technologies Ltd, China), Qun Tian (Diankeyun Technologies Ltd, China), and Guoren Wang (Beijing Institute of Technology, China)</i>	
Evaluating Complex Queries on Streaming Graphs	272
<i>Anil Pacaci (University of Waterloo, Canada), Angela Bonifati (Lyon 1 University, France), and M. Tamer Özsu (University of Waterloo, Canada)</i>	
Dynamic Functional Dependency Discovery with Dynamic Hitting Set Enumeration	286
<i>Renjie Xiao (Fudan University, China; Shanghai Key Laboratory of Data Science, China), Yong'an Yuan (Fudan University, China; Shanghai Key Laboratory of Data Science, China), Zijing Tan (Fudan University, China; Shanghai Key Laboratory of Data Science, China), Shuai Ma (SKLSDE Lab, Beihang University, China), and Wei Wang (Fudan University, China; Shanghai Key Laboratory of Data Science, China)</i>	

Attentive Knowledge-Aware Graph Convolutional Networks with Collaborative Guidance for Personalized Recommendation	299
<i>Yankai Chen (The Chinese University of Hong Kong, Hong Kong), Yaming Yang (Microsoft Research Asia, China), Yujing Wang (Microsoft Research Asia, China), Jing Bai (Microsoft Research Asia, China), Xiangchen Song (Carnegie Mellon University, USA), and Irwin King (The Chinese University of Hong Kong, Hong Kong)</i>	
Continuous Geo-Social Group Monitoring over Moving Users	312
<i>Huaijie Zhu (Sun Yat-sen University, China), Wei Liu (Sun Yat-sen University, China), Jian Yin (Sun Yat-sen University, China), Mengxiang Wang (Northeastern University, China), Jianliang Xu (Hong Kong Baptist University), Xin Huang (Hong Kong Baptist University), and Wang-Chien Lee (The Pennsylvania State University, USA)</i>	
Constrained Path Search with Submodular Function Maximization	325
<i>Xuefeng Chen (Chongqing University, China), Xin Cao (UNSW, Australia), Yifeng Zeng (Northumbria University, UK), Yixiang Fang (CUHK-Shenzhen, China), Sibowang Wang (CUHK, China), Xuemin Lin (UNSW, Australia), and Liang Feng (Chongqing University, China)</i>	
Academic Expert Finding via (K,P)-Core Based Embedding over Heterogeneous Graphs	338
<i>Xiaoliang Xu (Hangzhou Dianzi University, China; Zhejiang Laboratory, China), Jun Liu (Hangzhou Dianzi University, China), Yuxiang Wang (Hangzhou Dianzi University, China; Zhejiang Laboratory, China; Key Laboratory of Brain Machine Collaborative Intelligence of Zhejiang Province, China), and Xiangyu Ke (Nanyang Technological University, Singapore)</i>	
AutoHEnsGNN: Winning Solution to AutoGraph Challenge for KDD Cup 2020	352
<i>Jin Xu (Tsinghua University, China), Mingjian Chen (Meituan, China), Jianqiang Huang (Meituan, China), Xingyuan Tang (Meituan, China), Ke Hu (Meituan, China), Jian Li (Tsinghua University, China), Jia Cheng (Meituan, China), and Jun Lei (Meituan, China)</i>	
Reachability-Driven Influence Maximization in Time-Dependent Road-Social Networks	367
<i>Yishu Wang (Northeastern University, China), Ye Yuan (Beijing Institute of Technology, China), Wenjie Zhang (University of New South Wales, Australia), Yi Zhang (Northeastern University, China), Xuemin Lin (University of New South Wales, Australia), and Guoren Wang (Beijing Institute of Technology, China)</i>	
Efficient Top-k Ego-Betweenness Search	380
<i>Qi Zhang (Beijing Institute of Technology, China), Rong-Hua Li (Beijing Institute of Technology, China), Minjia Pan (Beijing Institute of Technology, China), Yongheng Dai (Diankeyun Technologies Co., Ltd.), Guoren Wang (Beijing Institute of Technology, China), and Ye Yuan (Beijing Institute of Technology, China)</i>	
ELDA: Learning Explicit Dual-Interactions for Healthcare Analytics	393
<i>Qingpeng Cai (National University of Singapore), Kaiping Zheng (National University of Singapore), Beng Chin Ooi (National University of Singapore), Wei Wang (ByteDance, Singapore), and Chang Yao (Zhejiang University)</i>	

Utility Analysis and Enhancement of LDP Mechanisms in High-Dimensional Space	407
<i>Jiawei Duan (The Hong Kong Polytechnic University; Centre for Advances in Reliability and Safety), Qingqing Ye (The Hong Kong Polytechnic University), and Haibo Hu (The Hong Kong Polytechnic University)</i>	
Application-Oriented Workload Generation for Transactional Database Performance Evaluation...	420
<i>Luyi Qu (East China Normal University), Yuming Li (East China Normal University), Rong Zhang (East China Normal University), Ting Chen (East China Normal University), Ke Shu (PingCAP), Weining Qian (East China Normal University), and Aoying Zhou (East China Normal University)</i>	
PRISM: Prefix-Sum Based Range Queries Processing Method Under Local Differential Privacy	433
<i>Yufei Wang (Beijing University of Posts and Telecommunications, China) and Xiang Cheng (Beijing University of Posts and Telecommunications, China)</i>	
Efficient Reinforcement of Bipartite Networks at Billion Scale	446
<i>Yizhang He (University of New South Wales), Kai Wang (Shanghai Jiao Tong University, China), Wenjie Zhang (University of New South Wales), Xuemin Lin (Shanghai Jiao Tong University, China), and Ying Zhang (University of Technology Sydney)</i>	
Human-Drone Collaborative Spatial Crowdsourcing by Memory-Augmented Distributed Multi-Agent Deep Reinforcement Learning	459
<i>Yu Wang (Beijing Institute of Technology, China), Chi Harold Liu (Beijing Institute of Technology, China), Chengzhe Piao (Beijing Institute of Technology, China), Ye Yuan (Beijing Institute of Technology, China), Rui Han (Beijing Institute of Technology, China), Guoren Wang (Beijing Institute of Technology, China), and Jian Tang (Midea Group, China)</i>	
SLUGGER: Lossless Hierarchical Summarization of Massive Graphs	472
<i>Kyuhun Lee (KAIST, South Korea), Jihoon Ko (KAIST, South Korea), and Kijung Shin (KAIST, South Korea)</i>	
DynaHash: Efficient Data Rebalancing in Apache AsterixDB	485
<i>Chen Luo (Snowflake Inc.) and Michael J. Carey (University of California, Irvine)</i>	
Efficient Personalized Maximum Biclique Search	498
<i>Kai Wang (Shanghai Jiao Tong University, China), Wenjie Zhang (University of New South Wales), Xuemin Lin (Shanghai Jiao Tong University, China), Lu Qin (University of Technology Sydney), and Alexander Zhou (Hong Kong University of Science and Technology)</i>	
Towards Real-Time Counting Shortest Cycles on Dynamic Graphs: A Hub Labeling Approach	512
<i>Qingshuai Feng (University of New South Wales), You Peng (University of New South Wales), Wenjie Zhang (University of New South Wales), Ying Zhang (University of Technology Sydney), and Xuemin Lin (University of New South Wales)</i>	
O2-SiteRec: Store Site Recommendation Under the O2O Model via Multi-Graph Attention Networks	525
<i>Hua Yan (Southeast University), Shuai Wang (Southeast University), Yu Yang (Lehigh University), Baoshen Guo (Southeast University), Tian He (Southeast University), and Desheng Zhang (Rutgers University)</i>	

Example-Based Spatial Search at Scale	539
<i>Hanyuan Zhang (Fudan University; Shanghai Key Laboratory of Data Science; Shanghai Institute of Intelligent Electronics & Systems), Siqiang Luo (Nanyang Technological University), Jieming Shi (The Hong Kong Polytechnic University), Jing Nathan Yan (Cornell University), and Weiwei Sun (Fudan University; Shanghai Key Laboratory of Data Science; Shanghai Institute of Intelligent Electronics & Systems)</i>	
GPU-Accelerated Proximity Graph Approximate Nearest Neighbor Search and Construction	552
<i>Yuanhang Yu (University of Technology Sydney, Australia), Dong Wen (The University of New South Wales, Australia; University of Technology Sydney, Australia), Ying Zhang (University of Technology Sydney, Australia), Lu Qin (University of Technology Sydney, Australia), Wenjie Zhang (The University of New South Wales, Australia), and Xuemin Lin (The University of New South Wales, Australia)</i>	
minIL: A Simple and Small Index for String Similarity Search with Edit Distance	565
<i>Zhong Yang (Huazhong University of Science and Technology, China), Bolong Zheng (Huazhong University of Science and Technology, China), Xianzhi Wang (University of Technology Sydney, Australia), Guohui Li (Huazhong University of Science and Technology, China), and Xiaofang Zhou (The Hong Kong University of Science and Technology, China)</i>	
TeGraph: A Novel General-Purpose Temporal Graph Computing Engine	578
<i>Chengying Huan (Tsinghua University), Hang Liu (Stevens Institute of Technology), Mengxing Liu (Tsinghua University), Yongchao Liu (Ant Group), Changhua He (Ant Group), Kang Chen (Tsinghua University), Jinlei Jiang (Tsinghua University), Yongwei Wu (Tsinghua University), and Shuaiwen Leon Song (University of Sydney)</i>	
Clustering-Based Partitioning for Large Web Graphs	593
<i>Deyu Kong (University of Science and Technology of China, China), Xike Xie (University of Science and Technology of China, China), and Zhuoxu Zhang (University of Science and Technology of China, China)</i>	
Assessing the Existence of a Function in a Dataset with the g3 Indicator	607
<i>Pierre Faure-Giovagnoli (Univ Lyon, INSA Lyon, CNRS, UCBL, LIRIS UMR 5205, France), Jean-Marc Petit (Univ Lyon, INSA Lyon, CNRS, UCBL, LIRIS UMR 5205, France), and Vasile-Marian Scuturici (Univ Lyon, INSA Lyon, CNRS, UCBL, LIRIS UMR 5205, France)</i>	
Provenance-Aware Discovery of Functional Dependencies on Integrated Views	621
<i>Ugo Comignani (Grenoble INP, France), Laure Berti-Equille (IRD, Montpellier), Noël Novelli (Aix-Marseille Université, France), and Angela Bonifati (Lyon 1 University, France)</i>	
Linking Entities Across Relations and Graphs	634
<i>Wenfei Fan (University of Edinburgh, UK; Shenzhen Institute of Computing Sciences, China), Liang Geng (Alibaba Group, China), Ruochun Jin (University of Edinburgh, UK), Ping Lu (Shenzhen Institute of Computing Sciences, China), Resul Tugay (University of Edinburgh, UK), and Wenyuan Yu (Alibaba Group, China)</i>	

EC-Graph: A Distributed Graph Neural Network System with Error-Compensated Compression ..	648
<i>Zhen Song (Northeastern University, China), Yu Gu (Northeastern University, China), Jianzhong Qi (The University of Melbourne, Australia), Zhigang Wang (Ocean University of China, China), and Ge Yu (Northeastern University, China)</i>	
Language-Aware Indexing for Conjunctive Path Queries	661
<i>Yuya Sasaki (Osaka University, Japan), George Fletcher (Eindhoven University of Technology, Netherlands), and Makoto Onizuka (Osaka University, Japan)</i>	
COCA: Cost-Effective Collaborative Annotation System by Combining Experts and Amateurs	674
<i>Jiayu Lei (University of Science and Technology of China, China), Zheng Zhang (University of Science and Technology of China, China), Lan Zhang (University of Science and Technology of China, China), and Xiang-Yang Li (University of Science and Technology of China, China)</i>	
Reachability Labeling for Distributed Graphs	686
<i>Junhua Zhang (University of Technology Sydney, Australia), Wentao Li (University of Technology Sydney, Australia), Lu Qin (University of Technology Sydney, Australia), Ying Zhang (University of Technology Sydney, Australia), Dong Wen (University of New South Wales, Australia), Lizhen Cui (ShanDong University, China), and Xuemin Lin (University of New South Wales, Australia)</i>	
DualGraph: Improving Semi-Supervised Graph Classification via Dual Contrastive Learning	699
<i>Xiao Luo (Peking University), Wei Ju (Peking University), Meng Qu (Mila - Quebec AI Institute), Chong Chen (DAMO Academy, Alibaba Group), Minghua Deng (Peking University), Xian-Sheng Hua (DAMO Academy, Alibaba Group), and Ming Zhang (Peking University)</i>	
A Data-Driven Spatial-Temporal Graph Neural Network for Docked Bike Prediction	713
<i>Guanyao Li (The Hong Kong University of Science and Technology), Xiaofeng Wang (National Yang Ming Chiao Tung University), Gunarto Sindoro Njoo (National Yang Ming Chiao Tung University), Shuhan Zhong (The Hong Kong University of Science and Technology), S.-H. Gary Chan (The Hong Kong University of Science and Technology), Chih-Chieh Hung (National Chung Hsing University), and Wen-Chih Peng (National Yang Ming Chiao Tung University)</i>	
MISS: Multi-Interest Self-Supervised Learning Framework for Click-Through Rate Prediction	727
<i>Wei Guo (Huawei Noah's Ark Lab, China), Can Zhang (National University of Singapore, Singapore), Zhicheng He (Huawei Noah's ark lab, China), Jiarui Qin (Shanghai Jiao Tong University, China), Hui Feng Guo (Huawei Noah's ark lab, China), Bo Chen (Huawei Noah's ark lab, China), Ruiming Tang (Huawei Noah's ark lab, China), Xiuqiang He (Huawei Noah's ark lab, China), and Rui Zhang (www.ruizhang.info, China)</i>	
Grow-and-Clip: Informative-yet-Concise Evidence Distillation for Answer Explanation	741
<i>Yuyan Chen (Fudan University, China), Yanghua Xiao (Fudan University, China; Fudan-Aishu Cognitive Intelligence Joint Research Center, China), and Bang Liu (RALI & Mila, Université de Montréal, Montréal, Québec, Canada; Canada CIFAR AI Chair)</i>	

Maximizing Range Sum in Trajectory Data	755
<i>Kaiqi Zhang (Harbin Institute of Technology, China), Hong Gao (Harbin Institute of Technology, China), Xixian Han (Harbin Institute of Technology, China), Jian Chen (Harbin Institute of Technology, China), and Jianzhong Li (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, China; Harbin Institute of Technology, China)</i>	
FedMP: Federated Learning Through Adaptive Model Pruning in Heterogeneous Edge Computing	767
<i>Zhida Jiang (University of Science and Technology of China; Suzhou Institute for Advanced Research, China), Yang Xu (University of Science and Technology of China; Suzhou Institute for Advanced Research, China), Hongli Xu (University of Science and Technology of China; Suzhou Institute for Advanced Research, China), Zhiyuan Wang (University of Science and Technology of China; Suzhou Institute for Advanced Research, China), Chunming Qiao (University at Buffalo, The State University of New York, USA), and Yangming Zhao (University at Buffalo, The State University of New York, USA)</i>	
Clustering Activation Networks	780
<i>Zijin Feng (The Chinese University of Hong Kong, Hong Kong), Miao Qiao (University of Auckland, New Zealand), and Hong Cheng (The Chinese University of Hong Kong, Hong Kong)</i>	
Learning Evolvable Time-Series Shapelets	793
<i>Akihiro Yamaguchi (Toshiba Corporation, Japan), Ken Ueno (Toshiba Corporation, Japan), and Hisashi Kashima (Kyoto University, Japan)</i>	
Social Graph Restoration via Random Walk Sampling	806
<i>Kazuki Nakajima (Tokyo Institute of Technology) and Kazuyuki Shudo (Tokyo Institute of Technology)</i>	
On Inter-Operator Data Transfers in Query Processing	820
<i>Harshad Deshmukh (University of Wisconsin - Madison), Bruhathi Sundarmurthy (University of Wisconsin - Madison), and Jignesh M. Patel (University of Wisconsin - Madison)</i>	
Guided Task Planning Under Complex Constraints	833
<i>Sepideh Nikoogar (New Jersey Institute of Technology, USA), Paras Sakharkar (New Jersey Institute of Technology, USA), Baljinder Smagh (New Jersey Institute of Technology, USA), Sihem Amer-Yahia (CNRS, University Grenoble Alpes, France), and Senjuti Basu Roy (New Jersey Institute of Technology)</i>	
Estimating Node Importance Values in Heterogeneous Information Networks	846
<i>Chenji Huang (University of New South Wales, Australia), Yixiang Fang (School of Data Science, The Chinese University of Hong Kong, China), Xuemin Lin (University of New South Wales, Australia), Xin Cao (University of New South Wales, Australia), Wenji Zhang (University of New South Wales, Australia), and Maria Orlowska (Polish-Japanese Institute of Information Technology, Poland)</i>	
Querying Maximum Quasi-Independent Set by Pay-and-Recycle	859
<i>Xiaochen Liu (Fudan University, China), Weiguo Zheng (Fudan University, China), Zhenyi Chen (Fudan University, China), Zhenying He (Fudan University, China), and X. Sean Wang (Fudan University, China)</i>	

Efficient Graph Isomorphism Query Processing using Degree Sequences and Color-Label Distributions	872
<i>Geonmo Gu (Seoul National University, South Korea), Yehyun Nam (Seoul National University, South Korea), Kunsoo Park (Seoul National University, South Korea), Zvi Galil (Georgia Institute of Technology, USA), Giuseppe F. Italiano (LUISS University, Italy), and Wook-Shin Han (Pohang University of Science and Technology (POSTECH), South Korea)</i>	
A Resource-Aware Deep Cost Model for Big Data Query Processing	885
<i>Yan Li (Wuhan University, China), Liwei Wang (Wuhan University, China), Sheng Wang (Wuhan University, China), Yuan Sun (University of Melbourne), and Zhiyong Peng (Wuhan University, China)</i>	
Maximum Biplex Search over Bipartite Graphs	898
<i>Wensheng Luo (Hunan University, China), Kenli Li (Hunan University, China), Xu Zhou (Hunan University, China), Yunjun Gao (Zhejiang University, China), and Keqin Li (State University of New York, USA)</i>	
Efficient Participant Contribution Evaluation for Horizontal and Vertical Federated Learning	911
<i>Junhao Wang (University of Science and Technology of China, China), Lan Zhang (University of Science and Technology of China, China), Anran Li (University of Science and Technology of China, China), Xuanke You (University of Science and Technology of China, China), and Haoran Cheng (University of Science and Technology of China, China)</i>	
Consistent Answers of Aggregation Queries via SAT	924
<i>Akhil A. Dixit (University of California Santa Cruz) and Phokion G. Kolaitis (University of California Santa Cruz and IBM Research)</i>	
Crowdsourced Fact Validation for Knowledge Bases	938
<i>Libin Zheng (Sun Yat-sen University, China), Peng Cheng (East China Normal University, China), Lei Chen (The Hong Kong University of Science and Technology, China), Jianxing Yu (Sun Yat-sen University, China), Xuemin Lin (The University of New South Wales, Australia), and Jian Yin (Sun Yat-sen University, China)</i>	
CORE-SG: Efficient Computation of Multiple MSTs for Density-Based Methods	951
<i>Antonio Cavalcante Araujo Neto (University of Alberta, Canada), Murilo Coelho Naldi (Federal University of São Carlos, Brazil), Ricardo J. G. B. Campello (University of Newcastle, Australia), and Joerg Sander (University of Alberta, Canada)</i>	
Federated Learning on Non-IID Data Silos: An Experimental Study	965
<i>Qinbin Li (National University of Singapore, Singapore), Yiqun Diao (Shanghai Jiao Tong University, China), Quan Chen (Shanghai Jiao Tong University, China), and Bingsheng He (National University of Singapore, Singapore)</i>	
Bamboo Filters: Make Resizing Smooth	979
<i>Hancheng Wang (Nanjing University, China), Haipeng Dai (Nanjing University, China), Meng Li (Nanjing University, China), Jun Yu (Nanjing University, China), Rong Gu (Nanjing University, China), Jiaqi Zheng (Nanjing University, China), and Guihai Chen (Nanjing University, China)</i>	

T-Detector: A Trajectory Based Pre-Trained Model for Game Bot Detection in MMORPGs	992
<i>Sha Zhao (Zhejiang University, China), Junwei Fang (Zhejiang University, China), Shiwei Zhao (Fuxi AI Lab, NetEase Games, China), Runze Wu (Fuxi AI Lab, NetEase Games, China), Jianrong Tao (Fuxi AI Lab, NetEase Games, China), Shijian Li (Zhejiang University, China), and Gang Pan (Zhejiang University, China)</i>	
Computing Maximum Structural Balanced Cliques in Signed Graphs	1004
<i>Kai Yao (The University of Sydney, Australia), Lijun Chang (The University of Sydney, Australia), and Lu Qin (University of Technology Sydney, Australia)</i>	
Black-box Adversarial Attack and Defense on Graph Neural Networks	1017
<i>Haoyang Li (The Hong Kong University of Science and Technology, China), Shimin Di (The Hong Kong University of Science and Technology, China), Zijian Li (The Hong Kong University of Science and Technology, China), Lei Chen (The Hong Kong University of Science and Technology, China), and Jiannong Cao (The Hong Kong Polytechnic University, China)</i>	
Hybrid Subgraph Matching Framework Powered by Sketch Tree for Distributed Systems	1031
<i>Yuejia Zhang (Fudan University, China), Weiguo Zheng (Fudan University, China), Zhijie Zhang (Fudan University, China), Peng Peng (Hunan University, China), and Xuecang Zhang (Huawei Technologies, China)</i>	
Maximizing Time-Aware Welfare for Mixed Items	1044
<i>Xiaoye Miao (Zhejiang University, China), Huanhuan Peng (Zhejiang University, China), Kai Chen (University of Edinburgh, UK), Yuchen Peng (Zhejiang University, China), Yunjun Gao (Zhejiang University, China), and Jianwei Yin (Zhejiang University, China)</i>	
Unsupervised Matching of Data and Text	1058
<i>Naser Ahmadi (EURECOM, France), Hansjorg Sand (KPMG, Germany), and Paolo Papotti (EURECOM, France)</i>	
imDedup: A Lossless Deduplication Scheme to Eliminate Fine-Grained Redundancy Among Images...	1071
<i>Cai Deng (Harbin Institute of Technology, Shenzhen, China), Qi Chen (Harbin Institute of Technology, Shenzhen, China), Xiangyu Zou (Harbin Institute of Technology, Shenzhen, China), Erci Xu (National University of Defense Technology, China), Bo Tang (Southern University of Science and Technology, China), and Wen Xia (Harbin Institute of Technology, Shenzhen, China)</i>	
Boosting Entity Mention Detection for Targetted Twitter Streams with Global Contextual Embeddings	1085
<i>Satadisha Saha Bhowmick (State University of New York at Binghamton), Eduard C. Dragut (Temple University), and Weiyi Meng (State University of New York at Binghamton)</i>	
Discovering Domain Orders via Order Dependencies	1098
<i>Reza Karegar (University of Waterloo, Canada), Melicaalsadat Mirsafian (University of Waterloo, Canada), Parke Godfrey (York University, Canada), Lukasz Golab (University of Waterloo, Canada), Mehdi Kargar (Ryerson University, Canada), Divesh Srivastava (AT&T Chief Data Office, United States), and Jaroslaw Szlichta (Ontario Tech University, Canada)</i>	

Accelerating Entity Lookups in Knowledge Graphs Through Embeddings	1111
<i>Ghadeer Abuoda (College of Science and Engineering, HBKU, Qatar), Saravanan Thirumuruganathan (Qatar Computing Research Institute, HBKU, Qatar), and Ashraf Aboulnaga (Qatar Computing Research Institute, HBKU, Qatar)</i>	
MANI-Rank: Multiple Attribute and Intersectional Group Fairness for Consensus Ranking	1124
<i>Kathleen Cachel (Worcester Polytechnic Institute, USA), Elke Rundensteiner (Worcester Polytechnic Institute, USA), and Lane Harrison (Worcester Polytechnic Institute, USA)</i>	
Hierarchical Core Decomposition in Parallel: From Construction to Subgraph Search	1138
<i>Deming Chu (University of New South Wales, Australia), Fan Zhang (Guangzhou University, China), Wenjie Zhang (University of New South Wales, Australia), Xuemin Lin (University of New South Wales, Australia), and Ying Zhang (University of Technology Sydney, Australia)</i>	
Cost-Effective Algorithms for Average-Case Interactive Graph Search	1152
<i>Qianhao Cong (National University of Singapore), Jing Tang (The Hong Kong University of Science and Technology), Yuming Huang (National University of Singapore), Lei Chen (The Hong Kong University of Science and Technology), and Yeow Meng Chee (National University of Singapore)</i>	
Reliable Community Search on Uncertain Graphs	1166
<i>Xiaoye Miao (Center for Data Science, Zhejiang University, China), Yue Liu (Center for Data Science, Zhejiang University, China; Polytechnic Institute, Zhejiang University, China), Lu Chen (Zhejiang University, China), Yunjun Gao (Zhejiang University, China), and Jianwei Yin (Center for Data Science, Zhejiang University, China; Zhejiang University, China)</i>	
Enhancing Recommendation with Automated Tag Taxonomy Construction in Hyperbolic Space .	1180
<i>Yanchao Tan (Zhejiang University, China), Carl Yang (Emory University, United States), Xiangyu Wei (Zhejiang University, China), Chaochao Chen (Zhejiang University, China), Longfei Li (Ant Group, China), and Xiaolin Zheng (Zhejiang University, China)</i>	
GridTuner: Reinvestigate Grid Size Selection for Spatiotemporal Prediction Models	1193
<i>Jiabao Jin (East China Normal University, China), Peng Cheng (East China Normal University, China), Lei Chen (The Hong Kong University of Science and Technology, China), Xuemin Lin (East China Normal University, China; The University of New South Wales, Australia), and Wenjie Zhang (The University of New South Wales, Australia)</i>	
Triple-Fact Retriever: An Explainable Reasoning Retrieval Model for Multi-hop QA Problem	1206
<i>Chengmin Wu (Hong Kong University of Science and Technology), Enrui Hu (Distributed and Parallel Software Lab), Ke Zhan (Distributed and Parallel Software Lab), Lan Luo (Distributed and Parallel Software Lab), Xinyu Zhang (Distributed and Parallel Software Lab), Hao Jiang (Distributed and Parallel Software Lab), Qirui Wang (Distributed and Parallel Software Lab), Zhao Cao (Distributed and Parallel Software Lab), Fan Yu (Distributed and Parallel Software Lab), and Lei Chen (Hong Kong University of Science and Technology)</i>	

A Model-Agnostic Approach for Learning with Noisy Labels of Arbitrary Distributions	1219
<i>Shuang Hao (Beijing Jiaotong University, China; Beijing Key Laboratory of Traffic Data Analysis and Mining, China), Peng Li (Georgia Institute of Technology, USA), Renzhi Wu (Georgia Institute of Technology, USA), and Xu Chu (Georgia Institute of Technology, USA)</i>	
MAD-SGCN: Multivariate Anomaly Detection with Self-Learning Graph Convolutional Networks	1232
<i>Panpan Qi (National University of Singapore, Singapore), Dan Li (Sun Yat-Sen University, China), and See-Kiong Ng (National University of Singapore, Singapore)</i>	
BlockOPE: Efficient Order-Preserving Encryption for Permissioned Blockchain	1245
<i>Zhihao Chen (East China Normal University, China), Qingqing Li (East China Normal University, China), Xiaodong Qi (East China Normal University, China), Zhao Zhang (East China Normal University, China), Cheqing Jin (East China Normal University, China), and Aoying Zhou (East China Normal University, China)</i>	
Contrastive Learning for Sequential Recommendation	1259
<i>Xu Xie (Peking University), Fei Sun (Alibaba Group, China), Zhaoyang Liu (Alibaba Group, China), Shiwen Wu (Peking University), Jinyang Gao (Alibaba Group, China), Jiandong Zhang (Alibaba Group, China), Bolin Ding (Alibaba Group, America), and Bin Cui (Peking University; Peking University & National Engineering Laboratory for Big Data Analysis and Applications; Peking University(Qingdao), China)</i>	
Towards Backdoor Attack on Deep Learning Based Time Series Classification	1274
<i>Daizong Ding (Fudan University, China), Mi Zhang (Fudan University, China), Yuanmin Huang (Fudan University, China), Xudong Pan (Fudan University, China), Fuli Feng (University of Science and Technology of China, China), Erling Jiang (Fudan University, China), and Min Yang (Fudan University, China)</i>	
DisenHCN: Disentangled Hypergraph Convolutional Networks for Spatiotemporal Activity Prediction	1288
<i>Yinfeng Li (Beijing National Research Center for Information Science and Technology, Department of Electronic Engineering, Tsinghua University, China), Chen Gao (Beijing National Research Center for Information Science and Technology, Department of Electronic Engineering, Tsinghua University, China), Quanming Yao (Beijing National Research Center for Information Science and Technology, Department of Electronic Engineering, Tsinghua University, China), Tong Li (Beijing National Research Center for Information Science and Technology, Department of Electronic Engineering, Tsinghua University, China), Depeng Jin (Beijing National Research Center for Information Science and Technology, Department of Electronic Engineering, Tsinghua University, China), and Yong Li (Beijing National Research Center for Information Science and Technology, Department of Electronic Engineering, Tsinghua University, China)</i>	
On Compressing Temporal Graphs	1301
<i>Panagiotis Liakos (University of Athens, Greece), Katia Papakonstantinopoulou (Athens University of Economics and Business, Greece), Theodore Stefou (University of Athens, Greece), and Alex Delis (University of Athens, Greece)</i>	

S-QUERY: Opening the Black Box of Internal Stream Processor State	1314
<i>Jim Verheijde (Delft University of Technology), Vassilios Karakoidas (Delivery Hero SE), Marios Fragkoulis (Delft University of Technology), and Asterios Katsifodimos (Delft University of Technology)</i>	
Identification for Deep Neural Network: Simply Adjusting Few Weights!	1328
<i>Yingjie Lao (Clemson University, USA), Peng Yang (Baidu Research – Bellevue, USA), Weijie Zhao (Baidu Research – Bellevue, USA), and Ping Li (Baidu Research – Bellevue, USA)</i>	
Anomaly Detection in Time Series with Robust Variational Quasi-Recurrent Autoencoders	1342
<i>Tung Kieu (Aalborg University, Denmark), Bin Yang (Aalborg University, Denmark), Chenjuan Guo (Aalborg University, Denmark), Razvan-Gabriel Cirstea (Aalborg University, Denmark), Yan Zhao (Aalborg University, Denmark), Yale Song (Microsoft Research, USA), and Christian S. Jensen (Aalborg University, Denmark)</i>	
HybridGNN: Learning Hybrid Representation for Recommendation in Multiplex Heterogeneous Networks	1355
<i>Tiankai Gu (Tsinghua University, China), Chaokun Wang (Tsinghua University, China), Cheng Wu (Tsinghua University, China), Yunkai Lou (Tsinghua University, China), Jingcao Xu (Tsinghua University, China), Changping Wang (Kuaishou Inc., China), Kai Xu (Kuaishou Inc., China), Can Ye (Kuaishou Inc., China), and Yang Song (Kuaishou Inc., China)</i>	
Airphant: Cloud-Oriented Document Indexing	1368
<i>Supawit Chockchowwat (University of Illinois at Urbana-Champaign), Chaitanya Sood (University of Illinois at Urbana-Champaign), and Yongjoo Park (University of Illinois at Urbana-Champaign)</i>	
Salvaging Failing and Straggling Queries	1382
<i>Bruhathi Sundarmurthy (University of Wisconsin - Madison), Harshad Deshmukh (University of Wisconsin - Madison), Paris Koutris (University of Wisconsin - Madison), and Jeffrey Naughton (University of Wisconsin - Madison)</i>	
On Time-Optimal (k, p)-Core Community Search in Dynamic Graphs	1396
<i>Zhao Lu (Wuhan University, China), Yuanyuan Zhu (Wuhan University, China), Ming Zhong (Wuhan University, China), and Jeffrey Xu Yu (The Chinese University of Hong Kong, China)</i>	
Jarvis: Large-Scale Server Monitoring with Adaptive Near-Data Processing	1408
<i>Atul Sandur (University of Illinois at Urbana-Champaign), ChanHo Park (UNIST), Stavros Volos (Microsoft Research), Gul Agha (University of Illinois at Urbana-Champaign), and Myeongjae Jeon (UNIST)</i>	
Fairness-Aware Range Queries for Selecting Unbiased Data	1423
<i>Suraj Shetiya (University of Texas at Arlington), Ian P. Swift (University of Illinois at Chicago), Abolfazl Asudeh (University of Illinois at Chicago), and Gautam Das (University of Texas at Arlington)</i>	

Inhomogeneous Social Recommendation with Hypergraph Convolutional Networks	1437
<i>Zirui Zhu (Beijing National Research Center for Information Science and Technology, Tsinghua University, China), Chen Gao (Beijing National Research Center for Information Science and Technology, Tsinghua University, China), Xu Chen (Beijing Key Laboratory of Big Data Management and Analysis Methods, Renmin University of China, China), Nian Li (Beijing National Research Center for Information Science and Technology, Tsinghua University, China), Depeng Jin (Beijing National Research Center for Information Science and Technology, Tsinghua University, China), and Yong Li (Beijing National Research Center for Information Science and Technology, Tsinghua University, China)</i>	
Memorize, Factorize, or be Naïve: Learning Optimal Feature Interaction Methods for CTR Prediction	1450
<i>Fuyuan Lyu (McGill University; Huawei Noah's Ark Lab), Xing Tang (Huawei Noah's Ark Lab), Huifeng Guo (Huawei Noah's Ark Lab), Ruiming Tang (Huawei Noah's Ark Lab), Xiuqiang He (FiT, Tencent), Rui Zhang (www.ruizhang.info), and Xue Liu (McGill University)</i>	
Croesus: Multi-Stage Processing and Transactions for Video-Analytics in Edge-Cloud Systems....	1463
<i>Samaa Gazzaz (University of California-Santa Cruz), Vishal Chakraborty (University of California-Irvine), and Faisal Nawab (University of California-Irvine)</i>	
When is Early Classification of Time Series Meaningful? (Extended Abstract)	1477
<i>Renjie Wu (University of California, Riverside), Audrey Der (University of California, Riverside), and Eamonn Keogh (University of California, Riverside)</i>	
Current Time Series Anomaly Detection Benchmarks are Flawed and are Creating the Illusion of Progress (Extended Abstract)	1479
<i>Renjie Wu (University of California, Riverside) and Eamonn Keogh (University of California, Riverside)</i>	
Who Should Deserve Investment? Attractive Individual and Group Search in Dynamic Information Networks (Extended Abstract)	1481
<i>Xinrui Wang (Harbin Institute of Technology, China), Hong Gao (Harbin Institute of Technology, China), Zhipeng Cai (Georgia State University, USA), and Jianzhong Li (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, China; Harbin Institute of Technology, China)</i>	
On Efficient Large Maximal Biplex Discovery (Extended Abstract)	1483
<i>Kaiqiang Yu (Nanyang Technological University, Singapore), Cheng Long (Nanyang Technological University, Singapore), Deepak P (Queen's University Belfast, UK), and Tanmoy Chakraborty (Indraprastha Institute of Information Technology Delhi (IIIT-D), India)</i>	
A Branch Elimination-Based Efficient Algorithm for Large-Scale Multiple Longest Common Subsequence Problem (Extended Abstract)	1485
<i>Shiwei Wei (Xidian University, China; Guilin University of Aerospace Technology, China), Yuping Wang (Xidian University, China), and Yiu-ming Cheung (Hong Kong Baptist University, China)</i>	

Efficient and Oblivious Query Processing for Range and kNN Queries (Extended Abstract)	1487
<i>Zhao Chang (Xidian University, China), Dong Xie (The Pennsylvania State University, USA), Feifei Li (Alibaba Group, China), Jeff M. Phillips (University of Utah, USA), and Rajeev Balasubramonian (University of Utah, USA)</i>	
MOSE: A Monotonic Selectivity Estimator using Learned CDF (Extended Abstract)	1489
<i>Luming Sun (Renmin University of China, China), Cuiping Li (Renmin University of China, China), Tao Ji (Renmin University of China, China), and Hong Chen (Renmin University of China, China)</i>	
Multiset Membership Lookup in Large Datasets (Extended abstract)	1491
<i>Lin Chen (Sun Yat-sen University, China) and Jihong Yu (Beijing Institute of Technology, China)</i>	
Maximum Signed θ -Cliques Identification in Large Signed Graphs (Extended Abstract)	1493
<i>Chen Chen (Zhejiang Gongshang University, China), Yanping Wu (Zhejiang Gongshang University, China), Renjie Sun (East China Normal University, China), and Xiaoyang Wang (Zhejiang Gongshang University, China)</i>	
Stable Community Detection in Signed Social Networks (Extended Abstract)	1495
<i>Renjie Sun (East China Normal University, China), Chen Chen (Zhejiang Gongshang University, China), Xiaoyang Wang (Zhejiang Gongshang University, China), and Xun Wang (Zhejiang Gongshang University, China)</i>	
Hierarchical Representation Learning for Attributed Networks	1497
<i>Shu Zhao (Anhui University, China), Ziwei Du (Anhui University, China), Jie Chen (Anhui University, China), Yanping Zhang (Anhui University, China), Jie Tang (Tsinghua University, China), and Philip S. Yu (University of Illinois at Chicago, USA)</i>	
DRGI: Deep Relational Graph Infomax for Knowledge Graph Completion (Extended Abstract) ...	1499
<i>Shuang Liang (University of Electronic Science and Technology of China, China), Jie Shao (University of Electronic Science and Technology of China, China; Shenzhen Institute for Advanced Study, UESTC, China), Dongyang Zhang (University of Electronic Science and Technology of China, China), Jiasheng Zhang (University of Electronic Science and Technology of China, China; Sichuan Artificial Intelligence Research Institute, China), and Bin Cui (Peking University, China)</i>	
Continuous Trajectory Similarity Search for Online Outlier Detection (Extended Abstract)	1501
<i>Dongxiang Zhang (Zhejiang University, China), Zhihao Chang (Zhejiang University, China), Sai Wu (Zhejiang University, China), Ye Yuan (Beijing Institute of Technology, China), Kian-Lee Tan (National University of Singapore, Singapore), and Gang Chen (Zhejiang University, China)</i>	
SCPM-CR: A Novel Method for Spatial Co-Location Pattern Mining with Coupling Relation Consideration (Extended Abstract)	1503
<i>Peizhong Yang (Yunnan University, China), Lizhen Wang (Yunnan University, China), Xiaoxuan Wang (Yunnan University, China), and Lihua Zhou (Yunnan University, China)</i>	

Cost-Aware and Distance-Constrained Collective Spatial Keyword Query (Extended Abstract) ...	1505
<i>Harry Kai-Ho Chan (Roskilde University, Denmark), Shengxin Liu (Harbin Institute of Technology (Shenzhen), China), Cheng Long (Nanyang Technological University, Singapore), and Raymond Chi-Wing Wong (The Hong Kong University of Science and Technology, Hong Kong)</i>	
Graph-Driven Federated Data Management (Extended Abstract)	1507
<i>Sergi Nadal (Universitat Politècnica de Catalunya, Spain), Alberto Abelló (Universitat Politècnica de Catalunya, Spain), Oscar Romero (Universitat Politècnica de Catalunya, Spain), Stijn Vansummeren (Hasselt University, Data Science Institute, Belgium), and Panos Vassiliadis (University of Ioannina, Greece)</i>	
Network Alignment with Holistic Embeddings (Extended Abstract)	1509
<i>Thanh Trung Huynh (Griffith University), Thang Chi Duong (Ecole Polytechnique Federale de Lausanne), Thanh Tam Nguyen (Griffith University), Van Vinh Tong (Hanoi University of Science and Technology), Abdul Sattar (Griffith University), Hongzhi Yin (The University of Queensland), and Quoc Viet Hung Nguyen (Griffith University)</i>	
ScaleG: A Distributed Disk-Based System for Vertex-Centric Graph Processing (Extended Abstract)	1511
<i>Xubo Wang (Zhejiang Lab, China), Dong Wen (University of New South Wales, Australia), Lu Qin (AAIL, University of Technology Sydney, Australia), Lijun Chang (The University of Sydney, Australia), and Wenjie Zhang (University of New South Wales, Australia)</i>	
Community-Aware Social Recommendation: A Unified SCSVD Framework (Extended Abstract) .	1513
<i>Jiewen Guan (Xiamen University, China; Xiamen Key Laboratory of Big Data Intelligent Analysis and Decision-making, China), Xin Huang (Hong Kong Baptist University, China), and Bilian Chen (Xiamen University, China; Xiamen Key Laboratory of Big Data Intelligent Analysis and Decision-making, China)</i>	
Core Decomposition on Uncertain Graphs Revisited (Extended Abstract)	1515
<i>Qiangqiang Dai (Beijing Institute of Technology, China), Rong-Hua Li (Beijing Institute of Technology, China), Guoren Wang (Beijing Institute of Technology, China), Rui Mao (Shenzhen University, China), Zhiwei Zhang (Beijing Institute of Technology, China), and Ye Yuan (Beijing Institute of Technology, China)</i>	
Multi-dimensional Randomized Response	1517
<i>Josep Domingo-Ferrer (Universitat Rovira i Virgili) and Jordi Soria-Comas (APDCAT-Catalan Data Protection Authority)</i>	
DeepCrowd: A Deep Model for Large-Scale Citywide Crowd Density and Flow Prediction (Extended Abstract)	1519
<i>Renhe Jiang (The University of Tokyo; Southern University of Science and Technology), Zekun Cai (The University of Tokyo), Zhaonan Wang (The University of Tokyo), Chuang Yang (The University of Tokyo), Zipei Fan (The University of Tokyo), Qianjun Chen (The University of Tokyo), Kota Tsubouchi (Yahoo Japan Corporation), Xuan Song (Southern University of Science and Technology; The University of Tokyo), and Ryosuke Shibasaki (The University of Tokyo)</i>	

TwICS: Twitter Stream Entity Mention Detection (Extended Abstract)	1521
<i>Satadisha Saha Bhowmick (Binghamton University), Eduard Dragut (Temple University), and Weiyi Meng (Binghamton University)</i>	
A Dual-Store Structure for Knowledge Graphs (Extended Abstract)	1523
<i>Zhixin Qi (Harbin Institute of Technology, China), Hongzhi Wang (Harbin Institute of Technology, China), and Haoran Zhang (Harbin Institute of Technology, China)</i>	
Platform-Oriented Event Time Allocation(Extended Abstract)	1525
<i>H Sun (Xi'an Jiaotong University, China), N Wang (Xi'an Jiaotong University, China), J Jia (Xi'an Jiaotong University, China), J Huang (Xidian University, China), H Xiong (The Hong Kong University of Science and Technology, China), L He (Xi'an Jiaotong University, China), X Liu (National University of Defense Technology, China), S Zhang (Xi'an Jiaotong University, China), S Qiao (Chengdu University of Information Technology, China), and J Zhao (Xi'an Jiaotong University, China)</i>	
Fast Error-Bounded Distance Distribution Computation (Extended Abstract)	1527
<i>Jiahao Zhang (The Hong Kong Polytechnic University), Man Lung Yiu (The Hong Kong Polytechnic University), Bo Tang (Southern University of Science and Technology), and Qing Li (The Hong Kong Polytechnic University)</i>	
Set-Aware Entity Synonym Discovery with Flexible Receptive Fields (Extended Abstract)	1529
<i>Shichao Pei (King Abdullah University of Science and Technology, Saudi Arabia), Lu Yu (King Abdullah University of Science and Technology, Saudi Arabia), and Xiangliang Zhang (University of Notre Dame, USA; King Abdullah University of Science and Technology, Saudi Arabia)</i>	
Temporal Network Motifs: Models, Limitations, Evaluation (Extended Abstract)	1531
<i>Penghang Liu (University at Buffalo, USA), Valerio Guarrasi (Sapienza University of Rome, Italy), and Ahmet Erdem Sariyüce (University at Buffalo, USA)</i>	
Uniting Heterogeneity, Inductiveness, and Efficiency for Graph Representation Learning (Extended Abstract)	1533
<i>Tong Chen (The University of Queensland), Hongzhi Yin (The University of Queensland), Jie Ren (Michigan State University), Zi Huang (The University of Queensland), Xiangliang Zhang (University of Notre Dame), and Hao Wang (Alibaba Cloud, Alibaba Group)</i>	
Efficient EMD-Based Similarity Search via Batch Pruning and Incremental Computation (Extended Abstract)	1535
<i>Yu Chen (Tsinghua University, China), Yong Zhang (Tsinghua University, China), Jin Wang (University of California, Los Angeles), Jiacheng Wu (Tsinghua University, China), and Chunxiao Xing (Tsinghua University, China)</i>	
Building Graphs at Scale via Sequence of Edges: Model and Generation Algorithms (Extended Abstract)	1537
<i>Yu Liu (Beijing Jiaotong University), Lei Zou (Peking University), and Zhewei Wei (Renmin University of China)</i>	

Finding Critical Users in Social Communities via Graph Convolutions (Extended Abstract)	1539
<i>Kangfei Zhao (The Chinese University of Hong Kong; Tencent AI Lab), Zhiwei Zhang (Beijing Institute of Technology), Yu Rong (Tencent AI Lab), Jeffrey Xu Yu (The Chinese University of Hong Kong), and Junzhou Huang (University of Texas at Arlington)</i>	
On the Fairness of Time-Critical Influence Maximization in Social Networks (Extended Abstract)	1541
<i>Junaid Ali (Max Planck Institute for Software Systems), Mahmoudreza Babaei (Max Planck Institute for Human Development), Abhijnan Chakraborty (Indian Institute of Technology Delhi), Baharan Mirzasoleiman (UCLA), Krishna P. Gummadi (Max Planck Institute for Software Systems), and Adish Singla (Max Planck Institute for Software Systems)</i>	
Fast Reachability Queries Answering Based on RCN Reduction (Extended Abstract)	1543
<i>Junfeng Zhou (Donghua University, China), Jeffrey Xu Yu (Chinese University of Hong Kong, China), Yaxian Qiu (Donghua University, China), Xian Tang (Shanghai University of Engineering Science, China), Ziyang Chen (Shanghai Lixin University of Accounting and Finance, China), and Ming Du (Donghua University, China)</i>	
GloDyNE: Global Topology Preserving Dynamic Network Embedding (Extended Abstract)	1545
<i>Chengbin Hou (Southern University of Science and Technology, China; University of Birmingham, United Kingdom), Han Zhang (University of Birmingham, United Kingdom), Shan He (University of Birmingham, United Kingdom), and Ke Tang (Southern University of Science and Technology, China)</i>	
Efficient Top-k Vulnerable Nodes Detection in Uncertain Graphs (Extended Abstract)	1547
<i>Dawei Cheng (Tongji University, China), Chen Chen (Zhejiang Gongshang University, China), Xiaoyang Wang (Zhejiang Gongshang University, China), and Sheng Xiang (University of Technology Sydney, Australia)</i>	
A Generalized Framework for Preserving Both Privacy and Utility in Data Outsourcing (Extended Abstract)	1549
<i>Shangyu Xie (Illinois Institute of Technology), Meisam Mohammady (CSIRO Data61), Han Wang (Illinois Institute of Technology), Lingyu Wang (Concordia University), Jaideep Vaidya (Rutgers University), and Yuan Hong (Illinois Institute of Technology)</i>	
Privacy-Preserving Collaborative Filtering using Fully Homomorphic Encryption (Extended Abstract)	1551
<i>Seiya Jumonji (Tokyo Metropolitan University, Japan), Kazuya Sakai (Tokyo Metropolitan University, Japan), Min-Te Sun (National Central University, Taiwan), and Wei-Shinn Ku (Auburn University, USA)</i>	
Event Popularity Prediction using Influential Hashtags from Social Media (Extended Abstract)	1553
<i>Xi Chen (RMIT University, Australia), Xiangmin Zhou (RMIT University, Australia), Jeffrey Chan (RMIT University, Australia), Lei Chen (Hong Kong University of Science and Technology), Timos Sellis (Swinburne University of Technology, Australia), and Yanchun Zhang (Victoria University, Australia; Guangzhou University, China)</i>	

Comparing Alternative Route Planning Techniques: A Comparative User Study on Melbourne, Dhaka and Copenhagen Road Networks (Extended Abstract)*	1555
<i>Lingxiao Li (Monash University, Australia), Muhammad Aamir Cheema (Monash University, Australia), Hua Lu (Roskilde University, Denmark), Mohammed Eunus Ali (Bangladesh University, Bangladesh), and Adel Nadjaran Toosi (Monash University, Australia)</i>	
k-PleasEd Querying (Extended Abstract)	1557
<i>Zitong Chen (The Chinese University of Hong Kong, Hong Kong), Ada Wai-Chee Fu (The Chinese University of Hong Kong, Hong Kong), Cheng Long (Nanyang Technological University, Singapore), and Yang Wu (The Chinese University of Hong Kong, Hong Kong)</i>	
Efficient Approximate Range Aggregation over Large-Scale Spatial Data Federation (Extended Abstract)	1559
<i>Yexuan Shi (Beihang University, China), Yongxin Tong (Beihang University, China), Yuxiang Zeng (The Hong Kong University of Science and Technology, HongKong), Zimu Zhou (Singapore Management University, Singapore), Bolin Ding (China), and Lei Chen (The Hong Kong University of Science and Technology, HongKong)</i>	
Lasagne: A Multi-Layer Graph Convolutional Network Framework via Node-Aware Deep Architecture (Extended Abstract)	1561
<i>Xupeng Miao (Peking University; Tencent Inc.), Wentao Zhang (Peking University; Tencent Inc.), Yingxia Shao (BUPT), Bin Cui (Peking University; Institute of Computational Social Science, Peking University (Qingdao)), Lei Chen (Department of CSE, HKUST), Ce Zhang (ETH Zurich), and Jiawei Jiang (ETH Zurich)</i>	
Recurrent Learning on PM _{2.5} Prediction Based on Clustered Airbox Dataset (Extended Abstract)	1563
<i>Chia-Yu Lo (Taiwan Semiconductor Manufacturing Company, Taiwan), Wen-Hsing Huang (National Central University, Taiwan), Ming-Feng Ho (National Central University, Taiwan), Min-Te Sun (National Central University, Taiwan), Ling-Jyh Chen (Academia Sinica, Taiwan), Kazuya Sakai (Tokyo Metropolitan University, Japan), and Wei-Shinn Ku (Auburn University, USA)</i>	
Frequency Estimation in Data Streams: Learning the Optimal Hashing Scheme (Extended Abstract)	1565
<i>Dimitris Bertsimas (Massachusetts Institute of Technology) and Vassilis Digalakis (Massachusetts Institute of Technology)</i>	
CoANE: Modeling Context Co-Occurrence for Attributed Network Embedding	1567
<i>I-Chung Hsieh (National Cheng Kung University, Taiwan) and Cheng-Te Li (National Cheng Kung University, Taiwan)</i>	
Unified and Incremental SimRank: Index-free Approximation with Scheduled Principle (extended Abstract)	1569
<i>Fanwei Zhu (Zhejiang University City College, China), Yuan Fang (Singapore Management University, Singapore), Kai Zhang (Zhejiang University City College, China), Kevin Chen-Chuan Chang (University of Illinois at Urbana-Champaign, USA), Hongtai Cao (University of Illinois at Urbana-Champaign, USA), Zhen Jiang (Zhejiang University City College, China), and Minghui Wu (Zhejiang University City College, China)</i>	

Neighbor-Anchoring Adversarial Graph Neural Networks (Extended Abstract)	1571
<i>Zemin Liu (Singapore Management University), Yuan Fang (Singapore Management University), Yong Liu (Nanyang Technological University), and Vincent W. Zheng (WeBank)</i>	
GQP: A Framework for Scalable and Effective Graph Query-Based Pricing	1573
<i>Chen Chen (Beijing Institute of Technology, China), Ye Yuan (Beijing Institute of Technology, China), Zhenyu Wen (Zhejiang University of Technology, China), Guoren Wang (Beijing Institute of Technology, China), and Anteng Li (Beijing Institute of Technology, China)</i>	
Enhancing Federated Learning with Intelligent Model Migration in Heterogeneous Edge Computing	1586
<i>Jianchun Liu (University of Science and Technology of China, China), Yang Xu (University of Science and Technology of China, China), Hongli Xu (University of Science and Technology of China, China), Yunming Liao (University of Science and Technology of China, China), Zhiyuan Wang (University of Science and Technology of China, China), and He Huang (Soochow University, China)</i>	
From Batch Processing to Real Time Analytics: Running Presto® at Scale	1598
<i>Zhenxiao Luo (Twitter), Lu Niu (Pinterest), Venki Korukanti (Uber), Yutian Sun (Facebook), Masha Basmanova (Facebook), Yi He (Pinterest), Beinan Wang (Twitter), Devesh Agrawal (Uber), Hao Luo (Twitter), Chunxu Tang (Twitter), Ashish Singh (Pinterest), Yao Li (Twitter), Peng Du (Uber), Girish Baliga (Uber), and Maosong Fu (Twitter)</i>	
Computation Reuse via Fusion in Amazon Athena	1610
<i>Nicolas Bruno (Amazon, USA), Johnny Debrodt (Amazon, USA), Chujun Song (University of Maryland, USA), and Wei Zheng (Amazon, USA)</i>	
Dynamic Hypergraph Convolutional Network	1621
<i>Nan Yin (National University of Defense Technology), Fuli Feng (University of Science and Technology of China), Zhigang Luo (National University of Defense Technology), Xiang Zhang (National University of Defense Technology), Wenjie Wang (National University of Singapore), Xiao Luo (Peking University), Chong Chen (Peking University), and Xian-Sheng Hua (Independent Researcher)</i>	
Equi-Joins over Encrypted Data for Series of Queries	1635
<i>Masoumeh Shafieinejad (University of Waterloo, Canada), Suraj Gupta (University of Waterloo, Canada), Jin Yang Liu (University of Waterloo, Canada), Koray Karabina (National Research Council & University of Waterloo, Canada), and Florian Kerschbaum (University of Waterloo, Canada)</i>	
Efficiently Transforming Tables for Joinability	1649
<i>Arash Dargahi Nobari (University of Alberta) and Davood Rafiei (University of Alberta)</i>	

Near Data Processing in Taurus Database	1662
<i>Shu Lin (Huawei Technologies Canada), Arunprasad P. Marathe (Huawei Technologies Canada), Per-Ake Larson (Huawei Technologies Canada), Chong Chen (Huawei Technologies Canada), Calvin Sun (Huawei Technologies Canada), Paul Lee (Huawei Technologies Canada), Weidong Yu (Huawei Technologies Canada), Jianwei Li (Huawei Technologies China), Juncai Meng (Huawei Technologies China), Roulin Lin (Huawei Technologies China), Xiaoyang Chen (Huawei Technologies China), and Qingping Zhu (Huawei Technologies China)</i>	
Regular Path Query Evaluation Sharing a Reduced Transitive Closure Based on Graph Reduction	1675
<i>Inju Na (KAIST), Yang-Sae Moon (Kangwon National University), Ilyeop Yi (KAIST), Kyu-Young Whang (KAIST), and Soon J. Hyun (KAIST)</i>	
Bilateral Preference-Aware Task Assignment in Spatial Crowdsourcing	1687
<i>Xu Zhou (Hunan University, China), Shiting Liang (Hunan University, China), Kenli Li (Hunan University, China), Yunjun Gao (Zhejiang University, China), and Keqin Li (State University of New York, USA)</i>	
TMN: Trajectory Matching Networks for Predicting Similarity	1700
<i>Peilun Yang (Zhejiang Gongshang University, China; University of Technology Sydney, Australia), Hanchen Wang (University of New South Wales, Australia), Defu Lian (University of Science and Technology of China, China), Ying Zhang (Zhejiang Gongshang University, China; University of Technology Sydney, Australia), Lu Qin (University of Technology Sydney, Australia), and Wenjie Zhang (University of New South Wales, Australia)</i>	
Deep Popularity Prediction in Multi-Source Cascade with HERI-GCN	1714
<i>Zhen Wu (Soochow University, China), Jingya Zhou (Soochow University, China), Ling Liu (Georgia Institute of Technology, USA), Chaozhuo Li (Microsoft Research Asia, China), and Fei Gu (Soochow University, China)</i>	
Frequency-Based Randomization for Guaranteeing Differential Privacy in Spatial Trajectories	1727
<i>Fengmei Jin (The University of Queensland, Australia), Wen Hua (The University of Queensland, Australia), Boyu Ruan (The University of Queensland, Australia), and Xiaofang Zhou (The Hong Kong University of Science and Technology, Hong Kong)</i>	
Scape: Scalable Collaborative Analytics System on Private Database with Malicious Security	1740
<i>Feng Han (University of Science and Technology of China; Alibaba Group), Lan Zhang (University of Science and Technology of China), Hanwen Feng (Alibaba Group), Weiran Liu (Alibaba Group), and Xiangyang Li (University of Science and Technology of China)</i>	
HET-KG: Communication-Efficient Knowledge Graph Embedding Training via Hotness-Aware Cache	1754
<i>Sicong Dong (Tianjin University), Xupeng Miao (Peking University), Pengkai Liu (Tianjin University), Xin Wang (Tianjin University), Bin Cui (Peking University), and Jianxin Li (Deakin University)</i>	

Subspace Embedding Based New Paper Recommendation	1767
<i>Yi Xie (Shandong University, China), Wen Li (Shandong University, China), Yuqing Sun (Shandong University, China), Elisa Bertino (Purdue University, the United States), and Bin Gong (Shandong University, China)</i>	
IPS: Instance Profile for Shapelet Discovery for Time Series Classification	1781
<i>Guozhong Li (Hong Kong Baptist University, Hong Kong SAR), Byron Choi (Hong Kong Baptist University, Hong Kong SAR), Jianliang Xu (Hong Kong Baptist University, Hong Kong SAR), Sourav S Bhowmick (Nanyang Technological University, Singapore), Daphne Ngar-yin Mah (Hong Kong Baptist University, Hong Kong SAR), and Grace L.H. Wong (The Chinese University of Hong Kong, Hong Kong SAR)</i>	
A Comparative Study of in-Database Inference Approaches	1794
<i>Qiuru Lin (Zhejiang University, China), Sai Wu (Zhejiang University, China), Junbo Zhao (Zhejiang University, China), Jian Dai (Alibaba Group, China), Feifei Li (Alibaba Group, China), and Gang Chen (Zhejiang University, China)</i>	
Ubiquitous Verification in Centralized Ledger Database	1808
<i>Xinying Yang (Alibaba Group), Sheng Wang (Alibaba Group), Feifei Li (Alibaba Group), Yuan Zhang (Ant Group), Wenyuan Yan (Alibaba Group), Fangyu Gai (Alibaba Group), Benquan Yu (Ant Group), Likai Feng (Ant Group), Qun Gao (Ant Group), and Yize Li (Alibaba Group)</i>	
OLxPBench: Real-Time, Semantically Consistent, and Domain-Specific are Essential in Benchmarking, Designing, and Implementing HTAP Systems	1822
<i>Guoxin Kang (Institute of Computing Technology, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Lei Wang (Institute of Computing Technology, Chinese Academy of Sciences; International Open Benchmark Council), Wanling Gao (Institute of Computing Technology, Chinese Academy of Sciences; International Open Benchmark Council), Fei Tang (Institute of Computing Technology, Chinese Academy of Sciences; University of Chinese Academy of Sciences), and Jianfeng Zhan (Institute of Computing Technology, Chinese Academy of Sciences; University of Chinese Academy of Sciences; International Open Benchmark Council)</i>	
Dynamic Approximate Maximum Independent Set on Massive Graphs	1835
<i>Xiangyu Gao (Harbin Institute of Technology, China; Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, China), Jianzhong Li (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, China; Harbin Institute of Technology, China), and Dongjing Miao (Harbin Institute of Technology, China)</i>	
Rank-Regret Minimization	1848
<i>Xingxing Xiao (Harbin Institute of Technology, China; Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, China) and Jianzhong Li (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, China; Harbin Institute of Technology, China)</i>	
An Extended SSD-Based Cache for Efficient Object Store Access in SAP IQ	1861
<i>Sagar Shedge (SAP Labs, India), Nishant Sharma (SAP Labs, India), Anant Agarwal (SAP Labs, India), Mohammed Abouzour (SAP Labs, Canada), and Güneş Aluç (SAP Labs, Canada)</i>	

Robust Attributed Network Embedding Preserving Community Information	1874
<i>Yunfei Liu (University of Electronic Science and Technology of China), Zhen Liu (University of Electronic Science and Technology of China), Xiaodong Feng (University of Electronic Science and Technology of China), and Zhongyi Li (University of Electronic Science and Technology of China)</i>	
Maximal Balanced Signed Biclique Enumeration in Signed Bipartite Graphs	1887
<i>Renjie Sun (East China Normal University, China), Yanping Wu (Zhejiang Gongshang University, China), Chen Chen (East China Normal University, China; Zhejiang Gongshang University, China), Xiaoyang Wang (Zhejiang Gongshang University, China), Wenjie Zhang (The University of New South Wales, Australia), and Xuemin Lin (The University of New South Wales, Australia)</i>	
Maximal Directed Quasi-Clique Mining	1900
<i>Guo Guimu (The University of Alabama at Birmingham), Da Yan (The University of Alabama at Birmingham), Lyuheng Yuan (The University of Alabama at Birmingham), Jalal Khalil (The University of Alabama at Birmingham), Cheng Long (Nanyang Technological University), Zhe Jiang (University of Florida), and Yang Zhou (Auburn University)</i>	
EMP: Max-P Regionalization with Enriched Constraints	1914
<i>Yunfan Kang (University of California, Riverside, USA) and Amr Magdy (University of California, Riverside, USA)</i>	
ν Chain+: Optimizing Verifiable Blockchain Boolean Range Queries	1927
<i>Haixin Wang (Hong Kong Baptist University, Hong Kong), Cheng Xu (Hong Kong Baptist University, Hong Kong; Simon Fraser University, Canada), Ce Zhang (Hong Kong Baptist University, Hong Kong), Jianliang Xu (Hong Kong Baptist University, Hong Kong), Zhe Peng (Hong Kong Baptist University, Hong Kong), and Jian Pei (Simon Fraser University, Canada)</i>	
Finding Top-r Influential Communities Under Aggregation Functions	1941
<i>You Peng (The Chinese University of Hong Kong), Song Bian (The Chinese University of Hong Kong), Rui Li (The Chinese University of Hong Kong), Sibow Wang (The Chinese University of Hong Kong), and Jeffrey Xu Yu (The Chinese University of Hong Kong)</i>	
Efficient k-Clique Listing with Set Intersection Speedup	1955
<i>Zhirong Yuan (East China Normal University, China), You Peng (The University of New South Wales, Australia), Peng Cheng (East China Normal University, China), Li Han (East China Normal University, China), Xuemin Lin (Shanghai Jiao Tong University, China), Lei Chen (The Hong Kong University of Science and Technology, China), and Wenjie Zhang (The University of New South Wales, Australia)</i>	
Distributed Set Label-Constrained Reachability Queries over Billion-Scale Graphs	1969
<i>Yuanyuan Zeng (Hunan University, China), Wangdong Yang (Hunan University, China), Xu Zhou (Hunan University, China), Guoqing Xiao (Hunan University, China), Yunjun Gao (Zhejiang University, China), and Kenli Li (Hunan University, China)</i>	

Efficient Learning-Based Community-Preserving Graph Generation	1982
<i>Sheng Xiang (AAIL, University of Technology Sydney, Australia), Dawei Cheng (Tongji University, China), Jianfu Zhang (Shanghai Jiao Tong University, China), Zhenwei Ma (China Unionpay Co., Ltd., China), Xiaoyang Wang (Zhejiang Gong Shang University, China), and Ying Zhang (AAIL, University of Technology Sydney, Australia)</i>	
Adaptive Code Learning for Spark Configuration Tuning	1995
<i>Chen Lin (Xiamen University, China), Junqing Zhuang (Xiamen University, China), Jiadong Feng (Xiamen University, China), Hui Li (Xiamen University, China), Xuanhe Zhou (Tsinghua University, China), and Guoliang Li (Tsinghua University, China)</i>	
Collecting Triangle Counts with Edge Relationship Local Differential Privacy	2008
<i>Yuhan Liu (Renmin University of China, China), Suyun Zhao (Renmin University of China, China), Yixuan Liu (Renmin University of China, China), Dan Zhao (Renmin University of China, China), Hong Chen (Renmin University of China, China), and Cuiping Li (Renmin University of China, China)</i>	
iTemporal: An Extensible Generator of Temporal Benchmarks	2021
<i>Luigi Bellomarini (Banca d'Italia, Italy), Markus Nissl (TU Wien, Austria), and Emanuel Sallinger (TU Wine, Austria)</i>	
Self-Supervised Dual-Channel Attentive Network for Session-Based Social Recommendation	2034
<i>Liuyin Wang (Tsinghua University, China), Xianghong Xu (Tsinghua University, China), Kai Ouyang (Tsinghua University, China), Huanzhong Duan (Weixin Group, China), Yanxiong Lu (Weixin Group, China), and Hai-Tao Zheng (Tsinghua University, China; Pengcheng Laboratory, China)</i>	
XTREE: Traversal-Based Partitioning for Extreme-Scale Graph Processing on Supercomputers	2046
<i>Xinbiao Gan (National University of Defense Technology), Yiming Zhang (National University of Defense Technology; Xiamen University), Ruigeng Zeng (National University of Defense Technology), Jie Liu (National University of Defense Technology), Ruibo Wang (National University of Defense Technology), Tiejun Li (National University of Defense Technology), Li Chen (Huawei), and Kai Lu (National University of Defense Technology)</i>	
Deep and Collective Entity Resolution in Parallel	2060
<i>Ting Deng (SKLSDE, Beihang University), Wenfei Fan (SKLSDE, Beihang University; University of Edinburgh; Shenzhen Institute of Computing Sciences), Ping Lu (SKLSDE, Beihang University), Xiaomeng Luo (SKLSDE, Beihang University), Xiaoke Zhu (SKLSDE, Beihang University), and Wanhe An (SKLSDE, Beihang University)</i>	
RW-Tree: A Learned Workload-Aware Framework for R-Tree Construction	2073
<i>Haowen Dong (Tsinghua University), Chengliang Chai (Tsinghua University), Yuyu Luo (Tsinghua University), Jiabin Liu (Tsinghua University), Jianhua Feng (Tsinghua University), and Chaoqun Zhang (Alibaba)</i>	

Spatial-Temporal Interval Aware Sequential POI Recommendation	2086
<i>En Wang (Jilin University, China; Key Laboratory of Symbolic Computation and Knowledge Engineering of Ministry of Education, Jilin University, China), Yiheng Jiang (Jilin University, China; Key Laboratory of Symbolic Computation and Knowledge Engineering of Ministry of Education, Jilin University, China), Yuanbo Xu (Jilin University, China; Key Laboratory of Symbolic Computation and Knowledge Engineering of Ministry of Education, Jilin University, China), Liang Wang (Northwestern Polytechnical University, China), and Yongjian Yang (Jilin University, China; Key Laboratory of Symbolic Computation and Knowledge Engineering of Ministry of Education, Jilin University, China)</i>	
Self-Reconstructive Evidential Clustering for High-Dimensional Data	2099
<i>Chaoyu Gong (Southeast University, China; National University of Singapore, Singapore), Yongbin Li (National University of Singapore, Singapore), Di Fu (National University of Singapore, Singapore), Yong Liu (National University of Singapore, Singapore), Pei-hong Wang (Southeast University, China), and Yang You (National University of Singapore, Singapore)</i>	
Joint Evidential K-Nearest Neighbor Classification	2113
<i>Chaoyu Gong (Southeast University, China; National University of Singapore, Singapore), Yongbin Li (National University of Singapore, Singapore), Yong Liu (National University of Singapore, Singapore), Pei-hong Wang (Southeast University, China), and Yang You (National University of Singapore, Singapore)</i>	
Semantics Driven Embedding Learning for Effective Entity Alignment	2127
<i>Ziyue Zhong (Beijing Institute of Technology), Meihui Zhang (Beijing Institute of Technology), Ju Fan (Renmin University of China), and Chenxiao Dou (KE Holdings Inc)</i>	
Influence-Aware Task Assignment in Spatial Crowdsourcing	2141
<i>Xuanhao Chen (University of Electronic Science and Technology of China, China), Yan Zhao (Aalborg University, Denmark), Kai Zheng (University of Electronic Science and Technology of China, China), Bin Yang (Aalborg University, Denmark), and Christian S. Jensen (Aalborg University, Denmark)</i>	
Competitive Consistent Caching for Transactions	2154
<i>Shuai An (University of Edinburgh), Yang Cao (University of Edinburgh), and Wenyue Zhao (University of Edinburgh)</i>	
PSP: Progressive Space Pruning for Efficient Graph Neural Architecture Search	2168
<i>Guanghui Zhu (Nanjing University, China), Wenjie Wang (Nanjing University, China), Zhuoer Xu (Nanjing University, China), Feng Cheng (Nanjing University, China), Mengchuan Qiu (Nanjing University, China), Chunfeng Yuan (Nanjing University, China), and Yihua Huang (Nanjing University, China)</i>	

Fluid: Dataset Abstraction and Elastic Acceleration for Cloud-Native Deep Learning Training Jobs	2182
<i>Rong Gu (State Key Laboratory for Novel Software Technology, Nanjing University, China), Kai Zhang (Alibaba Group, China), Zhihao Xu (State Key Laboratory for Novel Software Technology, Nanjing University, China), Yang Che (Alibaba Group, China), Bin Fan (Alluxio, Inc., USA), Haojun Hou (State Key Laboratory for Novel Software Technology, Nanjing University, China), Haipeng Dai (State Key Laboratory for Novel Software Technology, Nanjing University, China), Li Yi (Alibaba Group, China), Yu Ding (Alibaba Group, China), Guihai Chen (State Key Laboratory for Novel Software Technology, Nanjing University, China), and Yihua Huang (State Key Laboratory for Novel Software Technology, Nanjing University, China)</i>	
AutoIndex: An Incremental Index Management System for Dynamic Workloads	2196
<i>Xuanhe Zhou (Tsinghua University, China), Luyang Liu (Huawei Company, China), Wenbo Li (Tsinghua University, China), Lianyuan Jin (Tsinghua University, China), Shifu Li (Huawei Company, China), Tianqing Wang (Huawei Company, China), and Jianhua Feng (Tsinghua University, China)</i>	
Cross-Domain Recommendation to Cold-Start Users via Variational Information Bottleneck	2209
<i>Jiangxia Cao (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Jiawei Sheng (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Xin Cong (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Tingwen Liu (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), and Bin Wang (Xiaomi AI Lab, China)</i>	
ZOOMER: Boosting Retrieval on Web-Scale Graphs by Regions of Interest	2224
<i>Yuezihan Jiang (Peking University; Alibaba Group), Yu Cheng (Peking University; Alibaba Group), Hanyu Zhao (Peking University; Alibaba Group), Wentao Zhang (Peking University), Xupeng Miao (Peking University), Yu He (Peking University), Liang Wang (Alibaba Group), Zhi Yang (Peking University; Peking University & National Engineering Laboratory for Big Data Analysis and Applications), and Bin Cui (Peking University; Peking University & National Engineering Laboratory for Big Data Analysis and Applications)</i>	
Distributed Task-Based Training of Tree Models	2237
<i>Da Yan (The University of Alabama at Birmingham), Mashiur Rahman Chowdhury (The University of Alabama at Birmingham), Guimu Guo (The University of Alabama at Birmingham), Jalal Kahlil (The University of Alabama at Birmingham), Zhe Jiang (University of Florida), and Sushil Prasad (The University of Texas at San Antonio)</i>	
DB-LSH: Locality-Sensitive Hashing with Query-Based Dynamic Bucketing	2250
<i>Yao Tian (The Hong Kong University of Science and Technology, China), Xi Zhao (The Hong Kong University of Science and Technology, China), and Xiaofang Zhou (The Hong Kong University of Science and Technology, China)</i>	

Clock-G: A Temporal Graph Management System with Space-Efficient Storage Technique	2263
<i>Maria Massri (Orange Labs, France), Zoltan Miklos (University of Rennes CNRS IRISA, France), Philippe Raipin (Orange Labs, France), and Pierre Meye (Orange Labs, France)</i>	
Provenance in Temporal Interaction Networks	2277
<i>Chrysanthi Kosyfaki (University of Ioannina, Greece) and Nikos Mamoulis (University of Ioannina, Greece)</i>	
Discovering Hierarchy of Bipartite Graphs with Cohesive Subgraphs	2291
<i>Kai Wang (Shanghai Jiao Tong University), Wenjie Zhang (University of New South Wales), Xuemin Lin (Shanghai Jiao Tong University), Ying Zhang (University of Technology Sydney), and Shunyang Li (University of New South Wales)</i>	
TraSS: Efficient Trajectory Similarity Search Based on Key-Value Data Stores	2306
<i>Huajun He (Southwest Jiaotong University, China; JD iCity, JD Technology, China; 3JD Intelligent Cities Research, China), Ruiyuan Li (Chongqing University, China), Sijie Ruan (Xidian University, China; Nanyang Technological University, Singapore), Tianfu He (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Jie Bao (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Tianrui Li (Southwest Jiaotong University, China), and Yu Zheng (Southwest Jiaotong University, China; JD iCity, JD Technology, China; 3JD Intelligent Cities Research, China)</i>	
Personalized Graph Summarization: Formulation, Scalable Algorithms, and Applications	2319
<i>Shinhwan Kang (Kim Jaechul Graduate School of AI, KAIST, South Korea), Kyuhan Lee (Kim Jaechul Graduate School of AI, KAIST, South Korea), and Kijung Shin (Kim Jaechul Graduate School of AI, KAIST, South Korea; School of Electrical Engineering, KAIST, South Korea)</i>	
Efficient Computation of Cohesive Subgraphs in Uncertain Bipartite Graphs	2333
<i>Gengda Zhao (University of New South Wales), Kai Wang (Shanghai Jiao Tong University), Wenjie Zhang (University of New South Wales), Xuemin Lin (Shanghai Jiao Tong University), Ying Zhang (University of Technology Sydney), and Yizhang He (University of New South Wales)</i>	
On Maximising the Vertex Coverage for Top-k t-Bicliques in Bipartite Graphs	2346
<i>Aman Abidi (Swinburne University of Technology, Australia), Lu Chen (Swinburne University of Technology, Australia), Chengfei Liu (Swinburne University of Technology, Australia), and Rui Zhou (Swinburne University of Technology, Australia)</i>	
Synthesizing Privacy Preserving Entity Resolution Datasets	2359
<i>Xuedi Qin (Tsinghua University), Chengliang Chai (Tsinghua University), Nan Tang (QCRI, HBKU), Jian Li (Tsinghua University), Yuyu Luo (Tsinghua University), Guoliang Li (Tsinghua University), and Yaoyu Zhu (Tsinghua University)</i>	

Workload-Aware Shortest Path Distance Querying in Road Networks	2372
<i>Bolong Zheng (Huazhong University of Science and Technology, China), Jingyi Wan (Huazhong University of Science and Technology, China), Yongyong Gao (Huazhong University of Science and Technology, China), Yong Ma (Huazhong University of Science and Technology), Kai Huang (The Hong Kong University of Science and Technology, China), Xiaofang Zhou (The Hong Kong University of Science and Technology, China), and Christian S. Jensen (Aalborg University, Denmark)</i>	
BETZE: Benchmarking Data Exploration Tools with (Almost) Zero Effort	2385
<i>Nico Schäfer (TU Kaiserslautern (TUK), Germany) and Sebastian Michel (TU Kaiserslautern (TUK), Germany)</i>	
Evolutionary Clustering of Moving Objects	2399
<i>Tianyi Li (Aalborg University, Denmark), Lu Chen (Zhejiang University, China), Christian S. Jensen (Aalborg University, Denmark), Torben Bach Pedersen (Aalborg University, Denmark), Yunjun Gao (Zhejiang University, China), and Jilin Hu (Aalborg University, Denmark)</i>	
Temporal Regular Path Queries	2412
<i>Marcelo Arenas (Universidad Católica and IMFD, Chile), Pedro Bahamondes (Universidad Católica & IMFD, Chile), Amir Aghasadeghi (New York University, USA), and Julia Stoyanovich (New York University, USA)</i>	
A Machine Learning-Aware Data Re-Partitioning Framework for Spatial Datasets	2426
<i>Kanchan Chowdhury (Arizona State University, USA), Venkata Vamsikrishna Meduri (Arizona State University, USA), and Mohamed Sarwat (Arizona State University, USA)</i>	
Improving Fairness for Data Valuation in Horizontal Federated Learning	2440
<i>Zhenan Fan (University of British Columbia), Huang Fang (University of British Columbia), Zirui Zhou (Huawei Technologies Canada Co.), Jian Pei (Simon Fraser University), Michael P. Friedlander (University of British Columbia), Changxin Liu (KTH Royal Institute of Technology), and Yong Zhang (Huawei Technologies Canada Co.)</i>	
DPar2: Fast and Scalable PARAFAC2 Decomposition for Irregular Dense Tensors	2454
<i>Jun-Gi Jang (Seoul National University, Republic of Korea) and U Kang (Seoul National University, Republic of Korea)</i>	
Apache ShardingSphere: A Holistic and Pluggable Platform for Data Sharding	2468
<i>Ruiyuan Li (Chongqing University), Liang Zhang (SphereEx Lab), Juan Pan (SphereEx Lab), Junwen Liu (JD iCity, JD Technology, China; SphereEx Lab), Peng Wang (JD iCity, JD Technology, China; SphereEx Lab), Nianjun Sun (SphereEx Lab), Shanmin Wang (SphereEx Lab), Chao Chen (Chongqing University), Fuqiang Gu (Chongqing University), and Songtao Guo (Chongqing University)</i>	
Conditional Regression Rules	2481
<i>Rui Kang (BNRist, Tsinghua University), Shaoxu Song (BNRist, Tsinghua University), and Chaokun Wang (BNRist, Tsinghua University)</i>	

Improving Prediction-Based Lossy Compression Dramatically via Ratio-Quality Modeling	2494
<i>Sian Jin (Washington State University, USA), Sheng Di (Argonne National Laboratory, USA), Jiannan Tian (Washington State University, USA), Suren Byna (Lawrence Berkeley National Laboratory, USA), Dingwen Tao (Washington State University, USA), and Franck Cappello (Argonne National Laboratory, USA)</i>	
LAN: Learning-Based Approximate k-Nearest Neighbor Search in Graph Databases	2508
<i>Yun Peng (Hong Kong Baptist University), Byron Choi (Hong Kong Baptist University), Tsz Nam Chan (Hong Kong Baptist University), and Jianliang Xu (Hong Kong Baptist University)</i>	
Exploiting Hierarchical Parallelism and Reusability in Tensor Kernel Processing on Heterogeneous HPC Systems	2522
<i>Yuedan Chen (Hunan University, China; National Supercomputing Center in Changsha, China), Guoqing Xiao (Hunan University, China; National Supercomputing Center in Changsha, China), M. Tamer Özsu (University of Waterloo, Canada), Zhuo Tang (Hunan University, China; National Supercomputing Center in Changsha, China), Albert Y. Zomaya (University of Sydney, Australia), and Kenli Li (Hunan University, China; National Supercomputing Center in Changsha, China)</i>	
Consistent Subgraph Matching over Large Graphs	2536
<i>Ye Yuan (Beijing Institute of Technology), Delong Ma (Northeastern University, China), Aoqian Zhang (Beijing Institute of Technology, China), and Guoren Wang (Beijing Institute of Technology, China)</i>	
PinSQL: Pinpoint Root Cause SQLs to Resolve Performance Issues in Cloud Databases	2549
<i>Xiaoze Liu (Zhejiang University, China; Alibaba-Zhejiang University Joint Institute of Frontier Technologies, China), Zheng Yin (Alibaba Group, China), Chao Zhao (Zhejiang University, China; Alibaba-Zhejiang University Joint Institute of Frontier Technologies, China), Congcong Ge (Zhejiang University, China; Alibaba-Zhejiang University Joint Institute of Frontier Technologies, China), Lu Chen (Zhejiang University, China), Yunjun Gao (Zhejiang University, China), Dimeng Li (Alibaba Group, China), Ziting Wang (Alibaba Group, China), Gaozhong Liang (Alibaba Group, China), Jian Tan (Alibaba Group, China), and Feifei Li (Alibaba Group, China)</i>	
Dynamic Model Tree for Interpretable Data Stream Learning	2562
<i>Johannes Haug (University of Tuebingen, Germany), Klaus Broelemann (Schufa Holding AG, Germany), and Gjergji Kasneci (University of Tuebingen, Germany)</i>	
FedADMM: A Robust Federated Deep Learning Framework with Adaptivity to System Heterogeneity	2575
<i>Yonghai Gong (University of Science and Technology of China, China), Yichuan Li (University of Illinois at Urbana-Champaign, USA), and Nikolaos M. Freris (University of Science and Technology of China, China)</i>	

Colorful h-Star Core Decomposition	2588
<i>Sen Gao (Beijing Institute of Technology, China), Rong-Hua Li (Beijing Institute of Technology, China), Hongchao Qin (Beijing Institute of Technology, China), Hongzhi Chen (ByteDance, China), Ye Yuan (Beijing Institute of Technology, China), and Guoren Wang (Beijing Institute of Technology, China)</i>	
Mixing Transactions with Arbitrary Values on Blockchains	2602
<i>Wangze Ni (The Hong Kong University of Science and Technology, China), Peng Cheng (East China Normal University, China), and Lei Chen (The Hong Kong University of Science and Technology, China)</i>	
TSplit: Fine-Grained GPU Memory Management for Efficient DNN Training via Tensor Splitting.	2615
<i>Xiaonan Nie (Peking University), Xupeng Miao (Peking University), Zhi Yang (Peking University), and Bin Cui (Peking University; Peking University(Qingdao), China)</i>	
Out-of-Core Edge Partitioning at Linear Run-Time	2629
<i>Ruben Mayer (Technical University of Munich), Kamil Orujzade (Technical University of Munich), and Hans-Arno Jacobsen (University of Toronto)</i>	
FedRecAttack: Model Poisoning Attack to Federated Recommendation	2643
<i>Dazhong Rong (Zhejiang University, China), Shuai Ye (Polytechnic Institute, Zhejiang University, China), Ruoyan Zhao (Polytechnic Institute, Zhejiang University, China), Hon Ning Yuen (Zhejiang University, China), Jianhai Chen (Zhejiang University, China), and Qinning He (Zhejiang University, China)</i>	
Scalable Motif Counting for Large-Scale Temporal Graphs	2656
<i>Zhongqiang Gao (Ocean University of China, China), Chuanqi Cheng (Ocean University of China, China), Yanwei Yu (Ocean University of China, China), Lei Cao (Massachusetts Institute of Technology, USA), Chao Huang (The University of Hong Kong, China), and Junyu Dong (Ocean University of China, China)</i>	
SPADE: GPU-Powered Spatial Database Engine for Commodity Hardware	2669
<i>Harish Doraiswamy (Microsoft Research India) and Juliana Freire (New York University)</i>	
GX-Plug: a Middleware for Plugging Accelerators to Distributed Graph Processing	2682
<i>Kai Zou (University of Science and Technology of China), Xike Xie (University of Science and Technology of China), Qi Li (University of Science and Technology of China), and Deyu Kong (University of Science and Technology of China)</i>	
Exploration of Knowledge Graphs via Online Aggregation	2695
<i>Oren Kalinsky (Amazon, Israel), Aidan Hogan (DCC, Universidad de Chile & IMFD, Chile), Oren Mishali (Technion, Israel Institute of Technology, Israel), Yoav Etsion (Technion, Israel Institute of Technology, Israel), and Benny Kimelfeld (Technion, Israel Institute of Technology, Israel)</i>	

Effective Explanations for Entity Resolution Models	2709
<i>Tommaso Teofili (Roma Tre University), Donatella Firmani (Sapienza University), Nick Koudas (University of Toronto), Vincenzo Martello (Roma Tre University), Paolo Merialdo (Roma Tre University), and Divesh Srivastava (AT&T Chief Data Office)</i>	
Factor Windows: Cost-Based Query Rewriting for Optimizing Correlated Window Aggregates ...	2722
<i>Wentao Wu (Microsoft Corporation), Philip A. Bernstein (Microsoft Corporation), Alex Raizman (Microsoft Corporation), and Christina Pavlopoulou (University of California)</i>	
SPES: A Symbolic Approach to Proving Query Equivalence Under Bag Semantics	2735
<i>Qi Zhou (Georgia Institute of Technology), Joy Arulraj (Georgia Institute of Technology), Shamkant B. Navathe (Georgia Institute of Technology), William Harris (Galois Inc), and Jinpeng Wu (Alibaba)</i>	
Manipulating Structural Graph Clustering	2749
<i>Wentao Li (AAIL, FEIT, University of Technology Sydney), Min Gao (Chongqing University), Dong Wen (The University of New South Wales), Hongwei Zhou (Chongqing University), Cai Ke (Chongqing University), and Lu Qin (AAIL, FEIT, University of Technology Sydney)</i>	
RobustScaler: QoS-Aware Autoscaling for Complex Workloads	2762
<i>Huajie Qian (DAMO Academy, Alibaba Group, USA), Qingsong Wen (DAMO Academy, Alibaba Group, USA), Liang Sun (DAMO Academy, Alibaba Group, USA), Jing Gu (DAMO Academy, Alibaba Group, USA), Qiulin Niu (DAMO Academy, Alibaba Group, USA), and Zhimin Tang (DAMO Academy, Alibaba Group, USA)</i>	
Ranked Window Query Retrieval over Video Repositories	2776
<i>Yueting Chen (York University), Xiaohui Yu (York University), and Nick Koudas (University of Toronto)</i>	
Horae: A Graph Stream Summarization Structure for Efficient Temporal Range Query	2792
<i>Ming Chen (Huazhong University of Science and Technology, China), Renxiang Zhou (Huazhong University of Science and Technology, China), Hanhua Chen (Huazhong University of Science and Technology, China), Jiang Xiao (Huazhong University of Science and Technology, China), Hai Jin (Huazhong University of Science and Technology, China), and Bo Li (Hong Kong University of Science and Technology, China)</i>	
Local Clustering over Labeled Graphs: An Index-Free Approach	2805
<i>Yudong Niu (Singapore Management University, Singapore), Yuchen Li (Singapore Management University, Singapore), Ju Fan (Renmin University of China, China), and Zhifeng Bao (RMIT University, Australia)</i>	
Adaptive Partitioning for Large-Scale Graph Analytics in Geo-Distributed Data Centers	2818
<i>Amelie Chi Zhou (Shenzhen University), Juanyun Luo (Shenzhen University), Ruibo Qiu (Shenzhen University), Haobin Tan (Shenzhen University), Bingsheng He (National University of Singapore), and Rui Mao (Shenzhen University)</i>	

Index-Based Structural Clustering on Directed Graphs	2831
<i>Lingkai Meng (Guangzhou University, China), Long Yuan (Nanjing University of Science and Technology, China), Zi Chen (East China Normal University, China), Xuemin Lin (University of New South Walse, Australia), and Shiyu Yang (Guangzhou University, China)</i>	
Epidemic Spread Optimization for Disease Containment with NPIs and Vaccination	2845
<i>Ya-Wen Teng (Institute of Information Science, Academia Sinica, Taiwan), Yishuo Shi (Wenzhou University, China), De-Nian Yang (Institute of Information Science, Academia Sinica, Taiwan; Research Center for Information Technology Innovation, Academia Sinica, Taiwan), Wang-Chien Lee (The Pennsylvania State University, USA), Philip S. Yu (University of Illinois Chicago, USA), Ying-Liang Lu (Shetou Township Health Center of Changhua County, Taiwan), and Ming-Syan Chen (National Taiwan University, Taiwan)</i>	
PolarDB-X: An Elastic Distributed Relational Database for Cloud-Native Applications	2859
<i>Wei Cao (Alibaba Group), Feifei Li (Alibaba Group), Gui Huang (Alibaba Group), Jianghang Lou (Alibaba Group), Jianwei Zhao (Alibaba Group), Dengcheng He (Alibaba Group), Mengshi Sun (Alibaba Group), Yingqiang Zhang (Alibaba Group), Sheng Wang (Alibaba Group), Xueqiang Wu (Alibaba Group), Han Liao (Alibaba Group), Zilin Chen (Alibaba Group), Xiaojian Fang (Alibaba Group), Mo Chen (Alibaba Group), Chenghui Liang (Alibaba Group), Yanxin Luo (Alibaba Group), Huanming Wang (Alibaba Group), Songlei Wang (Alibaba Group), Zhanfeng Ma (Alibaba Group), Xinjun Yang (Alibaba Group), Xiang Peng (Alibaba Group), Yubin Ruan (Alibaba Group), Yuhui Wang (Alibaba Group), Jie Zhou (Alibaba Group), Jianying Wang (Alibaba Group), Qingda Hu (Alibaba Group), and Junbin Kang (Alibaba Group)</i>	
Weakly-Supervised Temporal Path Representation Learning with Contrastive Curriculum Learning	2873
<i>Sean Bin Yang (Aalborg University, Denmark), Chenjuan Guo (Aalborg University, Denmark), Jilin Hu (Aalborg University, Denmark), Bin Yang (Aalborg University, Denmark), Jian Tang (Mila-Quebec AI Institute; HEC Montreal, Canada; CIFAR AI Research Chair), and Christian S. Jensen (Aalborg University, Denmark)</i>	
Micro-Behavior Encoding for Session-based Recommendation	2886
<i>Jiahao Yuan (East China Normal University, China), Wendi Ji (East China Normal University, China), Dell Zhang (Birkbeck, University of London, UK; ByteDance AI Lab, London, UK), Jinwei Pan (East China Normal University, China), and Xiaoling Wang (East China Normal University, China)</i>	
Towards Spatio-Temporal Aware Traffic Time Series Forecasting	2900
<i>Razvan-Gabriel Cirstea (Aalborg University, Denmark), Bin Yang (Aalborg University, Denmark), Chenjuan Guo (Aalborg University, Denmark), Tung Kieu (Aalborg University, Denmark), and Shirui Pan (Monash University, Australia)</i>	
Aggregate Queries on Knowledge Graphs: Fast Approximation with Semantic-aware Sampling ..	2914
<i>Yuxiang Wang (Hangzhou Dianzi University), Arijit Khan (Nanyang Technological University, Singapore), Xiaoliang Xu (Hangzhou Dianzi University), Jiahui Jin (Southeast University), Qifan Hong (Hangzhou Dianzi University), and Tao Fu (Hangzhou Dianzi University)</i>	

A Sketch-based Index for Correlated Dataset Search	2928
<i>Aécio Santos (New York University), Aline Bessa (New York University), Christopher Musco (New York University), and Juliana Freire (New York University)</i>	
Diverse Preference Augmentation with Multiple Domains for Cold-start Recommendations	2942
<i>Yan Zhang (University of Electronic Science and Technology of China; Australian Artificial Intelligence Institute, University of Technology Sydney), Changyu Li (University of Electronic Science and Technology of China), Ivor W. Tsang (Center for Frontier AI Research, Research Agency for Science, Technology and Research(A*STAR) & Australian Artificial Intelligence Institute, University of Technology Sydney), Hui Xu (University of Electronic Science and Technology of China), Lixin Duan (University of Electronic Science and Technology of China), Hongzhi Yin (The University of Queensland, Australia), Wen Li (University of Electronic Science and Technology of China), and Jie Shao (University of Electronic Science and Technology of China)</i>	
ExSample: Efficient Searches on Video Repositories through Adaptive Sampling	2956
<i>Oscar Moll (MIT CSAIL), Favyen Bastani (MIT CSAIL), Sam Madden (MIT CSAIL), Mike Stonebraker (MIT CSAIL), Vijay Gadepally (MIT Lincoln Laboratory), and Tim Kraska (MIT CSAIL)</i>	
Fast Adaptive Similarity Search through Variance-Aware Quantization	2969
<i>John Paparrizos (University of Chicago), Ikraduya Edian (Bandung Institute of Technology), Chunwei Liu (University of Chicago), Aaron Elmore (University of Chicago), and Michael Franklin (University of Chicago)</i>	
Spatial-Temporal Hypergraph Self-Supervised Learning for Crime Prediction	2984
<i>Zhonghang Li (South China University of Technology), Chao Huang (University of Hong Kong), Lianghao Xia (South China University of Technology), Yong Xu (South China University of Technology), and Jian Pei (Simon Fraser University)</i>	
Polynesia: Enabling High-Performance and Energy-Efficient Hybrid Transactional/Analytical Databases with Hardware/Software Co-Design	2997
<i>Amirali Boroumand (Google), Saugata Ghose (Univ. of Illinois Urbana-Champaign), Geraldo F. Oliveira (ETH Zurich), and Onur Mutlu (ETH Zurich)</i>	
BA-GNN: On Learning Bias-Aware Graph Neural Network	3012
<i>Zhengyu Chen (Zhejiang University; Alibaba-Zhejiang University Joint Research Institute of Frontier Technologies), Teng Xiao (The Pennsylvania State University), and Kun Kuang (Zhejiang University)</i>	
Constructing Compact Time Series Index for Efficient Window Query Processing	3025
<i>Jing Zhao (Fudan University), Peng Wang (Fudan University), Bo Tang (Southern University of Science and Technology), Lu Liu (Fudan University), Chen Wang (Tsinghua University), Wei Wang (Fudan University), and Jianmin Wang (Tsinghua University)</i>	

Robust and Explainable Autoencoders for Unsupervised Time Series Outlier Detection	3038
<i>Tung Kieu (Aalborg University, Denmark), Bin Yang (Aalborg University, Denmark), Chenjuan Guo (Aalborg University, Denmark), Christian S. Jensen (Aalborg University, Denmark), Yan Zhao (Aalborg University, Denmark), Feiteng Huang (Huawei Cloud Database Innovation Lab, China), and Kai Zheng (University of Electronic Science and Technology of China, China)</i>	
Prediction Intervals for Learned Cardinality Estimation: An Experimental Evaluation	3051
<i>Saravanan Thirumuruganathan (QCRI, HBKU), Suraj Shetiya (UT Arlington), Nick Koudas (University of Toronto), and Gautam Das (UT Arlington)</i>	
ExSample: Efficient Searches on Video Repositories Through Adaptive Sampling	3065
<i>Oscar Moll (MIT CSAIL, USA), Favyen Bastani (MIT CSAIL, USA), Sam Madden (MIT CSAIL, USA), Mike Stonebraker (MIT CSAIL, USA), Vijay Gadepally (MIT Lincoln Laboratory, USA), and Tim Kraska (MIT CSAIL, USA)</i>	
Pixels: An Efficient Column Store for Cloud Data Lakes	3078
<i>Haoqiong Bian (EPFL) and Anastasia Ailamaki (EPFL)</i>	
Time- and Space-Efficient Regular Path Queries	3091
<i>Diego Arroyuelo (Univ. Técnica Federico Santa María, Chile), Aidan Hogan (University of Chile, Chile), Gonzalo Navarro (University of Chile, Chile), and Javiel Rojas-Ledesma (University of Chile, Chile)</i>	
Subgraph Query Generation with Fairness and Diversity Constraints	3106
<i>Hanchao Ma (Case Western Reserve University), Sheng Guan (Case Western Reserve University), Mengying Wang (Case Western Reserve University), Yen-shuo Chang (Case Western Reserve University), and Yinghui Wu (Case Western Reserve University)</i>	
Reducing Write Amplification of LSM-Tree with Block-Grained Compaction	3119
<i>Xiaoliang Wang (University of Science and Technology of China, China), Peiquan Jin (University of Science and Technology of China, China), Bei Hua (University of Science and Technology of China, China), Hai Long (Huawei Technologies Co., Ltd., China), and Wei Huang (Huawei Technologies Co., Ltd., China)</i>	
Learning Graph Convolutional Networks Based on Quantum Vertex Information Propagation (Extended Abstract)	3132
<i>Lu Bai (Beijing Normal University, China; Central University of Finance and Economics, China), Yuhang Jiao (Central University of Finance and Economics, China), Lixin Cui (Central University of Finance and Economics, China), Luca Rossi (Queen Mary University of London, UK), Yue Wang (Central University of Finance and Economics, China), Philip S. Yu (University of Illinois at Chicago, USA), and Edwin R. Hancock (University of York, UK)</i>	

Demo Track

CheetahKG: A Demonstration for Core-Based Top-k Frequent Pattern Discovery on Knowledge Graphs	3134
<i>Bo Tang (Southern University of Science and Technology), Jian Zeng (Harbin Institute of Technology; Southern University of Science and Technology), Qiandong Tang (Southern University of Science and Technology), Chuan Yang (Southern University of Science and Technology), Qiaomu Shen (Southern University of Science and Technology), Leong Hou U (University of Macau), Xiao Yan (Southern University of Science and Technology), and Dan Zeng (Southern University of Science and Technology)</i>	
How Learning Can Help Complex Cyclic Join Decomposition	3138
<i>Hao Zhang (The Chinese University of Hong Kong, China), Qiyan Li (The Chinese University of Hong Kong, China), Kangfei Zhao (The Chinese University of Hong Kong, China), Jeffrey Xu Yu (The Chinese University of Hong Kong, China), and Yuanyuan Zhu (Department of Computer Science, Wuhan University, China)</i>	
VC-Tune: Tuning and Exploring Distributed Vertex-Centric Graph Systems	3142
<i>Zichen Zhu (Boston University), Siqiang Luo (National University of Singapore), Xiaokui Xiao (National University of Singapore), Yin Yang (Hamad Bin Khalifa University), Dingheng Mo (Nanyang Technological University), and Yufei Han (Columbia University)</i>	
A Demonstration of RASSED: A Scalable Dashboard for Monitoring Road Network Updates in OSM	3146
<i>Mashaal Musleh (University of Minnesota, USA) and Mohamed F. Mokbel (University of Minnesota, USA)</i>	
VICS-GNN: A Visual Interactive System for Community Search via Graph Neural Network	3150
<i>Jiazun Chen (Peking University, China) and Jun Gao (Peking University, China)</i>	
SAMBA: A System for Secure Federated Multi-Armed Bandits	3154
<i>Gael Marcadet (Univ. Clermont Auvergne, CNRS LIMOS), Radu Ciucanu (Univ. Grenoble Alpes, CNRS LIG), Pascal Lafourcade (Univ. Clermont Auvergne, CNRS LIMOS), Marta Soare (Univ. Grenoble Alpes, CNRS LIG), and Sihem Amer-Yahia (CNRS LIG, Univ. Grenoble Alpes)</i>	
A Knowledge Base Question Answering System for Cyber Threat Knowledge Acquisition	3158
<i>Zhengjie Ji (KTH Royal Institute of Technology), Edward Choi (University of California, Berkeley), and Peng Gao (Virginia Tech)</i>	
abcOD: Mining Band Order Dependencies	3162
<i>Pei Li (Onedot A.G., Switzerland), Jessica Jessica (Ontario Tech University, Canada), Naida Tania (Ontario Tech University, Canada), Michael Böhlen (University of Zurich, Switzerland), Divesh Srivastava (AT&T Chief Data Office, United States), and Jaroslaw Szlichta (Ontario Tech University, Canada)</i>	
SEFrame: An SGX-Enhanced Smart Contract Execution Framework for Permissioned Blockchain	3166
<i>Min Fang (East China Normal University), Xinna Zhou (East China Normal University), Zhao Zhang (East China Normal University), Cheqing Jin (East China Normal University), and Aoying Zhou (East China Normal University)</i>	

neoDBMS: In-Situ Snapshots for Multi-Version DBMS on Native Computational Storage	3170
<i>Arthur Bernhardt (Reutlingen University), Sajjad Tamimi (Technische Universität Darmstadt), Tobias Vinçon (Reutlingen University), Christian Knödler (Reutlingen University), Florian Stock (Technische Universität Darmstadt), Carsten Heinz (Technische Universität Darmstadt), Andreas Koch (Technische Universität Darmstadt), and Ilia Petrov (Reutlingen University)</i>	
exRumourLens: Auditable Rumour Detection with Multi-View Explanations	3174
<i>Thanh Cong Phan (Griffith University), Thanh Tam Nguyen (Griffith University), Matthias Weidlich (Humboldt-Universität zu Berlin), Hongzhi Yin (The University of Queensland), Jun Jo (Griffith University), and Quoc Viet Hung Nguyen (Griffith University)</i>	
How, Where, and Why Data Provenance Improves Query Debugging	3178
<i>Tobias Müller (University of Tübingen, Germany) and Pascal Engel (University of Tübingen, Germany)</i>	
IKAROS: An Indoor Keyword-Aware Routing System	3182
<i>Tiantian Liu (Aalborg University, Denmark), Zijin Feng (The Chinese University of Hong Kong, Hong Kong), Huan Li (Aalborg University, Denmark), Hua Lu (Roskilde University, Denmark), Lidan Shou (Zhejiang University, China), and Jianliang Xu (Hong Kong Baptist University, Hong Kong)</i>	
Farming Your ML-Based Query Optimizer’s Food	3186
<i>Robin van de Water (Hasso Plattner Institut (HPI)), Francesco Ventura (Technische Universität Berlin (TU Berlin)), Zoi Kaoudi (Technische Universität Berlin (TU Berlin)), Jorge-Arnulfo Quiané-Ruiz (Technische Universität Berlin (TU Berlin); DFKI GmbH), and Volker Markl (Technische Universität Berlin (TU Berlin); DFKI GmbH)</i>	
Efficient GPU-Accelerated Join Optimization for Complex Queries	3190
<i>Vasilis Mageirakos (University of Patras), Riccardo Mancini (Superiore Sant’Anna), Srinivas Karthik (EPFL), Bikash Chandra (EPFL), and Anastasia Ailamaki (EPFL; RAW Labs SA)</i>	

Tutorial Track

Automatic Performance Tuning for Distributed Data Stream Processing Systems	3194
<i>Herodotos Herodotou (Cyprus University of Technology), Lambros Odysseos (Cyprus University of Technology), Yuxing Chen (Tencent Inc.), and Jiaheng Lu (University of Helsinki)</i>	
Machine Learning for Data Management: A System View	3198
<i>Guoliang Li (Tsinghua University, China) and Xuanhe Zhou (Tsinghua University, China)</i>	
Time Series Anomaly Detection Toolkit for Data Scientist	3202
<i>Dhaval Patel (IBM Thomas J. Watson Research Center), Dzung Phan (IBM Thomas J. Watson Research Center), and Markus Mueller (IBM Thomas J. Watson Research Center)</i>	

Toward Responsive DBMS: Optimal Join Algorithms, Enumeration, Factorization, Ranking, and Dynamic Programming	3205
<i>Nikolaos Tziavelis (Northeastern University, USA), Wolfgang Gatterbauer (Northeastern University, USA), and Mirek Riedewald (Northeastern University, USA)</i>	
Explainable AI: Foundations, Applications, Opportunities for Data Management Research	3209
<i>Romila Pradhan (Purdue University, USA), Aditya Lahiri (University of California San Diego, USA), Sainyam Galhotra (University of Chicago, USA), and Babak Salimi (University of California San Diego, USA)</i>	
Database Optimizers in the Era of Learning	3213
<i>Dimitris Tsesmelis (Athena Research Center, Greece) and Alkis Simitsis (Athena Research Center, Greece)</i>	
Analytics at Scale: Evolution at Infrastructure and Algorithmic Levels	3217
<i>Mohammed Al-Kateb (Teradata Labs, USA), Mohamed Eltabakh (Worcester Polytechnic Institute, USA), Awmy Al-Omari (Incorta, USA), and Paul Brown (Teradata Labs, USA)</i>	

PhD Symposium

How Much Storage Do We Need for High Performance Server	3221
<i>Jia Wei (Xi'an Jiaotong University, China)</i>	
Constructing a Skeleton Database and Enriching it using a Generative Adversarial Network (GAN) Simulator to Assess Human Movement	3226
<i>Yoram Segal (Ben-Gurion University of the Negev, Israel) and Ofer Hadar (Ben-Gurion University of the Negev, Israel)</i>	
Novel Methods for Aggregating Analyst Estimates	3230
<i>Kheng Kua (University of New South Wales, Australia)</i>	
A Journey from Commit Processing in Distributed Databases to Consensus in Blockchain	3236
<i>Kamal Kant (M. M. M. University of Technology, India), Sarvesh Pandey (MMV, BHU, India), and Udai Shanker (M. M. M. U. T., India)</i>	

Industry Track

Discovering Actual Delivery Locations from Mis-Annotated Couriers' Trajectories	3241
<i>Sijie Ruan (Xidian University, China; JD iCity, JD Technology, China; JD Intelligent Cities Research, China; Nanyang Technological University, Singapore), Cheng Long (Nanyang Technological University, Singapore), Xiaodu Yang (Institute of Information Engineering, Chinese Academy of Sciences), Tianfu He (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Ruiyuan Li (Chongqing University, China), Jie Bao (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Yiheng Chen (JD Logistics, China), Shengnan Wu (JD Logistics, China), Jiangtao Cui (Xidian University, China), and Yu Zheng (Xidian University, China; JD iCity, JD Technology, China; JD Intelligent Cities Research, China)</i>	

Intent Mining: A Social and Semantic Enhanced Topic Model for Operation-Friendly Digital Marketing	3254
<i>Weifan Wang (Ant Group, China), Xiaocheng Cheng (Ant Group, China), Ziqi Liu (Ant Group, China), Yu Lin (Ant Group, China), Yue Shen (Ant Group, China), Binbin Hu (Ant Group, China), Zhiqiang Zhang (Ant Group, China), Xiaodong Zeng (Ant Group, China), Jun Zhou (Ant Group, China), Jinjie Gu (Ant Group, China), and Minnan Luo (Xi'an Jiaotong University, China)</i>	
Tower Bridge Net (TB-Net): Bidirectional Knowledge Graph Aware Embedding Propagation for Explainable Recommender Systems	3268
<i>Shendi Wang (Huawei Technologies), Haoyang Li (Huawei Technologies), Caleb Chen Cao (Huawei Technologies), Xiao-Hui Li (Huawei Technologies), Ngai Fai Ng (Huawei Technologies), Jianxin Liu (Huawei Technologies), Xun Xue (Huawei Technologies), Hu Song (Industrial and Commercial Bank of China Limited), Jinyu Li (Industrial and Commercial Bank of China Limited), Guangye Gu (Industrial and Commercial Bank of China Limited), and Lei Chen (Hong Kong University of Science and Technology)</i>	
Learning What You Need from What You Did: Product Taxonomy Expansion with User Behaviors Supervision	3280
<i>Sijie Cheng (Fudan University, China), Zhouhong Gu (Fudan University, China), Bang Liu (Université de Montréal, Canada; Canada CIFAR AI Chair), Rui Xie (Meituan, China), Wei Wu (Meituan, China), and Yanghua Xiao (Fudan University, China)</i>	
Detecting Loaded Trajectories for Hazardous Chemicals Transportation	3294
<i>Shuncheng Liu (University of Electronic Science and Technology of China, China), Zhi Xu (University of Electronic Science and Technology of China, China), Huimin Ren (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Tianfu He (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Boyang Han (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Jie Bao (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Kai Zheng (University of Electronic Science and Technology of China, China), and Yu Zheng (JD iCity, JD Technology, China; JD Intelligent Cities Research, China)</i>	
Multi-task Learning with Calibrated Mixture of Insightful Experts	3307
<i>Sinan Wang (Alibaba Group, China), Yumeng Li (Alibaba Group, China), Hongyan Li (Alibaba Group, China), Tanchao Zhu (Alibaba Group, China), Zhao Li (Alibaba Group, China), and Wenwu Ou (Alibaba Group, China)</i>	
Gaia: Graph Neural Network with Temporal Shift Aware Attention for Gross Merchandise Value Forecast in E-Commerce	3320
<i>Borui Ye (Ant Group, China), Shuo Yang (Ant Group, China), Binbin Hu (Ant Group, China), Zhiqiang Zhang (Ant Group, China), Youqiang He (Ant Group, China), Kai Huang (Ant Group, China), Jun Zhou (Ant Group, China), and Yanming Fang (Ant Group, China)</i>	
Adaptive Task Planning for Large-Scale Robotized Warehouses	3327
<i>Dingyuan Shi (Beihang University, China), Yongxin Tong (Beihang University, China), Zimu Zhou (Singapore Management University), Ke Xu (Beihang University, China), Wenzhe Tan (Geekplus), and Hongbo Li (Geekplus)</i>	

Separation or Not: On Handling Out-of-Order Time-Series Data in Leveled LSM-Tree	3340
<i>Yuyuan Kang (Tsinghua University, China), Xiangdong Huang (Tsinghua University, China), Shaoxu Song (Tsinghua University, China), Lingzhe Zhang (Tsinghua University, China), Jialin Qiao (Tsinghua University, China), Chen Wang (Tsinghua University, China), Jianmin Wang (Tsinghua University, China), and Julian Feinauer (Tsinghua University, China)</i>	
APOTS: A Model for Adversarial Prediction of Traffic Speed	3353
<i>Namhyuk Kim (Hyundai Motor Company, Republic of Korea), Junho Song (Hanyang University, Republic of Korea), Siyoung Lee (Hanyang University, Republic of Korea), Jaewon Choe (Hanyang University, Republic of Korea), Kyungsik Han (Hanyang University, Republic of Korea), Sunghwan Park (Hyundai Motor Company, Republic of Korea), and Sang-Wook Kim (Hanyang University, Republic of Korea)</i>	
Feature Augmentation with Reinforcement Learning	3360
<i>Jiabin Liu (Tsinghua University), Chengliang Chai (Tsinghua University), Yuyu Luo (Tsinghua University), Yin Lou (Ant Group), Jianhua Feng (Tsinghua University), and Nan Tang (QCRI)</i>	
Rule Learning over Knowledge Graphs with Genetic Logic Programming	3373
<i>Lianlong Wu (University of Oxford), Emanuel Sallinger (Institute of Logic and Computation, TU Wien; University of Oxford), Evgeny Sherkhonov (University of Oxford), Sahar Vahdati (University of Oxford), and Georg Gottlob (University of Oxford; Institute of Logic and Computation, TU Wien)</i>	
AiRS: A Large-Scale Recommender System at NAVER News	3386
<i>Hongjun Lim (NAVER Corp., Republic of Korea), Yeon-Chang Lee (Hanyang University, Republic of Korea), Jin-Seo Lee (NAVER Corp., Republic of Korea), Sanggyu Han (NAVER Corp., Republic of Korea), Seunghyeon Kim (NAVER Corp., Republic of Korea), Yeongjong Jeong (NAVER Corp., Republic of Korea), Changbong Kim (NAVER Corp., Republic of Korea), Jaehun Kim (NAVER Corp., Republic of Korea), Sunghoon Han (NAVER Corp., Republic of Korea), Solbi Choi (NAVER Corp., Republic of Korea), Hanjong Ko (NAVER Corp., Republic of Korea), Dokyeong Lee (NAVER Corp., Republic of Korea), Jaeho Choi (NAVER Corp., Republic of Korea), Yungi Kim (Hanyang University, Republic of Korea), Hong-Kyun Bae (Hanyang University, Republic of Korea), Taeho Kim (Hanyang University, Republic of Korea), Jeewon Ahn (Hanyang University, Republic of Korea), Hyun-Soung You (Hanyang University, Republic of Korea), and Sang-Wook Kim (Hanyang University, Republic of Korea)</i>	
Cheaper Is Better: Exploring Price Competitiveness for Online Purchase Prediction	3399
<i>Han Wu (Alibaba Group, China), Hongzhe Zhang (University of Delaware, USA), Liangyue Li (Alibaba Group, China), Zulong Chen (Alibaba Group, China), Fanwei Zhu (Zhejiang University City College, China), and Xiao Fang (University of Delaware, USA)</i>	
Field-Aware Variational Autoencoders for Billion-Scale User Representation Learning	3413
<i>Ge Fan (Tencent Inc., China), Chaoyun Zhang (Tencent Inc., China), Junyang Chen (Shenzhen University, China), Baopu Li (Baidu USA, USA), Zenglin Xu (Harbin Institute of Technology (Shenzhen), China), Yingjie Li (Tencent Inc., China), Luyu Peng (Tencent Inc., China), and Zhiguo Gong (University of Macau, China)</i>	

Tell Me How to Survey: Literature Review Made Simple with Automatic Reading Path Generation	3426
<i>Jiayuan Ding (Michigan State University), Tong Xiang (Virginia Tech), Zijing Ou (Sun Yat-sen University), Wangyang Zuo (Zhejiang University of Technology), Ruihui Zhao (Tencent Jarvis Lab), Chenhua Lin (University of Sheffield), Yefeng Zheng (Tencent Jarvis Lab), and Bang Liu (Université de Montréal & Mila)</i>	
AMCAD: Adaptive Mixed-Curvature Representation Based Advertisement Retrieval System	3439
<i>Zhirong Xu (Alibaba Group, China), Shiyang Wen (Alibaba Group, China), Junshan Wang (Alibaba Group, China), Guojun Liu (Alibaba Group, China), Liang Wang (Alibaba Group, China), Zhi Yang (Peking University, China), Lei Ding (Alibaba Group, China), Yan Zhang (Alibaba Group, China), Di Zhang (Alibaba Group, China), Jian Xu (Alibaba Group, China), and Bo Zheng (Alibaba Group, China)</i>	
PICASSO: Unleashing the Potential of GPU-Centric Training for Wide-and-Deep Recommender Systems	3453
<i>Yuanxing Zhang (Alibaba Group, China), Langshi Chen (Alibaba Group, China), Siran Yang (Alibaba Group, China), Man Yuan (Alibaba Group, China), Huimin Yi (Alibaba Group, China), Jie Zhang (Alibaba Group, China), Jiamang Wang (Alibaba Group, China), Jianbo Dong (Alibaba Group, China), Yunlong Xu (Alibaba Group, China), Yue Song (Alibaba Group, China), Yong Li (Alibaba Group, China), Di Zhang (Alibaba Group, China), Wei Lin (Alibaba Group, China), Lin Qu (Alibaba Group, China), and Bo Zheng (Alibaba Group, China)</i>	
Knowledge Enhanced Person-Job Fit for Talent Recruitment	3467
<i>Kaichun Yao (Baidu Inc, China), Jingshuai Zhang (Baidu Inc, China), Chuan Qin (Baidu Inc, China), Peng Wang (Baidu Inc, China), Hengshu Zhu (Baidu Inc, China), and Hui Xiong (The Hong Kong University of Science and Technology, China)</i>	
ODNET: A Novel Personalized Origin-Destination Ranking Network for Flight Recommendation	3481
<i>Jia Xu (Guangxi University, China), Jin Huang (Alibaba Group, China), Zulong Chen (Alibaba Group, China), Yang Li (Alibaba Group, China), Wanjie Tao (Alibaba Group, China), and Chuanfei Xu (Concordia University, Canada)</i>	

Author Index